Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Exair

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Exair Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Exair Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
110012	
110012-.005	
110018	
110024	
1102	
110900	
1109SS	
1109SS-NPT	
150150 1-1/2"	
2048	
3215	
3240	
4040	
4315-ETC240	
6081 1 IN. ALUM. LINE VAC	
6085 2-1/2"	
6295	
6932-20	
900569	

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
9009	
BP110003	
BP110030	
BP150125	
BP3725	
BP3825J	
BP5215J	
BP6196	
MODEL	
Model No. 6067	
MODEL:6083	
NEMA 12	
W5215 invalid/check 5215	
BP6296	Drum Vac Reversible System Deluxe, reversibel, passend für jede Eurotonne 205 Liter, OHNE FASS, mit Fassroller best.aus: BP6196+6901+9041+900097+901176: 1xBP6091 Pumpe Edelstahl mit 1/4"Gewinde 1x9012 Kugelhahn 1/4-1/4"-Gewinde 1x6711 Rohr aus Kunststoff 2"NPT Adapter 1x6708 Adapter Kunststoff 1 1/2"-Gewinde 1x6707 Bogen 90° mit Spannexz.u.Schlauchanschl. 1x6569 Schlauch flexibel 3000mm lang 1x6812 abgeschrägtes Aluminium Saug-Rohr = BP6196 zuzüglich nachfolgender Teile: 1x6901 Absaug-Set (1x6586 einteiliger ABS-Stab 1372mm+1x6587 Doppelgummischrubber) 1x900097 Satz Saugwerkzeuge (1x6565 Fugenbürste + 1x6566 Flachdüse + 2x6568 Verlängerungsrohr)
BP120028	Super Air Amplifier, 203mm, 8", aluminum, 3/4" E.G with handle, standard shim thickness 0.23 mm .009" Air consumption at 5.5 bar 3396 l/min

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
28101486 Pneumatic, Flow Controller, 1/8" x 8mm	(PISTON AIR INLET ADJUSTABLE EXHAUST)
BP110054	Super Air Knife Aluminum, 1372 mm 54" Air consumption at 5.5 bar 4428 l/min
BP9077	Alternative position Compressed air supply set for Super Air Knives 48"+54" long consisting of flex hose 1/2" in nitrile/PVC, various brass fittings, pressure gauges; max. temp. 55°C
900517	Alternative position Universal mounting kit in stainless steel 303/304, too all Air Knives consisting of: Mounting bracket (900503) and screws, nuts, Discs=like 9060 but without Rods/extension arms or swivel clamp, like 9060.
BP4015	Cabinet Cooler NEMA 12=IP54, power 290 watts Consumption 425 l/min. at 6.9 bar, Kcal./h 252, 1/4" connection NEMA 12=dust and oil resistant
BP4025	Alternative position Cabinet Cooler NEMA 12=IP54, power 495 watts Consumption at 6.9 bar 708 l/min., Kcal./h 428, 1/4" connection NEMA 12=dust and oil resistant
BP4030	Alternative position Cabinet Cooler NEMA 12=IP54, power 585 watts Consumption at 6.9 bar 850 l/min., Kcal./h. 504, 1/4"BSP connection NEMA 12=dust and oil resistant
BP4040	Alternative position Cabinet Cooler NEMA 12=IP54, power 820 watts 706 kcal/h, consumption 1,132 l/min. at 6.9 bar, 1/4" connection NEMA 12=dust and oil resistant
4904	Hose kit large - DIM 12/1.5 = 12 x 15 consisting of: 1 m air hose, DIM 12/1.5 = 12 x 15 3 x9522 eyelets 1 x9525 angle hose nozzle 1 x9526 end caps (necessary for control cabinet cooler)

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
4014413	3/2 solenoid valve 24 V GS, with temperature control 0-120°, with LED Thermostat control consisting of: 1xZI-4014411 directional control valve V61B413A.A213L3/2, 24 V GS (aluminium), G 1/4" IT, flow 1300 l/min., 1xCO-4017101 temperature controller in the range 0-120°, switching difference 3+/-1.5°C, 250 V/AC, 50/60 Hz, 20A 1xZI-4014403 device socket 0664811 with LED
BP4630	Cabinet Cooler NEMA 4=IP66, power 585 watts including straight hose nozzle, brass elbow, silencer Consumption 850 l/min., Kcal./h. 504, 1/4" connection, at 6.9 bar, NEMA 4 = splash-proof
4904	Alternative position Hose kit large - DIM 12/1.5 = 12 x 15 consisting of: 1 m air hose, DIM 12/1.5 = 12 x 15 3 x9522 eyelets 1 x9525 angle hose nozzle 1 x9526 end caps (necessary for control cabinet cooler)
4014416	Alternative position 3/2 solenoid valve 220...240 V with Thermostat control with LED Thermostat control consisting of: 4014412=V61B413A-A219L =3/2 way valve 220 V (aluminium), 1/4", flow 1,300 l/min at 2-8 bar, and temperature controller 4017001= ALRE-ZN112525 (switching difference 0.5 K/0.5°C)(successor model for PTR.01.082-24) Customs fee number. 9032.10.80 Country of origin Germany incl. 4014404=0664812 device socket with LED
4012655	Alternative position Maintenance unit WKF 1/4" connection, size 1 Series W75, (successor set WH 4012622: 17960505/333) 1500 l/min flow (=9027 EXAIR), best. out of: 4012656=17910505 Filter combination device WKF-K1-1/4-8-A-M, pore size 5µ size 1 series W75, automatic condensate drain, 1/4" connection, 2000 l/min flow (=9004 EXAIR incl. Manometer) 4012657=17910333 Deoiler submicrofilter WKF-SMF-1/4 size 1 series W75, < 0.01mg/cbm Residual oil content; flow recommended 350 Nl/min

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	4012658=17910704 Filter insert WKF-ET-5µ-1 4012659=17910401 Clutch kit WKF-ZUB-KUP-1 PL16959 several individual devices, Maintenance devices size 1 series W75,
4907	Alternative position Connection set VA to the side. Mounting the NEMA 4/4X except 4608 + 4608SS; made of stainless steel 303
BP4015	Cabinet Cooler NEMA 12=IP54, power 290 watts Consumption 425 l/min. at 6.9 bar, Kcal./h 252, 1/4" connection NEMA 12=dust and oil resistant
BP3208	Vortex Tube, 1/8", 227 l/min/160 watts cooling capacity at 6.9 bar
3905	Alternative position Cold Muffler for Vortex Tube BP3202-BP3208 + BP3402-BP3408
3903	Alternative position Hot muffler for Vortex Tube BP3202-BP3240 + BP3402-BP3440
3909	Alternative position Generator set (all C+R) including brass covers for Vortex Tube BP3202-3208: small 1x each 2 C+R, 4 C+R, 8 C+R, with 1x each brass covers 2 + 4 + 8
BP4030	Cabinet Cooler NEMA 12=IP54, power 585Watt Consumption at 6.9 bar 850 l/min., Kcal./h. 504, 1/4"BSP connection NEMA 12=dust and oil resistant
4904	Alternative position Hose kit large - DIM 12/1.5 = 12 x 15 consisting of: 1 m air hose, DIM 12/1.5 = 12 x 15 3 x9522 retaining eyelets 1 x9525 angled hose nozzle 1 x9526 end caps (required for control cabinet cooler)
4014413	Alternative position 3/2 solenoid valve 24 V GS, with temperature control 0-120°, with LED Thermostat control consisting of: 1xZI-4014411 directional valve V61B413A.A213L3/2,

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	24 V GS (aluminum), G 1/4" IG, flow rate 1300 l/min., 1xCO-4017101 temperature controller in the range 0-120°, switching difference 3+/-1.5°C, 250 V/AC, 50/60 Hz, 20 A 1xZI-4014403 device socket 0664811 with LED
4012655	Alternative position Maintenance unit WKF 1/4" connection, size 1 Series W75, (successor set WH 4012622: 17960505/333) 1500 l/min flow (=9027 EXAIR), consisting of: 4012656=17910505 Filter combination device WKF-K1-1/4-8-A-M, pore size 1 Series W75, automatic condensate drain, 1/4" connection, 2000 l/min flow (=9004 EXAIR incl. pressure gauge) Customs tariff number: 84811005 Country of origin: Germany 4012657=17910333 Deoiler submicrofilter WKF-SMF-1/4 size 1 Series W75, < 0.01mg/cbm Residual oil content; recommended flow rate 350 Nl/min Customs tariff number: 84213925 Country of origin: Germany 4012658=17910704 Filter insert WKF-ET-5µ-1 Customs tariff number: 84219990 Country of origin: Germany 4012659=17910401 Coupling kit WKF-ZUB-KUP-1 PL16959 of several individual devices, Maintenance devices size 1 series W75,
BP110060	Super Air Knife Aluminum, 1524 mm 60" Air consumption at 5.5 bar 4920 l/min Coding: Y901 / 3LNA / 81
BPHT4240	High Temperature Cabinet Cooler NEMA 12=IP54, power 820 watts NEMA 12 High-temperature cabinet cooling system, 820 watts, continuous operation, including Compressed air filter, consisting of: (1) HT4040 NEMA 12 High-temperature control cabinet cooler, 820 watts (1) 4904 Cold air distribution hose kit (1) 9001 Compressed air filter/separator (1) 900396 Filter holder
Super Air Nozzle	(1/2" model)
Flat Super Air Nozzle	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
NEMA TYPE 4X	Cabinet Cooler
BP4625SS	Cabinet Cooler NEMA 4X=IP66, Performance 495 watts (including silencer) Consumption 708 l/min., Kcal./h 428, 1/4" connection BSP NEMA 4X=corrosion resistant (= Stainless steel)
BP9239	ETC 240 V, 50/60 Hz, 60mA, 1133 l/min with solenoid valve, BSP-1/4", electronic temperature control, for Control cabinet cooler, display in °C and °F REGULAR RANGE: 21-54°C, Temperature accuracy +/-0.56°C .attitude Sensor: Platinum resistance thermometer 1kOhm Protection class NEMA4X/ IP66, max. Temp+70°C; RoHS+CE compliant, UL-approved and CSA certified.
Bp6196 Reversible Drum Vac System With Bp Threads	
6067	
1104	
6066	
Shim Set For Exair Model 110012-.005	
Modelã 6086	
BP110003	Super Air Knife Aluminum, 76 mm 3" Air consumption at 5.5 bar: 246 l/min Coding: Y901 / 3LNA / 81
6087	
6193-30	
1010ss	
6064	
9096	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
110024ss	
110042	
110012ss	KNIFE
1122	
5215	
Model : 6r23	
7941	
6393-30	
9097	
120021	
Bp110006	
1-800-903-0247	
Model 6060	
6293-30	
9092-M3-Dat	
5330	
4725ss	
2436	
2454	
1103ss	
110006	
6196	
Shim Set For Exair Model 110060-.005	
7907	
6041	
Bp6190	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
6081 1 In. Alum. Line Vac	
110003ss	
110009	
9095	
110048	AIR KNIFE 48IN 1/4 INLETX5 0.002 AIR SLOT
4830ss	CABINET COOLER SS NEMA4X W/THERMOSTAT 2000BTU/HR
4330	
120020	
6085	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.