

Exor

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Exor Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Exor Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
eX705	5 "TFT, 800x480, PCAP touchscreen, ARM Cortex-A8 - 1 GHz, 2 Ethernet, Serial, USB interfaces + EX705U5P1
TERMINAL,PORT DATA COLLECTION,512KB,1.5M	TERMINAL,PORT DATA COLLECTION,512KB,1.5M (EXOR HANDHELD OPERATING TERMINAL UniOP aPalm10) GE PART NUMBER: 448W9732P001 DEVICE PHOTOS ARE ATTACHED
USB & ETHERNET ADAPTER FOR T2005	SCHECA06A
PROCESS UNIT FOR TOUCH SCREEN :	SCHETSZ02A
TCP01R-04-0345	
ESMA07MU301	7"-Widescreen-TFT-resistiver Touchscreen, ARM Cortex A8 1 GHz, Ethernet-, Serielle- und USB-Schnittstelle
ePALM10-DA71	
Epalm10-0061	8 LINE 20 CHARACTER BACKLIT LCDW/DEADMAN KEYS, E-STOP, 27 KEYS,5M CABLE
Unicontrol02	ISAGRAF PROGRAMMING SOFTWARE FOR PLC MODULE WITH 256 I/O LIMIT

Ebs-0130-Q	FANLESS BOX PC, ES-1750, INTEL CORE DUO 1.6GHZ CPU, 1GB SO-DDRS, 2.5 80GB HDD, VGA, DVI, SLIM DVD/CD-RW, DUAL GIGALAN, USB2.0 X6, COM X2, 84W AC ADAP
Etop310	TOUCH SCREEN
Epf-1532-16m	15 TFT FANLESS PANEL PC, 1024X768, RESISTIVE TOUCH SCREEN, ES-2616M, INTEL CELERON M 600MHZ CPU, 512MB SO-DDR1, 2.5 80GB HDD, DUAL 10/100 LAN, USB2.
Des-06	
Ev084tnt4a	OPER INTERFACE
Epc-7166	17 TFT PANEL PC, ATX M/B, 1280X1024, RESISTIVE TOUCH SCREEN, ES-669/LGA775, INTEL P4 3.00GHZ CPU, 1GB DDR2, 2.5 80GB HDD, SLIM DVD/CD-RW, 2W AUDIO A
Uniop 7" Widescreen	eTOP307-G TFT Touch Front foil gray WVGA resolution 800x480, 64k colors, resistive touch, 64 MB Flash, 10/100 Ethernet, USB + ETOP307U201
Etop310-W	
Etf 6za979-3	
Tcm-02	KLOCKNER MOELLER SUCONET K MODULE
Pm-0220-T	2 LINE, 20 CHARACTER, TRI-COLOR, 110 VAC PS, PRODUCTION MARQUEE SERIES – PRODUCTION MONITORING SYSTEM
Designer Std	
It2:6za1007-7em24	HMI Handheld Graphic Display Keypad 6ZA1007-7EM24
Mkdg06	
Bkdc-46	5.6" DIAGONAL PASSIVE 16 COLOR DISPLAY W/57 KEYS 32 MEG MEMORY
Mkdg-06	8 LINE 40 CHARACTER BACKLIT LCD GRAPHIC DISPLAY W/47 KEYS
Etop03-0046	HMI Touch Screen
Etop131-0050	OPERATOR INTERFACE 10.4IN 4.30V 58A
Bkdr-16e-0045	OPER INTERFACE
Er25t-0042	OPERATOR INTERFACE W/TOUCH LCD DISPLAY
Hmi Ert-16-0045(Replaced By Etop306-S)	
Mkdln-16-0045	OPERATOR INTF
Dm-0420-T	4 LINE, 20 CHARACTER, TRI-COLOR, 110 VAC PS, DIGITAL MARQUEE SERIES – SEVEN BIT BINARY INPUT

Kdp_D2	
Mkdf-04-0021	OPERATOR INTERFACE PANEL W/KEYPAD
Ebs-1720	BOX PC, ES-2622, VIA V4 ULV 1GHZ CPU, 512MB SO-DDR2, 2.5 80GB HDD, VGA, DVI, DUAL 10/100 LAN, USB2.0 X6, COM X2, 40W PS
Etop12	5.6 BACKLIT LCD DISPLAY, 32 MB FLASH
Epad05-0046	OPERATOR INTERFACE .25AMP 24VDC
Etop315	OPERATOR INTERFACE 15INCH TFT COLOR
Etop313-W	
Epc-1036-E	10.4 TFT PANEL PC, 800X600, RESISTIVE TOUCH SCREEN, ES-2615, V4 EDEN 1GHZ CPU, 512MB SO-DDR2, 2.5 80GB HDD, DUAL 10/100 LAN, USB2.0 X2, COM X2, 70W
Etop313-W Obsolete, Alternative Etop513	
Bkdr16000045	INTERFACE
Etop06-0050 Scm03 Uim03	
Dm-0213-T	2 LINE, 13 CHARACTER, TRI-COLOR, 110 VAC PS, DIGITAL MARQUEE SERIES – SEVEN BIT BINARY INPUT
Um-0220-T	2 LINE, 20 CHARACTER, TRI-COLOR, 110 VAC PS, UNI MARQUEE SERIES – SUPPORT FOR ALL THE 175 UNIOP PROTOCOLS
Etop20b-0045	OPERATOR INTERFACE TOUCH SCREEN COLOR 7.5INCH VGA
Cp11g-04	Monochrome Graphic Display
Etop312	INTERFACE
Etop50-0050	OPERATOR INTERFACE 15.25INCH DISPLAY 1.20AMP 24VDC
Etop306b	5.7 TFT COLOR LED BACKLIGHT BLACK BEZEL
Epd-1790	17 INDUSTRIAL PANEL DISPLAY, 1024X768 PIXELS, RESISTIVE TOUCH SCREEN, 60W AC ADAPTER
Hmi Etop 33-0050(Replaced B Y Etop310-S)	
Etop06	5.7 TFT 256 COLOR DISPLAY, 32 MB FLASH
Etop05-0045	Touch Screen Panel
Ect-160045-12.4.4x	OPERATOR INTERFACE TOUCH SCREEN ENCLOSED M-STOP
Mkdg-05	8 LINE 40 CHARACTER GRAPHIC DISPLAY W/ 76 KEYS
Etop12-0050 Scm03 Uim03	

Etop307-U101	OPERATOR INTERFACE TOUCHSCREEN 7INCH TFT WHITE
Etop504-S	
Pm-0213-T-Z	DISPLAY LCD/LED 24VDC
Epd-1990	19 INDUSTRIAL PANEL DISPLAY, 1280X1024 PIXELS, RESISTIVE TOUCH SCREEN, 60W AC ADAPTER (3~4 WEEK LEADTIME)
Etop32b-0050	OPERATOR INTERFACE 9.6INCH TOUCH PANEL
Epad32b-0050	OPERATOR INTF
Etop50c-0050	OPERATOR INTERFACE 15INCH
Etop150c	15.1 TFT COLOR DISPLAY, 64MB, WIN CE.NET 4.2, USB, I/O VIDEO INPUT
Etop133c	10.4 TFT COLOR DISPLAY, 64MB, WIN CE.NET 4.2, USB, I/O VIDEO INPUT
Etop306u101	5.7 TFT HMI
Ek04	OPERATOR INTERFACE TEXT DISPLAY
6za973-3	OPERATOR INTERFACE 2AMP 24VDC
Ip-0113-T	1 LINE, 13 CHARACTER, TRI-COLOR, 24 VDC PS, ETHERNET/IP MARQUEE SERIES – ROCKWELL ETHERNET/IP
Mb-0213-T	2 LINE, 13 CHARACTER, TRI-COLOR, 110 VAC PS, MODBUS MARQUEE SERIES – MODBUS TCP MODBUS RTU
Ip-0220-T	2 LINE, 20 CHARACTER, TRI-COLOR, 110 VAC PS, ETHERNET/IP MARQUEE SERIES – ROCKWELL ETHERNET/IP
Etop50b-0050 Obsolete/Replaced By Etop515	
Etad01	Adapter
Ek44	OPERATOR INTERFACE
Etop06c	5.7 TFT 64K COLOR DISPLAY, 64 MB FLASH WITH ETHERNET
Etop06c-0050	OPERATOR INTERFACE TOUCHSCREEN 5.6INCH TFT COLOR
Etop306-S	
Etop30-0050	OPERATOR INTF
Mkdg-07-0045	OPERATOR INTERFACE CONTROL PANEL LCD 24VDC
Mm-0420-T	4 LINE, 20 CHARACTER, TRI-COLOR, 110 VAC PS, MESSENGER MARQUEE SERIES – SERIAL ETHERNET
Epad33c	TOUCH SCREEN
	15 TFT PANEL PC, 1024X768, RESISTIVE TOUCH SCREEN, ES-

Epc-1592-Q	1750, INTEL CELERON M 1.86GHZ CPU, 1GB SO-DDR2, 2.5 80GB HDD, DUAL GIGALAN, USB2.0 X6, COM X4,
Epd-1290	12 INDUSTRIAL PANEL DISPLAY, 800X600 PIXELS, RESISTIVE TOUCH SCREEN, 60W AC ADAPTER
Etop510-G	
Ke04	
Er-16	5.6" DIAGONAL BACKLIT LCD DISPLAY W/5 KEYS
Epd-1590	15 INDUSTRIAL PANEL DISPLAY, 1024X768 PIXELS, RESISTIVE TOUCH SCREEN, 60W AC ADAPTER
Ebs-2530-Q	FANLESS BOX PC, ES-1750, INTEL CORE DUO 1.6GHZ CPU, 1GB SO-DDRS, 2.5 80GB HDD, VGA, DVI, DUAL GIGALAN, USB2.0 X6, COM X4, ONE PCI EXPANSION SLOT, 84W
Mm-0220-T	2 LINE, 20 CHARACTER, TRI-COLOR, 110 VAC PS, MESSENGER MARQUEE SERIES – SERIAL ETHERNET
Etop308u201	TERMINAL PANEL
Um-0420-T	4 LINE, 20 CHARACTER, TRI-COLOR, 110 VAC PS , UNI MARQUEE SERIES – SUPPORT FOR ALL THE 175 UNIOP PROTOCOLS
Epc-1250-Q	12 TFT PANEL PC, 800X600, RESISTIVE TOUCH SCREEN, ES-1750, INTEL CORE DUO 1.6GHZ CPU, 1GB SO-DDR2, 2.5 80GB HDD, DUAL GIGALAN, USB2.0 X7, COM X3, 12
Etop20c-0050 Obsolete	
Mkdg-06-0045	OPERATOR INTERFACE CONTROL PANEL LCD 0.4AMP 24VDC
Epad03-0046	
Cp10g-04-0045	
Ert-16-0042	TOUCH SCREEN
Etop306	TOUCH SCREEN
Md03r04s	KIT
Etop11c	5.6 PASSIVE 256 COLOR DISPLAY, 64 MB FLASH WITH ETHERNET
Tcm09	
Epc-0036-E	6.4 TFT PANEL PC, 640X480, RESISTIVE TOUCH SCREEN, ES-2615, V4 EDEN 1GHZ CPU, 512MB SO-DDR2, 2.5 80GB HDD, DUAL 10/100 LAN, USB2.0 X2, COM X2, 42W A
6za963-7	OPERATOR PANEL
Etop 33-0050	
Etop20b-0050	OPERATOR INTERFACE 7.5INCH TOUCHSCREEN COLOR VGA

Md02r-04-0045 Obsolete/Replacement Cp10g-04-0045	
Etop140c	12.1 TFT COLOR DISPLAY, 64MB, WIN CE.NET 4.2, USB, I/O VIDEO INPUT
Ebs-2040-Q	BOX PC, ES-1750, INTEL CORE DUO 1.6GHZ CPU, 1GB SO-DDR2, 2.5 80GB HDD, VGA, DVI, SLIM DVD/CD-RW, DUAL GIGALAN, USB2.0 X8, COM X4, 180W PS
Tmd00r-04-2845	LCD Display Operator Interface Panel
Etop12-0052	OPERATOR INTERFACE 5.6INCH MONOCHROME
Er-25t-4545	OPERATOR INTERFACE
Etop11-C150	OPERATOR INTERFACE TOUCH SCREEN 5.6IN 1/4 VGA
Tbkdr-16-0345 Obsolete, Replaced By Etop310	
Mkdl-16-0042	INDUSTRIAL PLC WORKSTATION
Mkdr-16-0045	
Etpo06-0050	
Mb-0220-T	2 LINE, 20 CHARACTER, TRI-COLOR, 110 VAC PS, MODBUS MARQUEE SERIES – MODBUS TCP MODBUS RTU
Mm-0213-T	2 LINE, 13 CHARACTER, TRI-COLOR, 110 VAC PS, MESSENGER MARQUEE SERIES – SERIAL ETHERNET
Rj 45 100 Mbit/S Cat 5e	
Etop38c	10.4 HIGH BRIGHT TFT SVGA COLOR DISPLAY, 64 MB FLASH W/ETHERNET
Epf-1032-16m	10.4 TFT FANLESS PANEL PC, 800X600, RESISTIVE TOUCH SCREEN, ES-2616M, INTEL CELERON M 600MHZ CPU, 512MB SO-DDR1, 2.5 80GB HDD, DUAL 10/100 LAN, USB2
Etop312-U101	OPERATOR INTERFACE TOUCHSCREEN 12.1INCH TFT
Mkdg-07	8 LINE 40 CHARACTER BACKLIT LCD GRAPHIC DISPLAY W/47 KEYS
Epc-1550-Q	15 TFT PANEL PC, 1024X768, RESISTIVE TOUCH SCREEN, ES-1750, INTEL CORE DUO 1.6GHZ CPU, 1GB SO-DDR2, 2.5 80GB HDD, DUAL GIGALAN, USB2.0 X7, COM X3, 1
Etop33b	OPER STATION
Uniop Model Etop307	part number: ETOP307U301
Mon10.4	MONITOR 10.4INCH W/VGA RESOLUTION
Pm-0420-T	4 LINE, 20 CHARACTER, TRI-COLOR, 110 VAC PS, PRODUCTION MARQUEE SERIES – PRODUCTION MONITORING

SYSTEM	
Protfoil-10-GI	
Etop310-U301	OPERATOR INTERFACE 1.00A 24VAC/DC 10.4IN COLOUR
Ekdr153445	DISPLAY PANEL
E10vnnf06420hc-E	OPERATOR INTERFACE TOUCHSCREEN 10.4IN 24VDC 3AMP
Epalm10-0067	uniop epalm10-0067
Ip-0213-T	2 LINE, 13 CHARACTER, TRI-COLOR, 110 VAC PS, ETHERNET/IP MARQUEE SERIES – ROCKWELL ETHERNET/IP
Ip-0420-T	4 LINE, 20 CHARACTER, TRI-COLOR, 110 VAC PS, ETHERNET/IP MARQUEE SERIES – ROCKWELL ETHERNET/IP
Er-25t-0045	OPERATOR INTF
Dm-0113-T	1 LINE, 13 CHARACTER, TRI-COLOR, 24 VDC PS, DIGITAL MARQUEE SERIES – SEVEN BIT BINARY INPUT
Mb-0420-T	4 LINE, 20 CHARACTER, TRI-COLOR, 110 VAC PS, MODBUS MARQUEE SERIES – MODBUS TCP MODBUS RTU
M10vc-E	OPERATOR INTERFACE 24VDC
Pm-0213-T	2 LINE, 13 CHARACTER, TRI-COLOR, 110 VAC PS, PRODUCTION MARQUEE SERIES – PRODUCTION MONITORING SYSTEM
Etop306-G	
Dm-0220-T	2 LINE, 20 CHARACTER, TRI-COLOR, 110 VAC PS, DIGITAL MARQUEE SERIES – SEVEN BIT BINARY INPUT
Epf-1532-16	15 TFT FANLESS PANEL PC, 1024X768, RESISTIVE TOUCH SCREEN, ES-2616, INTEL PENTIUM M 1.6GHZ CPU, 512MB SO-DDR1, 2.5 80GB HDD, DUAL 10/100 LAN, USB2.0
Etop306-S.	
Etop313	OPERATOR INTERFACE 13.3INCH TFT COLOR
Etop11-Bf50	OPERATOR INTERFACE 5.75IN SCREEN .6AMP 24VDC
6za-1040-7be10	DISPLAY PANEL
Uniop Cp10g-04 , By Cp10g-04-0045	
Model Etop40c Part Number It2.6za1013-7et10 Sn: 09994939924	
Epf-1032-16	10.4 TFT FANLESS PANEL PC, 800X600, RESISTIVE TOUCH SCREEN, ES-2616, INTEL PENTIUM M 1.6GHZ CPU, 512MB SO-DDR1, 2.5 80GB HDD, DUAL 10/100 LAN, USB2.
Etop513w	INTERFACE

Mb-0113-T	1 LINE, 13 CHARACTER, TRI-COLOR, 24 VDC PS, MODBUS MARQUEE SERIES - MODBUS TCP MODBUS RTU
Md03r-02-0045	OPERATOR PANEL
Model: Etop12 - Obsolete (Replaced By Etop306-S)	