

Faggiolati Pumps

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Faggiolati Pumps Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Faggiolati Pumps Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Seri: 7C	Type: G210R3C2-M30AA6 CODE:7008863
1337	
1408	
2094	
24491	
2688	
2808	
3646	
3651	
3876	
54.09063	
54.11015	
54.13029	
54.13034	
54.13035	
54.16194	
54.16406	
54.16431	
54.18174	

Ürün	Açıklama
54.20198	
54.25202	
5409299	
5420036	
60.09329	
60.09330	
60.10463	
6001408	
61.07112	
6377	
64.08042	
64.13923	
64.13925	
64.13930	
64.13932	
64.13934	
64.13993	
64.16431	
679020	
7001042	
7002139	
7003644	
7005539 X409T6V2-M50LA8	
7009010	
B271M6D1-J6KB1	
D218P2C2-P50XA5	

Ürün	Açıklama
F8001812	
G206T6V1-D30AA0	
G210R3C1-M30AA2	
G213R1M2-M40AA2	
G271T1M1-L40JJ1	
G271T1M1-L40YZ0	
G471M6V2-L50AB1	
G625R4C2-W140AA2	
GM17A471T1	
GM17A471T1-4V2K+ SSM050-AZP06	
GM18B471T1-4T6KA0	
GM18B471T1-4V2+SOPG60-OFAZ	
GPADN300	
SSM050-AZP06	
X209T6D1-J7LA4	
X211R3C1-M30LA5	
X211R6D2-L8LA5	
X216R4D1-L10LA5	
G271T6D3-J6AA6	G271T6D3-J6AA6, Drainage submersible pump, cast iron, free Passage 6 mm, 1.6 kW, 400 volts, 50 Hz, 2738 rpm, IP-68, explosion-proof II 2G Ex c k db IIB T4 Gb according to ATEX directive 2014/34/EU, pressure-side connection NW 40, with 2 x 10 m Connection cable 4G1.5 H07RNF
G272T3V2-K48AA	Submersible motor pump with vortex impeller, 1.4 kW, 400 V, 50 Hz, three-phase, 2850 rpm, connection NW 50, free passage 48 mm, 10 m Connection cable
G411R1M1P78AA2	Submersible motor pump, cast iron

Ürün	Açıklama
	Single-channel impeller, 78 mm free passage 7.1 kW, 400/690 Volt, 50 Hz 1436 rpm, IP68, IE3 Discharge outlet DN 100 With thermal protection and seal chamber electrode 10 m cable (12G2.5-H07RNF)
G409T2H2-M50AA0	Submersible motor pump, cast iron Multi-channel impeller, 50 mm free passage 2.8 kW, 400 Volt, 50 Hz 1392 rpm, IP68, IE3 Discharge outlet DN 80 With 10 m cable
PAPDN125NP07	Base support ring for submersible pump
PAPDN100NP07	Base support ring for DN 100
X271t1m1-L40la4 + Xf2.1/2 (Ex X209t1a30)	
Safety Box Lt2-A	
G625r4c2-W140aa2 Variable Speed Submersible Pump	
Gm17a471t1-4v2kao Immersion Stirrer With Mounting Ssm050-Azp06	
Gm18?471t1-4v2kao Submersible Agitator With Sorg60-Ofaz Mount	
G411r2c6-P80aa2	
Gm17a471t1-4v2ka0	
Gpadn300 Bottom Connecting Device With Quick-Detachable Pipe Coupling	

Ürün	Açıklama
X209t6d1-J7la4 Pompa Ad Immersione	
7002139 G206t6v1-D30aa0	
G272m3t1-J6ad1	
Gm18a471t1-4v2ka0	
Gm17a471t1-4v2kao	
Sb-Lt2a-6-Ma	
Gm17a471e1-4v2ka0	
Gm17a471t1 Agitatore Sommergibile	
Ssm50	
7001042 G209t6t1-J7aa0	
X271t6d5-J6la4	
Gm17a471t1-4v2ka0 Submersible Mixer	
G272m3t1-J6ad1 Pumpe Tauchpumpe	
6001408 Gm17a471t1-4v2ka0	
7009010 G272t3v2-K48aa0	
Lt2-A	
Lvg-11to-50 Pump	