Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr





Fife

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Fife Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Fife Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
M452951	FIFE web edge sensor Model DSE-15 with 0.3m cable Optical type - reflected light According to drawing 807311 Proportional band 10 mm Distance sensor - reflector: max. 1000 mm Protection class IP-65 9031 80 80
M280697	685850-00015 Sensor signal line SE-42,44, SE-46C Length: 0.15m 8544 42 90
M280746	FIFE web edge sensor Model SE-42R with 80mm cable Type optical According to drawing 686319 Proportional band 17,000 mm Fork gap 51,000 mm Fork depth 51,000 mm Protection class IP-54
M463426	SE-15 exchange kit: consisting of 1 FIFE web edge sensor (M452951) Model DSE-15 with 0.3m cable Optical type - reflected light According to drawing 807311 Proportional band 10 mm Distance sensor - reflector: max. 900 mm Protection class IP-65 1 mounting adapter (M461634) 1 adapter cable: (M280697) L = 0.15m

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
M337299	Drive unit complete for SYMAT-25 according to drawing 705900 Stroke 40mm Includes motor M328091 or M365595
DSE-15	FIFE web edge sensor (M452951) Model DSE-15 with 0.3m cable Optical type - reflected light According to drawing 807311 Proportional band 10 mm Distance sensor - reflector: max. 900 mm Protection class IP-65 1 mounting adapter (M461634) 1 adapter cable: (M280697) L = 0.15m
M280746	FIFE web edge sensor Model SE-42R with 80mm cable Type Optical According to drawing 686319 Proportional Band 17,000mm Fork column 51,000 mm Fork depth 51,000mm Protection class IP-54
M344299	560661-003 Motor for Symat 25 incl. spindle nut type 003 and thrust block M1 Outside dimensions of the spindle nut D17.5 times length 23.5 mm; M15x1 Includes M328091 or M365595 engine Note: M344299 replaces M136110 , M136108, M136109
M129143	505413-001 Net single weight: 0.6360 kg hydraulic filter element 8", HC9801FDP8H, for hydraulic modular block 16
M376744	085627-004#29L85627004 DC motor 1.3A, DPP24T-40-010Z, for GMA-1 085627-004#29L85627004 replaces type: PM471-40/5A M136103 (534734-001) The requested engine is no longer available.

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	It is replaced 1:1 with the motor with part number M376744 (other manufacturer).
M431026	FIFE web edge sensor Model DSE-31 with 0.15m cable type ultrasound According to drawing 788441 Proportional band 7,600mm Fork width 25,000 mm Fork depth 24,000mm Protection class IP-54
M300355	SENSOR SIGNAL ADAPTER SE-31 LINE - SE-42/SE-44, DSE L= 150mm
M132372	515001-008 FILTER,HYDRAULICS GF-1008/3 Z-NR 3-515001 ELECTRICAL L= 8"
M129153	505413-021 FILTER,ELEMENT HC9021FDS8H 10my; 8" LENGTH
M377927	FIFE web edge sensor Model DSE-17-300 with 0.14m cable Type Optical with Air Sweep According to drawing 751631 Proportional Band 300,000mm Fork width 35,000 mm Fork depth 340,000 mm Protection class IP-65
M280746	FIFE web edge sensor Model SE-42R with 80mm cable Type Optical According to drawing 686319 Proportional Band 17,000mm Fork column 51,000 mm Fork width 51,000 mm Protection class IP-40
M310790	System based on M310790 1 Fife OPG Guiding System Electro-Mechanical

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Model SYMAT-70G According to Drawing 738668 Threading Style: 1 Maximum Web Tension 800 N L-Dimension: 300 mm Stroke (S): 31 mm Mounting dimension C: 340 mm consisting of: 1 OPG Guiding Frame, 1 DC Linear Actuator 1 Servo Centre Transducer, model ISCT 1 Aluminium profile for DP-20 mounting DP-20 mounting side: Right 2 Rollers Roller Material: Aluminium Balancing (Q) 6,3 at a Speed of (V) 350 m/min Roller Face (F): 400 mm Roller Diameter (D): 50 mm Entry Roller Covering: none (M216846) Exit Roller Covering: RCT (M216849) Colour Black 1 Digital signal processor Model DP-20 PLUS CE/UL/cUL certified dimensions 144x144x90 mm (cables excluded), weight 1,6 kg, for panel mounting (cutout 137x137mm) operating temperature 0°-50°C protection class IP-54 user interface consisting of membrane keyboard with 8 keys and large 4 lines x 16 characters alphanumeric LCD with the following functions: - Edge left / edge right / center / line guide - Automatic / Servocenter / Manual - Jog left / right - Gain setup / Guide point setup - Automatic setup of all guiding parameters - Automatic Sensor setup on transparent materials - Automatic recognition of motor connected 1 parallel port with 6 inputs and 2 alarm outputs, open collector Power supply 180VA at 100-240 V 50/60Hz +/-10% 1 power supply cable, 5 m length 1 Transmission light sensor Model SE-42 gap width: 50 mm proportional band 17 mm 1 Sensor mounting bracket Model MO-20/8 for square bar 20 mm 1 Square bar Model 20 mm

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	mounted on board of the guiding system
M433066	pneumo-hydraulic control device, Model GP-34-1-22 according to drawing 792246 consisting of: 1 container for 6.8 l content 1 hydraulic pump, 2.5 l/min at 50 Hz, Pump pressure 10.5 bar 1 three-phase motor, designed for a mains voltage of 400 V/3~/50Hz Protection class IP 54 1 air pump, model 22 1 servo valve, model HV-13 -without air solenoid valves- -without hydraulic oil. Color: black (replaces GP-25 M175215/M175204)
M329021	Sensor model GSP-7171 Special version made of stainless steel Gap width 8 mm
M266336	FIFE web edge sensor Model SE-42 with 80mm cable Type Optical with Air Sweep According to drawing 682686 Proportional band 17,000 mm Fork width 51,000 mm Fork depth 51,000 mm Protection class IP-54
M266337	FIFE web edge sensor Model SE-44 with 80mm cable Ultrasound type According to drawing 683742 Proportional band 10,000 mm Fork width 39,000 mm Fork depth 51,000 mm Protection class IP-40
M280746	FIFE web edge sensor Model SE-42R with 80mm cable Type Optical According to drawing 686319 Proportional band 17,000 mm Fork gap 51,000 mm Fork width 51,000 mm Protection class IP-40
M431024	FIFE web edge sensor Model DSE-22 with 0.15m cable

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Type Optical According to drawing 788715 Proportional band 20,000 mm Fork width 50,000 mm Fork depth 50,400 mm Protection class IP-54
M274268	682693-0002 Sensor signal adapter for sensors SE-42/44 or DSE for using existing cables (M9) for the new sensor type (M12) Length = 0.19m
M280746	FIFE web edge sensor Model SE-42R with 80mm cable Optical type According to drawing 686319 Proportional tape 17,000 mm Fork gap 51,000 mm Fork width 51,000 mm Protection class IP-40
M210115	004800-001 Air pump model 22 683420
M125103	012784-009#540200 Spare parts kit 2F, for GP-25, control units P-25/50 and 101 with air pump model 22 consisting of: 3 carbon filter elements 1 hydraulic filter element 6 air filter elements 1 set of carbon wings (four pieces) 8 O-rings (2 for oil filter + 6 for servo valve)
M135885	
573888-001ã534541-002 -Tidland Reflexlichtsensor	
516489-001	
25745-005	
M134655	
M152974	
F-5-540269	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
013586009	
516026-001	
Sde-30	
M124686	
M124824	
Gf-1008/3 M132369 515001-005 Mit Elektrischer Verschmutzungsanzeige Nach Zeichnung 3-515001 Hydr	
M280746	
060158f000.	
M141935	
Fife-M124687-04722-001ã540204-Fife-Tidland-Ã214;L-Filter-Element-Modell-F-14-Ausf3;Hrung-P-25-P-50-P-101-Gp-25-Gp-51-Istanbul-Turkiye	
51495-001	
Gp25 1h22sa	
M348586	
Se-26	
M 334948 Actuator	
M334879	
0601918j00.	
M147550573888-001 534541-002 Modell: Se-15	
573888-001ã534541-002	
M136000	
Gf-1008/3 M132369 515001-005 Mit Elektrischer Verschmutzungsanzeige Nach Zeichnung 3-515001	
Pro-Trac-200-1l-Dctb-51-0	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
554033-230	
12285-009-540270	
M137106	
M266336 Type: Se-42 Spaltweite: 49 Mm Propotionalband 17 Mm	
004722-001-540204	
Gsc-120.1/Gw300-1540 M432700	
021620.	
505-45/10	
Gls01	
M175215 (Ex.Gp 25-1h 22 Sa)	
084242-001ã541060 (M126624) Transmissionslichtsensor Kantensensor Type: Se-22 Proportionalband 18 M	
Isct-23	
20457-001-540264	
08591-227-540209	
Gsc-S1/Gw500-1600 M418583	
28148-002	
Ml-136 Nhf	
M128988	
001481-004	
04721-001-540203	
02527-033	
Gsc-S2/Gw300-1700-S M418612	
M146781	
M280529	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
018246-014	
004722-001ã540204	
20456-001	
595802-001	
001481-005	
12285-012	
F-12-540292	
M 258915 / A Obsolete Inprint 2 Camera Set	
M281466	
Hv13	
M240452	
Drcp-20p	
08097-001-540293	
M146781 Cdp-01-M	
Gp25	
M128989	
M280791	
Gsc-S1/Gw400-1600-S M329133	
514950-001	
004723-001ã540208	
M419520	
Abb M162090	
004721-001-540203	
4-K1 M140321	
Csp-0113 Driver	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
084242-001ã541060 (M126624)	
200925-001 M289687	
M258915	
Gse-4 Obsolete Sensor	
Sp12m12	
17623-001-540263	
M266336	
04723-001-540208	
004721-001ã540203	
M126424 076540-004ã541054 Transmissionslicht- Mini-Sensor Se-11-It (Kantensensor)	
M146781 573250ã223;132ã540902 Kompaktã223;Digitalã223;Signalverstõ;Rker Modell Cdp-01-M Netzspannung 50/60 Hz,210va,230v	
10828-002	
M124687 04722-001ã540204 -Tidland Öl-Filter Element Modell: F-14 Ausführung: P-25, P-50, P-1	
534736-002	
D46925001	
M320114 084679-360 Signalleitung Piox Nach Ul/Csa Cdp-01 :X7 Auf Klemmleiste Lõ;Nge 10 M	
Iprc-01hm206382	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.