

## Fireye

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Fireye** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Fireye T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*



¼r¼n	A¼ıklama
<a href="#">95UVS2R-1CG</a>	3 METER
<a href="#">60-2692</a>	
<a href="#">35-127-1 NPT</a>	
<a href="#">DETECTOR FLAME 95UVS4-1</a>	MODEL: 95UVS4-1 MUSS MIT INTERNEM KABEL, EINSTELLBAREM MONTAGEADAPTER UND MODBUS-KONFIGURATIONS-SOFTWARE SEIN."
<a href="#">45UV5</a>	
<a href="#">60-2726</a>	
<a href="#">76090000 NPT 3/8"</a>	
<a href="#">85UVF1A-1QD</a>	Phoenix compact flame sensor Powder-coated die-cast aluminum, UV sensor (blue chip), flame and fault relay, adjustable logoff time from 1 to 4 seconds. Supply voltage: 24VDC, analog output: 4...20 mA. Protection class: IP66, SIL

	3, approved for continuous operation. Self-learning, with 8 LED intensity indicators. ATEX Ex II 3 G/D EEx nA IIC T5 (usable in Zone 2). Connection with 8-pin quick-release connector.
<a href="#">95DSS3-1</a>	
<a href="#">95IRS1E-1CG</a>	
<a href="#">95IRS2-1</a>	
<a href="#">CU95</a>	
<a href="#">E110</a>	
<a href="#">FIREYE / 48PT2-1007</a>	
<a href="#">FIREYE / 95DSS2E-1</a>	
<a href="#">FIREYE / MBCE-230FR-1</a>	
<a href="#">FIREYE / YB110IR</a>	
<a href="#">MM77554</a>	
<a href="#">SCN-TST-02-02</a>	
<a href="#">SF1CA150</a>	
<a href="#">SF20-036</a>	
<a href="#">UV1A</a>	
<a href="#">E110</a>	
<a href="#">5602 SB560242AA</a>	
<a href="#">P/N 61-6994 SB49602-40</a>	
<a href="#">95DSS1E-1CG</a>	Insight compact flame monitor Infrared and UV sensor suitable for Multi-fuel firing Auxiliary power: 24V-, with LED display and 4 buttons for setting potential-free, safety-related relay output Analog output: 4...20mA; Connection via 3m long connection cable Weight: 3kg
<a href="#">95IRS4E-1WINC</a>	IR sensor, wavelength range 700 to 1700 nm RS485 interface, autotune function Supply voltage 24VDC LED display and 4 push buttons Flame relay, fault relay Flame relay contact rating: - Minimum: 10 mA at 5 VDC - Maximum: 2A at 30VDC, 2A at 50VAC Analog output: 4...20mA 21 basic frequencies and 4 parameter sets 10x intensity settings Connection to FEX software Quick disconnect for connection to 59-497-XX Weight: 2.5kg
<a href="#">59-497-03M</a>	Straight plug cable for Type 95 12-wire (color-coded) Cable jacket: polyolefin Cable Diameter: 10.9mm Temperature range: -40 to +125°C Length 3 m, weight 0.5 kg
<a href="#">MP561</a>	

<a href="#">- 0030991 - Module Programmer Fireye Coi</a>	
<a href="#">- 0030993 - Module Amplifier Fireye Flame</a>	
<a href="#">- 0030994 - Combustion Control Chassis</a>	
<a href="#">- 0022083 - Base for mounting the relay</a>	
<a href="#">UV Flame Detector, Self Check, FIREYE 45UV5-1009CEX</a>	
<a href="#">Display Module, Liquid Crystal, FIREYE BLL510</a>	
<a href="#">UVSC, Y Model, 230V, Chassis &amp; Amplifier, PN. YB230UVSC,</a>	
<a href="#">Expansion Module, 230vac, PN. YZ320</a>	
<a href="#">Annunciator, Wiring Base, PN. 60-2874- 1,</a>	
<a href="#">60-2886 -</a>	wiring base for MBCE series incl. mounting bracket
<a href="#">Mb-600p</a>	
<a href="#">70dcb6uvs460</a>	
<a href="#">Ep177</a>	
<a href="#">23-182</a>	
<a href="#">Type Cu95</a>	
<a href="#">Sfr-102</a>	HEI SPARK ROD, 102 INCHES
<a href="#">47-36</a>	
<a href="#">70d21rt170</a>	
<a href="#">Ps3481</a>	GAS PRESSURE SENSOR, RANGE: 0-16 W.C.
<a href="#">70dcb6uv1t70</a>	
<a href="#">Ed600</a>	
<a href="#">Ep100f</a>	
<a href="#">Zb110ir</a>	CHASSIS, 120 VAC, 50/60 HZ WITH BURNER CONTROL FUNCTIONS, CONTAINS IR AUTOCHECK AMPLIFIER
<a href="#">Nxc04ex2</a>	
<a href="#">61-7064-10</a>	
<a href="#">48-1738</a>	
<a href="#">Cbi</a>	

<a href="#">P5348-6</a>	
<a href="#">70d10rt170</a>	
<a href="#">59-535c-040</a>	
<a href="#">Tfm2mt74</a>	
<a href="#">Sf20-096</a>	SUREFIRE GAS IGNITER, 96
<a href="#">95irs2e-1cg</a>	
<a href="#">Mc120</a>	120V Series II Chassis
<a href="#">70dcb6uvs461</a>	
<a href="#">Mep564</a>	
<a href="#">48pt2-1007</a>	
<a href="#">Ppc6000</a>	
<a href="#">Sf20-140</a>	SUREFIRE GAS IGNITER, 140
<a href="#">59-497-160r</a>	
<a href="#">59-470-180</a>	
<a href="#">Eir1</a>	
<a href="#">61-7345-14</a>	GLASS, FOR INSIGHT II SCANNER.
<a href="#">Bp230uvf-S1</a>	
<a href="#">70dcb5uvs181</a>	
<a href="#">De4599-080</a>	
<a href="#">Mt1r-066</a>	
<a href="#">70dcb61r1t</a>	
<a href="#">70d30rt1tcb</a>	
<a href="#">Mc120mp561</a>	
<a href="#">61-6944-003</a>	
<a href="#">45uv21010</a>	
<a href="#">70dcb5ircb90</a>	
<a href="#">61-7065-3</a>	
<a href="#">70d21ircb90</a>	
<a href="#">102531-004</a>	
<a href="#">Fs700w-1</a>	

<a href="#">Sf20-176</a>	SUREFIRE GAS IGNITER, 176
<a href="#">Nxcap1</a>	
<a href="#">Mep106</a>	
<a href="#">129-184-5</a>	
<a href="#">C9502q6012</a>	
<a href="#">Nxtsd104</a>	
<a href="#">85uvf1-1qd.</a>	
<a href="#">70d201r1cb</a>	
<a href="#">61-4842-5</a>	
<a href="#">105f1-1cex</a>	
<a href="#">59-497-300rc</a>	
<a href="#">70d30rt1cb</a>	
<a href="#">Mec320rc</a>	
<a href="#">59-497-160rc</a>	
<a href="#">60-2517-6</a>	
<a href="#">Ep174</a>	
<a href="#">Yb110fr</a>	CHASSIS, 120 VAC, 50/60 HZ WITH FLAME RECTIFICATION AMPLIFIER. UL, FM, CE APPROVED.
<a href="#">Sf20-180</a>	SUREFIRE GAS IGNITER, 180
<a href="#">C9501n</a>	SCANNER
<a href="#">Uvm3mt304</a>	
<a href="#">59-497-050r</a>	
<a href="#">70dcb61r1cb</a>	
<a href="#">70dcb5ir360</a>	
<a href="#">61-6872-14</a>	
<a href="#">59-497-020</a>	
<a href="#">De601-104g</a>	
<a href="#">Nxvfd1256</a>	
<a href="#">70dcb5uv1tcb</a>	
<a href="#">Edc2</a>	
<a href="#">129-164c</a>	

<a href="#">70dcb6ir381</a>	
<a href="#">Ft24003</a>	CONTROL
<a href="#">Sfr-164</a>	HEI SPARK ROD, 164 INCHES
<a href="#">Sf20-160</a>	SUREFIRE GAS IGNITER, 160
<a href="#">59-497-250</a>	
<a href="#">70d20uv1tcb</a>	
<a href="#">19uvps-2220</a>	
<a href="#">Ppc4000-230v</a>	UL APPROVED STAND-ALONE PARALLEL POSITIONING CONTROLLER, WITH UP TO TEN (10) SELECTABLE FUNCTION FX SERVO-MOTOR OUTPUTS. 230 V VERSION.DISPLAY ORDERED
<a href="#">Nxvfd12563</a>	
<a href="#">003265-004</a>	
<a href="#">Nxdbwlc</a>	DAUGHTER BOARD FOR USE WITH NXEXP300. PROVIDES 3 ELEMENT WATER LEVEL CONTROL, SURFACE AND BOTTOM DOWN CONTROL FOR TOTAL DISSOLVED SOLIDS
<a href="#">Nxvfd54</a>	
<a href="#">129-182-2</a>	
<a href="#">95irs2e-2</a>	
<a href="#">Uc485</a>	
<a href="#">De701-007c</a>	
<a href="#">59-470</a>	
<a href="#">Sfr-054</a>	HEI SPARK ROD, 54 INCHES
<a href="#">Mc120mp560</a>	
<a href="#">Nx04-1</a>	SERVO-MOTOR, 3 FT LBS., 4 NM, 50/60 HZ, 120 VAC.
<a href="#">Nxtsd413</a>	13 (DIAGONAL) COLOR TOUCH SCREEN DISPLAY FOR PPC4000
<a href="#">70d21ircb61</a>	
<a href="#">70dcb51r1tcb</a>	
<a href="#">129-178-4</a>	
<a href="#">70d10ir361</a>	
<a href="#">61-7064-12</a>	
<a href="#">61-6944-050r</a>	

<a href="#">70d30ircb90</a>	
<a href="#">Sfr-174</a>	HEI SPARK ROD, 174 INCHES
<a href="#">70d20uv190</a>	
<a href="#">70dcb6rt1t70</a>	
<a href="#">29-414</a>	
<a href="#">70d20ircb90</a>	
<a href="#">Mep437</a>	
<a href="#">Sfr-132</a>	HEI SPARK ROD, 132 INCHES
<a href="#">Sfr-016</a>	HEI SPARK ROD, 16 INCHES
<a href="#">19-30</a>	
<a href="#">59-535c-020</a>	
<a href="#">70d30ir380</a>	
<a href="#">46-38</a>	
<a href="#">De601-16</a>	
<a href="#">70d211r161</a>	
<a href="#">70dcb6rt181</a>	
<a href="#">34-115</a>	
<a href="#">Mc230100mart</a>	
<a href="#">Meuv4</a>	
<a href="#">Nx1466-1</a>	
<a href="#">Meuvs4</a>	
<a href="#">Yp113</a>	
<a href="#">26rj86058r</a>	CONTROL
<a href="#">La220980</a>	
<a href="#">De4599-180</a>	
<a href="#">000117-028</a>	
<a href="#">Sfr-148</a>	HEI SPARK ROD, 148 INCHES
<a href="#">Mep103</a>	
<a href="#">70d10uvs4</a>	
<a href="#">Mc120emp230</a>	
<a href="#">59-497-010rc</a>	

<a href="#">35-239</a>	
<a href="#">Ic-4851</a>	
<a href="#">R9005-P5001</a>	CONTROLLER, PANEL MOUNTED, FOR C9501, C9502, C9507, C9503M, C9503P, C9504M, AND C9504P SCANNERS.
<a href="#">61-6944-010</a>	
<a href="#">57yb4-5000</a>	TESTER, 120 VAC, FOR USE WITH BURNERLOGIX YB CONTROL.
<a href="#">59-547-60</a>	
<a href="#">Uv90</a>	
<a href="#">70dcb5rt1t80</a>	
<a href="#">129-184-10</a>	
<a href="#">C9501n5034</a>	UV SCANNER WITH 3/4 PURGE HOLE AND MILITARY CONNECTOR. DE601-106 AND DE601-104D.
<a href="#">95dss2-1cex</a>	
<a href="#">95uvs2e-1cex</a>	
<a href="#">45uv5-1005</a>	UV SELF-CHECK SCANNER, 1 NPT, 8 LEAD, USE WITH P-SERIES OR MICROM / E-SERIES/BURNERLOGIX WITH 61-5745-3 DRIVE CIRCUIT.
<a href="#">P534b-6</a>	
<a href="#">Sf20-090</a>	SUREFIRE GAS IGNITER, 90
<a href="#">60-1765</a>	
<a href="#">61-7209-3</a>	
<a href="#">Sf20-110</a>	SUREFIRE GAS IGNITER, 110
<a href="#">61-3060</a>	
<a href="#">003263-001</a>	
<a href="#">97-1109</a>	HEAT INSULATING JACKET FOR 95DSS3-1CEX
<a href="#">Ep163</a>	PROGRAMMER. SELECTABLE PURGE (30 SEC MIN.), SELECTABLE TFI VIA ED510 DISPLAY, NON-RECYCLE.
<a href="#">Mc120561mauv</a>	
<a href="#">Nxtsd407</a>	7 (DIAGONAL) COLOR TOUCH SCREEN DISPLAY FOR PPC4000
<a href="#">3-1389c</a>	
<a href="#">61-6625</a>	
<a href="#">Ep380</a>	

<a href="#">Sfr-166</a>	HEI SPARK ROD, 166 INCHES
<a href="#">Uv2</a>	
<a href="#">59-470-080</a>	
<a href="#">60-2468-6</a>	
<a href="#">71d70</a>	PREPURGE 60SEC W/SPARK CUTOFF
<a href="#">70d30ir381</a>	
<a href="#">70d20uv1t60</a>	
<a href="#">70dcb6rt1</a>	
<a href="#">Mt1r-170</a>	
<a href="#">Uv7a4w</a>	
<a href="#">De4599-200</a>	
<a href="#">70d30rt160</a>	
<a href="#">70dcb5uv1t61</a>	
<a href="#">70d30uvs181</a>	
<a href="#">61-6694-1</a>	
<a href="#">Sfr-100</a>	HEI SPARK ROD, 100 INCHES
<a href="#">Mep108</a>	
<a href="#">Medc2</a>	
<a href="#">Isolatore Uv1-A3</a>	
<a href="#">70dcb6rt1t61</a>	
<a href="#">61-7065-7</a>	
<a href="#">59-470-040</a>	
<a href="#">70d30uvs1t90</a>	
<a href="#">70dcb51r1t70</a>	
<a href="#">Uvm2mt304</a>	
<a href="#">Zb110uvsc</a>	CHASSIS, 120 VAC, 50/60 HZ WITH BURNER CONTROL FUNCTIONS, CONTAINS UV SELF-CHECK AMPLIFIER
<a href="#">61-4842-7</a>	
<a href="#">70d30uv1t70</a>	
<a href="#">60-2685-25</a>	
<a href="#">Nxvfd1563</a>	

<a href="#">70d20uvs460</a>	
<a href="#">Sfr-120</a>	HEI SPARK ROD, 120 INCHES
<a href="#">E500-3</a>	COMMUNICATION INTERFACE
<a href="#">De601-006b</a>	
<a href="#">60-2780-5</a>	
<a href="#">Sf20-166</a>	SUREFIRE GAS IGNITER, 166
<a href="#">70dcb61r1t70</a>	
<a href="#">61-4842-10</a>	
<a href="#">59-547-3</a>	
<a href="#">61-6530-1</a>	
<a href="#">Mep230h</a>	
<a href="#">De4599-100</a>	
<a href="#">70d30uvs160</a>	
<a href="#">Bf-632m</a>	
<a href="#">70d21rt1t</a>	
<a href="#">Mc120mauv1t</a>	
<a href="#">61-7080-5</a>	
<a href="#">59-497-160c</a>	
<a href="#">Sfr-024</a>	HEI SPARK ROD, 24 INCHES
<a href="#">60-2930-2</a>	
<a href="#">61-4842-6</a>	
<a href="#">59-497-200c</a>	
<a href="#">De5213-001</a>	
<a href="#">70dcb5rt180</a>	
<a href="#">Mep236</a>	
<a href="#">105f1-1cg-060</a>	
<a href="#">P/N60-1290</a>	
<a href="#">60-2223</a>	
<a href="#">Sfr-018</a>	HEI SPARK ROD, 18 INCHES
<a href="#">34-181</a>	

<a href="#">25su5-5012</a>	FLAME AMPLIFIER, 120 VAC, HIGH DISCRIMINATION. CONSISTS OF 60-2204-2, 60-2207-2, AND 60-2301.
<a href="#">1105-45uv5</a>	
<a href="#">25su5-5013</a>	FLAME AMPLIFIER, 120 VAC, HIGH SENSITIVITY, NO HYSTERESIS. CONSISTS OF 60-2204-2, 60-2207-3, AND 60- 2301.
<a href="#">46-58</a>	
<a href="#">70dcb5uvs1t90</a>	
<a href="#">35-128</a>	
<a href="#">Mc230mp102</a>	
<a href="#">59-546-30</a>	
<a href="#">61-6944-010r</a>	
<a href="#">R9008m4001</a>	
<a href="#">5-563</a>	
<a href="#">60-2204-2</a>	25SU5-5011, -5012 CHASSIS.
<a href="#">45uv5-1005cex</a>	
<a href="#">70dcb5ircb60</a>	
<a href="#">95irs2e-2cg</a>	
<a href="#">45uv1-1020</a>	SCANNER ULTRAVIOLET
<a href="#">Uvm2mt125</a>	
<a href="#">Ed580-4</a>	
<a href="#">Nx1040-1</a>	150 C, 6 LENGTH, 1/4 DIA., THERMOWELL REQUIRED, NOT PROVIDED.
<a href="#">61-4468-1</a>	
<a href="#">Uvm3mt74</a>	
<a href="#">60-2471-3</a>	
<a href="#">129-195-2</a>	
<a href="#">De4599-010</a>	
<a href="#">48pt2-9007</a>	
<a href="#">61-6872-6</a>	
<a href="#">Bp110uv-S2</a>	
<a href="#">Yp102</a>	

<a href="#">59-547-9</a>	
<a href="#">Eb700edepeuv</a>	
<a href="#">60-2810-1</a>	
<a href="#">69nd1-1000k4</a>	
<a href="#">95dss1-1</a>	INSIGHT FLAME SCANNER 2AMP 230VAC
<a href="#">65uv5-1004 Compact Flame Detector With Flame Relay And Uv Tube Approved For Continuous Operation</a>	
<a href="#">61-7065-9</a>	
<a href="#">61-6944-060r</a>	
<a href="#">70d211r1t80</a>	
<a href="#">101806-002</a>	
<a href="#">60-2720</a>	
<a href="#">De601-104d</a>	FRONT MOUNT C9501/C9502/C9507/C9509 SCANNER BASE WITH 3/4 PURGE HOLE AND MILITARY CONNECTOR.
<a href="#">70d20uvs1t90</a>	
<a href="#">Mb-600pf</a>	
<a href="#">45fs1-1001</a>	
<a href="#">70d21rt1t70</a>	
<a href="#">70dcb5uvs461</a>	
<a href="#">61-7080-8</a>	
<a href="#">Mb-600s</a>	
<a href="#">Ppc4000</a>	
<a href="#">59-497-040</a>	
<a href="#">59-497-010c</a>	
<a href="#">Ppc-6000</a>	UL APPROVED STAND-ALONE PARALLEL POSITIONING CONTROLLER, WITH UP TO TEN (10) SELECTABLE FUNCTION CANBUS SERVO-MOTOR OUTPUTS. INCLUDES USER CONFIGURABL
<a href="#">26rja</a>	
<a href="#">61-6944-015</a>	
<a href="#">Ep383</a>	
<a href="#">59-497-050</a>	

<a href="#">Epd160</a>	PROGRAMMER. 30 SEC PURGE, 10 AND 15 SEC TFI, NON-RECYCLE.
<a href="#">Ep161</a>	PROGRAMMER. SELECTABLE PURGE (30 SEC MIN.), 10 AND 30 SEC. TFI, NON-RECYCLE.
<a href="#">45uv-1009</a>	SCANNER UV SELF CHECK 1IN NPT 120VAC
<a href="#">Nxm2g</a>	INTELLIGENT BOILER LOAD CONTROL WITH FLOW AND RETURN DIGITAL TEMPERATURE SENSORS
<a href="#">70d20ircb60</a>	
<a href="#">Mt20-162</a>	
<a href="#">Mc120emp102</a>	
<a href="#">Mc120101mart</a>	
<a href="#">Mert4</a>	
<a href="#">59-470-050</a>	
<a href="#">Sf20-164</a>	SUREFIRE GAS IGNITER, 164
<a href="#">Uv-1a-U</a>	
<a href="#">61-7345-8</a>	GLASS, FOR INSIGHT II SCANNER.
<a href="#">61-7080-3</a>	
<a href="#">70d10ir370</a>	
<a href="#">70dcb5ir381</a>	
<a href="#">Sfr-048</a>	HEI SPARK ROD, 48 INCHES
<a href="#">60-2490-2</a>	
<a href="#">Mp100</a>	Programmer Module
<a href="#">45rm4-1001</a>	SAME AS 45RM4-1000 BUT WITH 1 INCH BSP MOUNT.
<a href="#">Mt1r-142</a>	
<a href="#">Sf20-028</a>	
<a href="#">Mc230mart1t</a>	
<a href="#">59-497-020r</a>	
<a href="#">55af1a227288</a>	
<a href="#">Nxo2pk8</a>	
<a href="#">Mc120p</a>	
<a href="#">85irf1-1qd</a>	INFRARED, WITH QUICK DISCONNECT. USE 59-546-XX CABLE. FM, UL/C, CE APPROVED.
<a href="#">Mt1r-100</a>	

<a href="#">Mec320ts</a>	
<a href="#">70dcb5uv190</a>	
<a href="#">24cj5</a>	
<a href="#">Sfr-060</a>	HEI SPARK ROD, 60 INCHES
<a href="#">Mep141</a>	
<a href="#">Nxvfd6023</a>	
<a href="#">Sfr-126</a>	HEI SPARK ROD, 126 INCHES
<a href="#">61-7080-7</a>	QUARTZ, FOR INSIGHT I SCANNER.
<a href="#">70d21uvs161</a>	
<a href="#">Sf1-1</a>	SUREFIRE HEI POWER PACK, 110 VAC, NEMA 4 (PAINTED STEEL)
<a href="#">70d20uvs190</a>	
<a href="#">25ru8-6000</a>	
<a href="#">69nd1-1000-K4</a>	
<a href="#">61-3141</a>	
<a href="#">Sfr-152</a>	HEI SPARK ROD, 152 INCHES
<a href="#">95dss3-1cex</a>	
<a href="#">61-6995</a>	
<a href="#">70d10ir380</a>	
<a href="#">Yz300</a>	
<a href="#">95dss2e-1cg</a>	
<a href="#">129-196-2</a>	
<a href="#">Mec120r</a>	
<a href="#">61-6671-10</a>	
<a href="#">69nd1-1000k6</a>	
<a href="#">Mep238</a>	
<a href="#">Sf1ca112</a>	
<a href="#">97-1048</a>	
<a href="#">6168722</a>	MODULE
<a href="#">Mt20-122</a>	
<a href="#">59-547</a>	

<a href="#">61-6960-3</a>	
<a href="#">45rm2-1001</a>	
<a href="#">61-7345-9</a>	GLASS, FOR INSIGHT II SCANNER.
<a href="#">95 Uv S1, S2</a>	
<a href="#">Uvm5mt710</a>	
<a href="#">59-470-160</a>	
<a href="#">Q2625a1316</a>	
<a href="#">70d10rt1t</a>	
<a href="#">Mep237</a>	
<a href="#">70d211r1t70</a>	
<a href="#">Nxpsu</a>	
<a href="#">129-168-2</a>	
<a href="#">Ed150-6</a>	
<a href="#">La220978</a>	
<a href="#">Mec480</a>	
<a href="#">95dss3-1woc</a>	DUAL DETECTOR (IR AND UV) WITHOUT QUICK DISCONNECTS. WIRE DIRECTLY TO TERMINALS INSIDE SCANNER. NEMA 4X, FM, UL/C APPROVED.
<a href="#">Mc230102mart</a>	
<a href="#">25su3-5172</a>	FLAME SAFETY ANALYZER
<a href="#">61-6960-6</a>	
<a href="#">Sfr-066</a>	HEI SPARK ROD, 66 INCHES
<a href="#">21-692</a>	
<a href="#">60-2692</a>	
<a href="#">61-7065-17</a>	
<a href="#">59-471-050</a>	
<a href="#">59-536c-040</a>	
<a href="#">Nx50-2</a>	
<a href="#">3669</a>	
<a href="#">Uvm</a>	
<a href="#">Mt7-4</a>	

<a href="#">Uvm4mt310</a>	
<a href="#">60-1950</a>	
<a href="#">Sf20-040</a>	
<a href="#">70d21uvs470</a>	
<a href="#">Uv1a-1-Cex</a>	CENELEC EEXD IIC EXPLOSION PROOF HOUSING WITH UV1A SCANNER.
<a href="#">61-2914-1</a>	
<a href="#">25su5-4018</a>	
<a href="#">61-7064-6</a>	
<a href="#">Mt1r-038</a>	
<a href="#">85irf4-2qdwr</a>	
<a href="#">45uv5-1120</a>	
<a href="#">101806-001</a>	
<a href="#">70dcb6uv1cb</a>	
<a href="#">102531-002</a>	
<a href="#">Sf20-152</a>	SUREFIRE GAS IGNITER, 152
<a href="#">95uvs2-3</a>	
<a href="#">61-6856-6</a>	
<a href="#">Uv7sc</a>	
<a href="#">Ep260r</a>	
<a href="#">25su5</a>	PROGRAMMER
<a href="#">Sf20-098</a>	SUREFIRE GAS IGNITER, 98
<a href="#">Mb-604e</a>	
<a href="#">59-497-300c</a>	
<a href="#">Nx-280hw</a>	EXPANSION INTERFACE HARDWARE: 4 AI, 4 AO, ADDITIONAL CHANNEL, O2 TRIM AND VARIABLE SPEED DRIVE. INCLUDES NX280VSD AND NX280ATI PASSCODES.
<a href="#">70dcb5ircb70</a>	
<a href="#">59-536c-080</a>	
<a href="#">Ep265</a>	
<a href="#">25du4-1040</a>	FLAME CONTROL
<a href="#">Epd390</a>	

<a href="#">45rm1-1001</a>	INFRARED SELF-CHECKING, BGC, 1 INCH NPTMOUNT, 50/60 HZ. USE WITH 25SU3 AND 25SU5. SCANNER NO LONGER AVAILABLE (OBSOLETE) AFTER JULY 1, 2015.
<a href="#">Mtlr-072</a>	
<a href="#">60-2874-1</a>	
<a href="#">97-1058</a>	HEAT INSULATING JACKET FOR -CEX VERSION OF 45UV5 / 45RM4 / 45FS1 / 85 SERIES / INSIGHT I SERIES FLAME SCANNERS.
<a href="#">C9507n4012</a>	
<a href="#">Ts752-8</a>	
<a href="#">Ed512-4</a>	
<a href="#">24uvps-110</a>	
<a href="#">59-497-200</a>	
<a href="#">70dcb6rt1t90</a>	
<a href="#">Uvm5mt904</a>	
<a href="#">70d21uv1t90</a>	
<a href="#">3-1383</a>	
<a href="#">Mep537</a>	
<a href="#">Sf20-082</a>	SUREFIRE GAS IGNITER, 82
<a href="#">105f1-1cget-080</a>	PARAGON SCANNER, ENHANCED TEMPERATURE CABLE GLAND VERSION, WITH 80 FEET OF CABLE.
<a href="#">70dcb51r1cb</a>	
<a href="#">25su5-5011</a>	FLAME AMPLIFIER, 120 VAC, HIGH SENSITIVITY. CONSISTS OF 60-2204-2, 60-2207-1, AND 60-2301.
<a href="#">24cj5-5010</a>	FLAME MONITOR 120VAC SERIES
<a href="#">Nxc20</a>	4 WIRE CANBUS SERVO-MOTOR, 14.75 FT LBS., 20 NM, 50/60 HZ, 24 VAC.
<a href="#">70d10</a>	BURNER CONTROLLER SOLID STATE 120V 50/60HZ
<a href="#">Mt20-042</a>	
<a href="#">Mc120emp100</a>	
<a href="#">De601-108ac</a>	
<a href="#">59-470-140</a>	
<a href="#">59-509-25</a>	
<a href="#">E110edepeuv</a>	

<a href="#">De601-113</a>	
<a href="#">45uvfs1100</a>	SCANNER
<a href="#">Sfr-140</a>	HEI SPARK ROD, 140 INCHES
<a href="#">Nx610</a>	CANBUS DISPLAY FOR PPC6000 WITH UPLOAD/DOWNLOAD OF PPC6000 DATA AND THREE PROGRAMMABLE RELAYS FOR PPC6000
<a href="#">95dss2-1</a>	DUAL DETECTOR (IR AND UV) WITH QUICK DISCONNECT. FM, UL/C APPROVED.
<a href="#">8-302</a>	
<a href="#">60-2060-16</a>	
<a href="#">70dcb6uvs1t61</a>	
<a href="#">70dcb5rt1t90</a>	
<a href="#">70d10rt1t70</a>	
<a href="#">Mt1-026</a>	
<a href="#">95irs1-1</a>	FIREYE INSIGHT SCANNER 95IRS1-1
<a href="#">60-2852-1</a>	
<a href="#">70dcb6uvs1</a>	
<a href="#">70d10uv1tcb</a>	
<a href="#">Epu-2-1</a>	
<a href="#">Sfr-074</a>	HEI SPARK ROD, 74 INCHES
<a href="#">95dss2-1cg</a>	DUAL DETECTOR (IR AND UV) WITH 10 LEADS AND CABLE GLAND. FM, UL/C APPROVED.
<a href="#">Tfm-3-7</a>	
<a href="#">105f1-1et</a>	PARAGON FLAME SCANNER ENHANCED TEMPERATURE VERSION WITH PIN AND SOCKET QUICK DISCONNECT ELECTRICAL CONNECTION.
<a href="#">25du4</a>	
<a href="#">59-497-080</a>	
<a href="#">Ep200f</a>	
<a href="#">Mt1r-062</a>	
<a href="#">Sfr-106</a>	HEI SPARK ROD, 106 INCHES
<a href="#">61-7064-3</a>	
<a href="#">72duvs1</a>	ULTRAVIOLET SELF-CHECK AMPLIFIER, USE WITH 45UV5-

	1006.
<a href="#">61-6754</a>	
<a href="#">70dcb6ircb70</a>	
<a href="#">Sf20-100</a>	SUREFIRE GAS IGNITER, 100
<a href="#">Uv-2</a>	
<a href="#">Ah221245</a>	
<a href="#">Sfr-072</a>	HEI SPARK ROD, 72 INCHES
<a href="#">Sfr-042</a>	HEI SPARK ROD, 42 INCHES
<a href="#">Ep113d</a>	
<a href="#">70d21</a>	
<a href="#">13dj33000</a>	
<a href="#">61-4842-4</a>	
<a href="#">Mb-632m</a>	
<a href="#">95dss3-1cex-Nd</a>	DUAL DETECTOR (IR AND UV) WITH EEXD IIC T6, ATEX APPROVED HOUSING. HOUSING ONLY CE APPROVED.NO DISPLAY OR WIRELESS DISPLAY.
<a href="#">45uv3</a>	
<a href="#">59-546</a>	
<a href="#">61-7064-5</a>	
<a href="#">Uv7a4</a>	
<a href="#">70d21rt161</a>	
<a href="#">59-598-60</a>	FACTORY WIRED CABLE ASSEMBLY (59-598) FOR SIMPLICITY QUICK DISCONNECT VERSION. 60 METERS / 197 FT.
<a href="#">59-497-050rc</a>	
<a href="#">70d21uvs190</a>	
<a href="#">70dcb5rt170</a>	
<a href="#">Uvm-1-1000</a>	
<a href="#">70d30uvs470</a>	
<a href="#">36-319</a>	
<a href="#">Uv1a50-Ex</a>	
<a href="#">70d20ir370</a>	
<a href="#">61-6864</a>	

<a href="#">Mt1r-068</a>	
<a href="#">Sfr-136</a>	HEI SPARK ROD, 136 INCHES
<a href="#">70dcb61r1</a>	
<a href="#">95dss2e-1cex</a>	
<a href="#">61-7065-12</a>	
<a href="#">70dcb6uvs1t60</a>	
<a href="#">R9105p5002</a>	
<a href="#">61-6671-30</a>	
<a href="#">Mc120remauv1t</a>	
<a href="#">Sf1-Ret-4</a>	
<a href="#">Nxvfd254</a>	
<a href="#">70d30uvs190</a>	
<a href="#">70d21uv1t60</a>	
<a href="#">46-179</a>	
<a href="#">72duv1t</a>	ULTRAVIOLET AMPLIFIER, 1 SEC FFRT, USE WITH UV1, UV2, 45UV3.
<a href="#">Sfr-090</a>	HEI SPARK ROD, 90 INCHES
<a href="#">D-284694-D</a>	
<a href="#">E350-6</a>	
<a href="#">Mep230</a>	
<a href="#">60-2478</a>	
<a href="#">70d10uvs1cb</a>	
<a href="#">105f1-1cget-060</a>	PARAGON SCANNER, ENHANCED TEMPERATURE CABLE GLAND VERSION, WITH 60 FEET OF CABLE.
<a href="#">Sfr-050</a>	HEI SPARK ROD, 50 INCHES
<a href="#">70d21rt160</a>	
<a href="#">Sf20-014</a>	
<a href="#">23-173</a>	
<a href="#">Sf13</a>	SUREFIRE HEI POWER PACK, 110 VAC, NEMA 4X (STAINLESS)
<a href="#">Mc120mp101</a>	
<a href="#">De601-20a1</a>	

<a href="#">60-2207-3</a>	FLAME AMPLIFIER (HIGH SENSITIVITY, NO HYSTERESIS) FOR 5013.
<a href="#">Nxvfd252</a>	
<a href="#">Mb510</a>	
<a href="#">70d10ir390</a>	
<a href="#">De4599-060</a>	
<a href="#">Sf20-086</a>	SUREFIRE GAS IGNITER, 86
<a href="#">Mt1r-056</a>	
<a href="#">60-1626</a>	
<a href="#">70d211r160</a>	
<a href="#">Mt20-142</a>	
<a href="#">Sfr-084</a>	HEI SPARK ROD, 84 INCHES
<a href="#">Sf1-Ret-6</a>	
<a href="#">Pxms-300k</a>	21 BAR, 4-20MA OUTPUT, 1/2 NPT, NON SELF-CHECK.
<a href="#">65uv5-1004ecex</a>	
<a href="#">97-1078-1</a>	
<a href="#">R9006m3000</a>	PANEL MOUNTED CONTROLLER (120 VAC) FOR NON SELF-CHECK C9506 SERIES SCANNERS.
<a href="#">48-1836</a>	
<a href="#">Uvm5mt74</a>	
<a href="#">25su3-5166</a>	FLAME AMPLIFIER, 120/230 VAC, HIGH DISCRIMINATION. CONSISTS OF 60-2203-2, 60-2207-2, AND 60-2301.
<a href="#">Sf20-144</a>	SUREFIRE GAS IGNITER, 144
<a href="#">Nxd410</a>	
<a href="#">95irs2-2</a>	INFRA-RED WITH QUICK DISCONNECT. FM, UL/C APPROVED.
<a href="#">Mbce-230fr-3</a>	
<a href="#">45rm2-1000</a>	INFRARED SELF-CHECKING, BGC, 1 INCH NPTMOUNT, 50/60 HZ. USE WITH 25SU3 AND 25SU5. SCANNER NO LONGER AVAILABLE (OBSOLETE) AFTER JULY 1, 2015.
<a href="#">Ts752-4</a>	
<a href="#">85irf1-1cex</a>	
<a href="#">70d30uvs4cb</a>	
<a href="#">70d211r1t90</a>	

<a href="#">25ru8-6570</a>	
<a href="#">61-3381-2</a>	MB-2 MASTER CHASSIS
<a href="#">85uvf4-1qdk3wr</a>	ULTRA-VIOLET, WITH QUICK DISCONNECT AND K3 FILTER. USE 59-546-XX CABLE. FOR USE WITH EDC1, EDC2, MEDC2,
<a href="#">61-4892-2</a>	
<a href="#">60-2815-5</a>	
<a href="#">Mb-685s</a>	
<a href="#">Sf20-102</a>	SUREFIRE GAS IGNITER, 102
<a href="#">60-2850-1</a>	
<a href="#">59-471-010</a>	
<a href="#">59-535c-140</a>	
<a href="#">Mbce-110uv-3</a>	
<a href="#">60-1664-3</a>	
<a href="#">Nxvfd52</a>	
<a href="#">Mec120</a>	
<a href="#">De3420-004</a>	
<a href="#">95ir-S2-2</a>	
<a href="#">60-1290</a>	
<a href="#">Nxvfd606</a>	
<a href="#">Mc120wmodules</a>	
<a href="#">60-1664-4</a>	
<a href="#">59-497-180r</a>	
<a href="#">Nx550</a>	
<a href="#">Med6</a>	
<a href="#">Sfr-028</a>	HEI SPARK ROD, 28 INCHES
<a href="#">Mp560</a>	
<a href="#">Tfm2904</a>	
<a href="#">Ts3488</a>	
<a href="#">85uvf1</a>	
<a href="#">70dcb51r180</a>	

<a href="#">Mc120102mart</a>	
<a href="#">59-470-020</a>	
<a href="#">Sf20-070</a>	SUREFIRE GAS IGNITER, 70
<a href="#">Mc120mp230h</a>	
<a href="#">70d30uvs460</a>	
<a href="#">61-4842-3</a>	
<a href="#">61-5430</a>	
<a href="#">45uv5-1008</a>	UV SELF-CHECK SCANNER, 1 BSP, 120 VAC SHUTTER. USE WITH 72DUVS4, 72DUVS1T,MEUVS4, EUVS4 OR YB110UVSC.
<a href="#">12413</a>	
<a href="#">45rm21002</a>	
<a href="#">60-2206-2</a>	
<a href="#">Ep381</a>	
<a href="#">Sf20-080</a>	
<a href="#">C9508m2022</a>	
<a href="#">105f1-1cg-080</a>	
<a href="#">59-471-200</a>	
<a href="#">61-7065-10</a>	
<a href="#">Yb230dc</a>	CHASSIS, 230 VAC, 50/60 HZ WITH DIRECT COUPLED AMPLIFIER FOR USE WITH PHOENIX AND INSIGHT SCANNERS. FM, CE APPROVED.
<a href="#">70dcb5rt1</a>	
<a href="#">38-54</a>	
<a href="#">Mc230mp561</a>	
<a href="#">De601-18</a>	
<a href="#">129-184-32</a>	
<a href="#">23-197</a>	
<a href="#">Mc120remp102e</a>	
<a href="#">Uv90-6</a>	
<a href="#">Sfr-082</a>	HEI SPARK ROD, 82 INCHES
<a href="#">E346</a>	
<a href="#">Uvm5mt55</a>	

<a href="#">Sf20-154</a>	SUREFIRE GAS IGNITER, 154
<a href="#">Uv1a3</a>	
<a href="#">Ts350-2</a>	
<a href="#">Ep113sw</a>	
<a href="#">Nxvfd152</a>	
<a href="#">C9701a1012</a>	UV SCANNER WITH 3/4 PURGE HOLE AND MILITARY CONNECTOR. DE701-107A AND DE601-104G.
<a href="#">45uv5-1000</a>	UV SELF-CHECKING, 1 INCH NPT MOUNT, 60 HZ. USE WITH 25SU3 AND 25SU5.
<a href="#">95dss3-1winc</a>	DUAL DETECTOR (IR AND UV) WITH SINGLE QUICK DISCONNECT TO CONNECT TO INSIGHT I CABLE CONNECTOR (E.G., 129-164). NEMA 4X, FM
<a href="#">60-2490-8</a>	
<a href="#">60-1466-2</a>	
<a href="#">59-497-010r</a>	
<a href="#">Mec120c</a>	
<a href="#">Mep149</a>	
<a href="#">Ps3487</a>	
<a href="#">48-1805</a>	
<a href="#">Nxmbi-V2</a>	MODBUS RTU INTERFACE. NETWORKS UP TO 15 FIREYE NEXUS SYSTEMS. 120 OR 230 INPUT VOLTAGE. REPALCES NXMBI.
<a href="#">59-598-3</a>	
<a href="#">Tfm3hmt310</a>	
<a href="#">45rm1-1001ex</a>	
<a href="#">70dcb6uvs170</a>	
<a href="#">Ep390</a>	
<a href="#">Mt1r-046</a>	
<a href="#">27r11-1001</a>	SMOKE DENSITY ALARM DETECTOR FE-4
<a href="#">Cb3</a>	
<a href="#">129-62</a>	
<a href="#">Uvm-2a30</a>	
<a href="#">59-470-100</a>	
<a href="#">Ed150-15</a>	

<a href="#">60-2530-2</a>	
<a href="#">Nx6330</a>	12 KEY NEXUS DISPLAY WITH FOUR LINE OLED DISPLAY, USB PORT, ETHERNET PORT. BACNET AND MODBUS TCP/IP COMPATABLE. FOR USE WITH NX6100 AND PPC6000 CONTROL
<a href="#">Tfm3hmt74</a>	
<a href="#">61-6671-3</a>	
<a href="#">61-3357</a>	
<a href="#">Sf20-120</a>	SUREFIRE GAS IGNITER, 120
<a href="#">59-471-040</a>	
<a href="#">Sfr-130</a>	HEI SPARK ROD, 130 INCHES
<a href="#">38-56</a>	
<a href="#">Nx1020</a>	
<a href="#">45uv-1103</a>	
<a href="#">D284694e</a>	
<a href="#">70dcb5uvs160</a>	
<a href="#">Uv1al-6</a>	
<a href="#">70d30rt181</a>	
<a href="#">Nxvfd1523</a>	
<a href="#">70d30uv1t60</a>	
<a href="#">70d30rt1t70</a>	
<a href="#">Yb110dc</a>	CHASSIS, 120 VAC, 50/60 HZ WITH DIRECT COUPLED AMPLIFIER FOR USE WITH PHOENIX AND INSIGHT SCANNERS.UL, FM, CE APPROVED.
<a href="#">53-121</a>	
<a href="#">129-171</a>	
<a href="#">85uvf11ex</a>	
<a href="#">Nxvfd1006</a>	
<a href="#">Sfr-144</a>	HEI SPARK ROD, 144 INCHES
<a href="#">Nxexp300</a>	EXPANSION MODULE FOR USE WITH PPC6000 OR NX6100. PROVIDES 7 LOW VOLTAGE AND 2 LINE VOLTAGE SAFETY RELATED DIGITAL INPUTS. MULTIPLE ELEMENT WATER LEVEL
<a href="#">59-471-240</a>	
<a href="#">35-127-3</a>	

<a href="#">95uvs2-2cg</a>	
<a href="#">Ep166</a>	PROGRAMMER. SELECTABLE PURGE (30 SEC MIN.), PILOT STABILIZATION, NON-RECYCLE, 10 AND 15 SEC TFI PROGRAMMER.
<a href="#">C9502n5023</a>	
<a href="#">Sdc-4001</a>	PPC4000 DEMO CASE
<a href="#">70dcb6uvs161</a>	
<a href="#">Sf20-122</a>	SUREFIRE GAS IGNITER, 122
<a href="#">Ed512-2</a>	
<a href="#">26cf6</a>	
<a href="#">Pxms-200k</a>	14 BAR, 4-20MA OUTPUT, 1/2 NPT, NON SELF-CHECK.
<a href="#">Ah221246-001</a>	
<a href="#">6026854</a>	
<a href="#">De4360-010</a>	
<a href="#">70d10uvs4cb</a>	
<a href="#">72d1r1t</a>	INFRARED AUTO-CHECK AMPLIFIER, 1 SEC FFRT, USE WITH 48PT2.
<a href="#">70d41</a>	CHASSIS, FOR MANUALLY IGNITED BURNERS, 230 VAC.
<a href="#">45rm1-1003</a>	
<a href="#">Mc120remp230h</a>	
<a href="#">65uv5-1004 Obsolete, Replacement 65uv5-1004qd + 59-598-3 Cable</a>	
<a href="#">Mc-5000</a>	
<a href="#">95uvs2-2</a>	ULTRAVIOLET WITH QUICK DISCONNECT. FM, UL/C APPROVED.
<a href="#">59-506-1</a>	
<a href="#">Mc230rmp102e</a>	
<a href="#">Ed611</a>	
<a href="#">Uv1a3</a>	
<a href="#">Mt60-10</a>	
<a href="#">45uv5-1006</a>	UV SELF-CHECK SCANNER, 8 LEAD, USE WITH D-SERIES 72DUVS1.
<a href="#">Mblps-100d</a>	

<a href="#">97-1087</a>	HEAT INSULATING JACKET FOR INSIGHT II SCANNERS, EXCEPT THE 95DSS3-1CEX.
<a href="#">70d1080</a>	
<a href="#">70d10uvs1t90</a>	
<a href="#">70d20rt170</a>	
<a href="#">61-7345-7</a>	GLASS, FOR INSIGHT II SCANNER.
<a href="#">61-4842-12</a>	
<a href="#">De601-110</a>	
<a href="#">70dcb5uv161</a>	
<a href="#">Uvm4mt710</a>	
<a href="#">59-471-080</a>	
<a href="#">Nx1020-1</a>	
<a href="#">Nx1025-1</a>	
<a href="#">59-507-6</a>	
<a href="#">Nxa-Pws</a>	
<a href="#">60-2301</a>	
<a href="#">Mep100</a>	
<a href="#">Meir4</a>	
<a href="#">Edc1</a>	
<a href="#">Nxceso2-24</a>	24 INSERTION.INCLUDES AMBIENT TEMPERATURE SENSOR. ORDER MOUNTING FLANGE SEPARATELY.
<a href="#">70-426</a>	
<a href="#">61-6944-040r</a>	
<a href="#">70dcb</a>	
<a href="#">59-497-160</a>	
<a href="#">Bld500</a>	
<a href="#">Uvm5mt9010</a>	
<a href="#">Mbce-230uv-1</a>	
<a href="#">BII510</a>	
<a href="#">38-97</a>	
<a href="#">70d21uvs1t60</a>	

<a href="#">4-290-1</a>	
<a href="#">Med4</a>	
<a href="#">70d20uv1t</a>	
<a href="#">Ed580-8</a>	
<a href="#">35-201</a>	
<a href="#">45cm1-1000y</a>	
<a href="#">70d40rt1</a>	
<a href="#">Cu-55</a>	
<a href="#">Sf20-118</a>	SUREFIRE GAS IGNITER, 118
<a href="#">Nx6220</a>	12 KEY NEXUS DISPLAY WITH FOUR LINE OLED DISPLAY, USB PORT. FOR USE WITH NX6100 AND PPC6000 CONTROLS.
<a href="#">61-7064-7</a>	
<a href="#">60-2854-1</a>	
<a href="#">Mep560</a>	
<a href="#">70dcb5rt1t70</a>	
<a href="#">61-4016</a>	
<a href="#">101796-002</a>	
<a href="#">70dcb5uvs1cb</a>	
<a href="#">85uvf41wr</a>	PHOENIXSCANNER4SECFRT UV
<a href="#">70dcb6uvs190</a>	
<a href="#">La221419-008</a>	
<a href="#">19uvps-2120</a>	
<a href="#">Sfr-052</a>	HEI SPARK ROD, 52 INCHES
<a href="#">70d30uvs1tcb</a>	
<a href="#">92-91</a>	
<a href="#">60-2380-6</a>	
<a href="#">De4606-001</a>	
<a href="#">Ed590-12</a>	
<a href="#">61-4895</a>	
<a href="#">Sfr-180</a>	HEI SPARK ROD, 180 INCHES
<a href="#">De701-107a</a>	

<a href="#">72duv1</a>	
<a href="#">Mep102</a>	
<a href="#">59-470-010</a>	
<a href="#">59-497-200r</a>	
<a href="#">De601-106c</a>	
<a href="#">46-87</a>	
<a href="#">Sfr-170</a>	HEI SPARK ROD, 170 INCHES
<a href="#">Mc230rmauv1t</a>	
<a href="#">61-6944-030r</a>	
<a href="#">De601-20b1</a>	
<a href="#">35-240</a>	
<a href="#">61-2275-4</a>	
<a href="#">95disp-1-Ss</a>	
<a href="#">Eb700edepert</a>	
<a href="#">59-497-020rc</a>	
<a href="#">59-471-100</a>	
<a href="#">59-497-140</a>	FACTORY WIRED CABLE ASSEMBLY (59-497) WITH STRAIGHT CONNECTOR (129-164). 140 FEET.
<a href="#">Mec320rd</a>	
<a href="#">Nx4100</a>	
<a href="#">Mt1r-050</a>	
<a href="#">De4360-060</a>	
<a href="#">Sf20-126</a>	SUREFIRE GAS IGNITER, 126
<a href="#">70d301r1t80</a>	
<a href="#">Sfr-076</a>	HEI SPARK ROD, 76 INCHES
<a href="#">Sfr-178</a>	HEI SPARK ROD, 178 INCHES
<a href="#">95irs2-1</a>	INFRA-RED WITH QUICK DISCONNECT. FM, UL/C APPROVED.
<a href="#">101806-003</a>	
<a href="#">70dcb6uv1t80</a>	
<a href="#">45uv5-1010</a>	UV SELF-CHECKING, 1 INCH BSP MOUNT, 60 HZ. USE WITH 4169T, CODE 18 AND HIGHER.
<a href="#">60-2490-10</a>	

<a href="#">72d1r3t</a>	
<a href="#">57av7-1000</a>	TESTER, 120 VAC, FOR USE WITH M-SERIES, M-SERIES II, MICROM.
<a href="#">61-6305</a>	
<a href="#">61-6960-9</a>	
<a href="#">De3420-003</a>	
<a href="#">61-2841-2</a>	
<a href="#">Uvm3mt3010</a>	
<a href="#">70d10rt1cb</a>	
<a href="#">59-471-020</a>	
<a href="#">Tfm3mt74</a>	
<a href="#">70d10rt1t80</a>	
<a href="#">70d30uvs170</a>	
<a href="#">70dcb5uv181</a>	
<a href="#">59-497-080c</a>	
<a href="#">Nxceso2p42</a>	O2 PROBE REPLACEMENT CARTRIDGE FOR ENGR CODE 01 AND HIGHER (5 PIN).
<a href="#">Mec320d</a>	
<a href="#">45fs1-1000</a>	
<a href="#">Mt1r-090</a>	
<a href="#">61-7209-9</a>	
<a href="#">59-547-12</a>	
<a href="#">Irfk-5</a>	
<a href="#">61-7080-9</a>	
<a href="#">60-2530-1</a>	
<a href="#">Uv1a6-Ex</a>	
<a href="#">105f1-1cget-090</a>	PARAGON SCANNER, ENHANCED TEMPERATURE CABLE GLAND VERSION, WITH 90 FEET OF CABLE.
<a href="#">Ep260</a>	
<a href="#">25su5-1011</a>	FLAME ALARM CONTROL
<a href="#">La221419-006</a>	
<a href="#">Mc120e</a>	

<a href="#">Bp110uv-S3</a>	
<a href="#">25su3-5166d</a>	
<a href="#">Ps3483</a>	GAS PRESSURE SENSOR, RANGE: 0-160 W.C
<a href="#">45uv5-1009cex</a>	
<a href="#">Euvi</a>	
<a href="#">Mb-608e</a>	
<a href="#">69nd1-1000k8</a>	
<a href="#">70d301r170</a>	
<a href="#">61-7209-14</a>	
<a href="#">De4599-020</a>	
<a href="#">45uv3-1050</a>	
<a href="#">70d20rt190</a>	
<a href="#">129-127-6</a>	
<a href="#">61-6540</a>	
<a href="#">29rf5-6009</a>	
<a href="#">59-497-100c</a>	
<a href="#">57av4-5001</a>	TESTER, 120 VAC, FOR USE WITH C, D-SERIES AND FLAME-MONITOR.
<a href="#">72d1r3</a>	CONSULT FACTORY), USE WITH 48PT2.
<a href="#">59-547-45</a>	
<a href="#">Gh20-06</a>	
<a href="#">26sj5-6052</a>	FLAME CONTROL CHASSIS 260VAC
<a href="#">Mp101</a>	
<a href="#">Sfr-098</a>	HEI SPARK ROD, 98 INCHES
<a href="#">70d1070</a>	
<a href="#">129-182-1</a>	
<a href="#">4-263-1</a>	
<a href="#">Ts752-2</a>	
<a href="#">De601-104f</a>	
<a href="#">Cu-40</a>	

<a href="#">45uv1103</a>	SCANNER
<a href="#">25su35170</a>	FLAME ANALYZER
<a href="#">61-3358</a>	
<a href="#">Sfr-062</a>	HEI SPARK ROD, 62 INCHES
<a href="#">48pt1-9007</a>	
<a href="#">59-470-140 59-470</a>	
<a href="#">95irs2-1cg</a>	
<a href="#">95uvs2e-1cg</a>	
<a href="#">Sf20-124</a>	SUREFIRE GAS IGNITER, 124
<a href="#">UV90L-1</a>	Detector Protective tube used for HFO boiler 2423-02
<a href="#">59-547-6</a>	
<a href="#">70dcb6uvs470</a>	
<a href="#">Mt1-146</a>	
<a href="#">70dcb6ir3</a>	
<a href="#">192su3-2220</a>	
<a href="#">Ep165</a>	PROGRAMMER. SELECTABLE PURGE (30 SEC MIN.), PILOT STABILIZATION, NON-RECYCLE, 10 AND 10 SEC TFI.
<a href="#">70d21uvs1t80</a>	
<a href="#">Ed550-2</a>	
<a href="#">Nxceso2-16</a>	16 INSERTION.INCLUDES AMBIENT TEMPERATURE SENSOR. ORDER MOUNTING FLANGE SEPARATELY.
<a href="#">Uv90-3</a>	
<a href="#">Ed610</a>	
<a href="#">60-2482</a>	
<a href="#">60-1622</a>	
<a href="#">70dcb5rt1tcb</a>	
<a href="#">Mep-100</a>	
<a href="#">70d10uvs1t</a>	
<a href="#">Mt30-10</a>	
<a href="#">Pxms-300</a>	
<a href="#">92-48</a>	

<a href="#">65uv5-1004e-Cex</a>	
<a href="#">61-6944-003r</a>	
<a href="#">25du4-5040</a>	
<a href="#">61-6610-1</a>	
<a href="#">Smdk-1004</a>	
<a href="#">Uvm-2a90</a>	
<a href="#">25su34167</a>	
<a href="#">45uv51121</a>	
<a href="#">Tfm1</a>	
<a href="#">Nxdbmb</a>	
<a href="#">59-471-060</a>	
<a href="#">70d101r1tcb</a>	
<a href="#">129-162-2</a>	
<a href="#">61-7345-3</a>	GLASS, FOR INSIGHT II SCANNER.
<a href="#">Yb110ir</a>	CHASSIS, 120 VAC, 50/60 HZ WITH IR AUTO-CHECK AMPLIFIER. UL, FM, CE APPROVED.
<a href="#">35-322</a>	
<a href="#">70d211r1t61</a>	
<a href="#">Sfr-176</a>	HEI SPARK ROD, 176 INCHES
<a href="#">70d10uv180</a>	
<a href="#">70d10uv170</a>	
<a href="#">72d40</a>	
<a href="#">Mm77554</a>	
<a href="#">Uvm-1d</a>	
<a href="#">Zb110ir2</a>	CHASSIS, 120 VAC, 50/60 HZ WITH BURNER CONTROL FUNCTIONS, CONTAINS HIGH SENSITIVITY IR AUTOCHECK AMPLIFIER. SPECIAL APPLICATION ONLY, CONSULT FACTORY.
<a href="#">Epd380</a>	
<a href="#">48pt2-9003</a>	
<a href="#">Nx6100</a>	UL APPROVED INTEGRATED CONTROLLER (FLAME SAFEGUARD AND PARALLEL POSITIONING), WITH UP TO TEN (10) SELECTABLE FUNCTION CANBUS SERVO-MOTOR OUTPUTS. INCL

<a href="#">E500-1</a>	
<a href="#">72duvs4</a>	ULTRAVIOLET SELF-CHECK AMPLIFIER, 2-4 SEC FFRT, USE WITH 45UV5-1007, -1008, -1009.
<a href="#">Mp-560</a>	
<a href="#">61-3380-1</a>	
<a href="#">Sf20-130</a>	SUREFIRE GAS IGNITER, 130
<a href="#">23-90</a>	
<a href="#">35-202</a>	
<a href="#">Nxceso2-8</a>	8 INSERTION.INCLUDES AMBIENT TEMPERATURE SENSOR. ORDER MOUNTING FLANGE SEPARATELY.
<a href="#">45uv5-1007cex</a>	
<a href="#">Mbps100r</a>	
<a href="#">70d21uv1t70</a>	
<a href="#">70d20ir3cb</a>	
<a href="#">4-320-1</a>	
<a href="#">Mt1r-076</a>	
<a href="#">59497</a>	
<a href="#">35-130</a>	
<a href="#">De601-007</a>	
<a href="#">25su3-5168</a>	FLAME AMPLIFIER, 120/230 VAC, HIGH SENSITIVITY. CONSISTS OF 60-2203-2, 60-2207-1, AND 60-2301.
<a href="#">60-302</a>	
<a href="#">Sf20-116</a>	SUREFIRE GAS IGNITER, 116
<a href="#">70d20</a>	FLAME SAFEGUARD CONTROL SOLID STATE 120VAC
<a href="#">Mp102e</a>	
<a href="#">129-170-1</a>	
<a href="#">Tfm2mt75</a>	
<a href="#">70dcb5ir390</a>	
<a href="#">Ts350-8</a>	
<a href="#">70d30uvs1t70</a>	
<a href="#">72gir1t</a>	
<a href="#">25su341</a>	

<a href="#">60-2060-1</a>	
<a href="#">Nx20-2</a>	SERVO-MOTOR, 15 FT LBS., 20 NM., 50/60 HZ, 230 VAC.
<a href="#">Sf20-094</a>	SUREFIRE GAS IGNITER, 94
<a href="#">70dcb6uvs1cb</a>	
<a href="#">C9502n5012</a>	
<a href="#">Sf20-066</a>	
<a href="#">95uvs2-1cg</a>	ULTRA-VIOLET WITH 10 LEADS AND CABLE GLAND. FM, UL/C APPROVED.
<a href="#">29rf5</a>	
<a href="#">59-497-040c</a>	
<a href="#">65uv5-1004qd</a>	
<a href="#">Fs950w-1</a>	
<a href="#">45uv5-1000cex</a>	
<a href="#">Zb230uv</a>	CHASSIS, 230 VAC, 50/60 HZ WITH BURNER CONTROL FUNCTIONS, CONTAINS UV NON SELF-CHECK AMPLIFIER
<a href="#">95uvs2e-2</a>	
<a href="#">Mec120rc</a>	
<a href="#">Nx3100</a>	
<a href="#">70d30rt161</a>	
<a href="#">Ed510r</a>	
<a href="#">Mep536</a>	
<a href="#">59-497-020c</a>	
<a href="#">59-471</a>	
<a href="#">61-6944-015r</a>	
<a href="#">Ep300f</a>	
<a href="#">59-535c-080</a>	
<a href="#">70d21uv1t</a>	
<a href="#">Sfr-116</a>	HEI SPARK ROD, 116 INCHES
<a href="#">61-4913</a>	
<a href="#">Sf20-132</a>	SUREFIRE GAS IGNITER, 132
<a href="#">E1r2</a>	

<a href="#">61-7345-10</a>	GLASS, FOR INSIGHT II SCANNER.
<a href="#">Nxvfd543</a>	
<a href="#">Bp500</a>	TESTER, 120 VAC, FOR USE WITH BURNERPRO BP110 CONTROL.
<a href="#">70dcb51r160</a>	
<a href="#">70d30rt190</a>	
<a href="#">Mart1t</a>	
<a href="#">59-536c-020</a>	
<a href="#">129-184-1</a>	
<a href="#">45rm4</a>	SCANNER
<a href="#">Tsd-57</a>	FULL COLOR TOUCH SCREEN DISPLAY (5.7) FOR USE WITH ONE (1) BURNERLOGIX Y OR Z MODELS AND YX300 FIRST OUT ANNUNCIATOR. INCLUDES PS-60 POWER SUPPLY. CO
<a href="#">59-471-160</a>	
<a href="#">Uv1a6</a>	
<a href="#">Mec230rc</a>	
<a href="#">70d30uv1t</a>	
<a href="#">Sfr-160</a>	HEI SPARK ROD, 160 INCHES
<a href="#">60-2812-1</a>	
<a href="#">70d1060</a>	
<a href="#">Mt1r-140</a>	
<a href="#">Sf20-030</a>	
<a href="#">60-2517-4</a>	
<a href="#">Sf20-150</a>	SUREFIRE GAS IGNITER, 150
<a href="#">70dcb61r190</a>	
<a href="#">59-497-060</a>	
<a href="#">Sfr-122</a>	HEI SPARK ROD, 122 INCHES
<a href="#">70dcb5rt190</a>	
<a href="#">Sf20-058</a>	
<a href="#">Bp230uv-S2</a>	
<a href="#">70dcb5uvs190</a>	
<a href="#">Q9050a1000</a>	

<a href="#">70d20uv1t80</a>	
<a href="#">70d10rt190</a>	
<a href="#">59-497-050c</a>	
<a href="#">Sfr-142</a>	HEI SPARK ROD, 142 INCHES
<a href="#">105f1-1cg-100</a>	
<a href="#">26rj8-6070</a>	
<a href="#">85uvf1-1qdk3</a>	
<a href="#">59-497-200rc</a>	
<a href="#">129-178-8</a>	
<a href="#">Mt1-126</a>	
<a href="#">61-6960-17</a>	
<a href="#">72duvs1t(1 Sec.Ffrr)</a>	
<a href="#">61-4894-1</a>	
<a href="#">95uvs2e-1</a>	
<a href="#">92-45</a>	
<a href="#">61-5234</a>	
<a href="#">60-2367</a>	
<a href="#">72dir3</a>	
<a href="#">59-506-3</a>	
<a href="#">E120</a>	
<a href="#">Sfr-056</a>	HEI SPARK ROD, 56 INCHES
<a href="#">29rf5r</a>	CONTROL
<a href="#">72duvs1t</a>	ULTRAVIOLET SELF-CHECK AMPLIFIER, 1 SEC FFRT, USE WITH 45UV5-1007, -1008, -1009.
<a href="#">Sc1-45uv5-1101</a>	
<a href="#">101976-001</a>	
<a href="#">Fex1</a>	
<a href="#">70d20uvs481</a>	
<a href="#">Nxc04</a>	4 WIRE CANBUS SERVO-MOTOR, 3 FT LBS., 4 NM, 50/60 HZ, 24 VAC.
<a href="#">26rj8</a>	FLAME CONTROL PROGRAMMER 1PH 120/208/240VAC
<a href="#">Mt1r-126</a>	

<a href="#">Uvm3hmt125</a>	
<a href="#">De4599-140</a>	
<a href="#">26sj5-6000</a>	FLAME CONTROLLER MANUAL IGNITED
<a href="#">Sf20-168</a>	SUREFIRE GAS IGNITER, 168
<a href="#">Sf20-170</a>	SUREFIRE GAS IGNITER, 170
<a href="#">61-7345-12</a>	GLASS, FOR INSIGHT II SCANNER.
<a href="#">Nxvfd106</a>	
<a href="#">P/N35-69</a>	
<a href="#">Sf20-038</a>	
<a href="#">Sf20-036, Sf-1</a>	
<a href="#">26cf6r</a>	
<a href="#">Mt1r-158</a>	
<a href="#">Uvm3hmt9010</a>	
<a href="#">61-6960-7</a>	
<a href="#">Uvm5mt75</a>	
<a href="#">Yz320</a>	
<a href="#">Mt1r-086</a>	
<a href="#">Ep387</a>	
<a href="#">De3420-001</a>	
<a href="#">Sf20-174</a>	SUREFIRE GAS IGNITER, 174
<a href="#">Ed580-1</a>	
<a href="#">61-6865</a>	
<a href="#">Mb-600r</a>	
<a href="#">Ep378</a>	
<a href="#">61-5386</a>	
<a href="#">Mt1r-152</a>	
<a href="#">70d101r1t</a>	
<a href="#">61-7080-6</a>	
<a href="#">Sf20-146</a>	SUREFIRE GAS IGNITER, 146
<a href="#">45uv5-1101cex</a>	

<a href="#">Sfr-162</a>	HEI SPARK ROD, 162 INCHES
<a href="#">129-169-1</a>	
<a href="#">60-2887-4</a>	
<a href="#">Pd4r</a>	KIT
<a href="#">45uv5-1007</a>	
<a href="#">Sfr-168</a>	HEI SPARK ROD, 168 INCHES
<a href="#">Eb700edeuv</a>	
<a href="#">70dcb5uvs4cb</a>	
<a href="#">35-335</a>	
<a href="#">70d30uvs180</a>	
<a href="#">E345</a>	
<a href="#">Med7</a>	
<a href="#">29-248</a>	
<a href="#">70dcb6ircb80</a>	
<a href="#">De601-112b</a>	
<a href="#">Meir1</a>	
<a href="#">Sfr-154</a>	HEI SPARK ROD, 154 INCHES
<a href="#">59-598-9</a>	
<a href="#">Uvm3hmt304</a>	
<a href="#">59-504-010</a>	
<a href="#">59-470-250</a>	
<a href="#">70d201r1t90</a>	
<a href="#">70dcb61r1t60</a>	
<a href="#">61-4842-2</a>	
<a href="#">61-6872-7</a>	
<a href="#">Mt1r-078</a>	
<a href="#">Tfm3mt75</a>	
<a href="#">35-319</a>	
<a href="#">16-103</a>	
<a href="#">E1r1</a>	

<a href="#">Mc230</a>	
<a href="#">De4360-020</a>	
<a href="#">Mt1r-162</a>	
<a href="#">Sf20-062</a>	
<a href="#">59-509-10</a>	
<a href="#">60-2872-1</a>	
<a href="#">Ed550-6</a>	
<a href="#">70dcb61r170</a>	
<a href="#">Nxceso2-30-Kit</a>	FLANGE,FXIATS-140 SENSOR KIT, 30 INSERTION
<a href="#">59-497-180c</a>	
<a href="#">Uvm2mt310</a>	
<a href="#">Yp300</a>	
<a href="#">82-95</a>	
<a href="#">De601-20d1</a>	
<a href="#">Nxdbvsd</a>	VFD INTERFACE DAUGHTER BOARD WITH TWO VFD CHANNELS, ONE ANALOG OUTPUT, TWO COUNTER INPUTS, TWO PROGRAMMABLE RELAYS. ALSO INCLUDES MODBUS COMMUNICATION
<a href="#">61-6944-020r</a>	
<a href="#">E350-3</a>	
<a href="#">Mb-600l</a>	
<a href="#">Sfr-114</a>	HEI SPARK ROD, 114 INCHES
<a href="#">70dcb6rt1tcb</a>	
<a href="#">Nxvfd12543</a>	
<a href="#">Nx1044-1</a>	400 C, 6 LENGTH, 1/4 DIA., THERMOWELL REQUIRED, NOT PROVIDED.
<a href="#">Mc230230mart</a>	
<a href="#">Sf1-Ret-3</a>	
<a href="#">Nxvfd3043</a>	
<a href="#">Yb110ir2</a>	CHASSIS, 120 VAC, 50/60 HZ WITH IR AUTO-CHECK AMPLIFIER. UL, FM, CE APPROVED. SPECIAL APPLICATION ONLY, CONSULT FACTORY.
<a href="#">Nxvfd306</a>	
<a href="#">003263-002</a>	

<a href="#">Zb230ir</a>	CHASSIS, 230 VAC, 50/60 HZ WITH BURNER CONTROL FUNCTIONS, CONTAINS IR AUTOCHECK AMPLIFIER
<a href="#">59-497-040rc</a>	
<a href="#">70d10rt1</a>	
<a href="#">61-7137</a>	
<a href="#">Mep397</a>	
<a href="#">003265-002</a>	
<a href="#">26sj5-6152</a>	
<a href="#">Nxc40</a>	
<a href="#">Mep100p</a>	
<a href="#">60-1386-2</a>	
<a href="#">6022040507</a>	
<a href="#">59-471-140</a>	
<a href="#">45rm1-1000</a>	
<a href="#">105f1-1cg-040</a>	
<a href="#">4-128</a>	
<a href="#">72d1r1</a>	INFRARED AUTO-CHECK AMPLIFIER, 2-4 SEC FFRT, USE WITH 48PT2.
<a href="#">Mp230</a>	
<a href="#">Uv1-A3</a>	
<a href="#">Mt1r-166</a>	
<a href="#">70d21uvs1t90</a>	
<a href="#">Uv8a20</a>	
<a href="#">70d30ir3</a>	
<a href="#">Mc230mauv1t</a>	
<a href="#">Ah221244-002</a>	
<a href="#">59-546-3</a>	
<a href="#">59-497-010</a>	
<a href="#">E1r3</a>	
<a href="#">129-145-1</a>	
<a href="#">59-471-180</a>	

<a href="#">59-497-250c</a>	
<a href="#">C9507n4001</a>	ALL FUEL SCANNER WITH 50 LEAD WIRES.DE601-113 AND DE601-104F.
<a href="#">Zb110uv</a>	CHASSIS, 120 VAC, 50/60 HZ WITH BURNER CONTROL FUNCTIONS, CONTAINS UV NON SELF-CHECK AMPLIFIER
<a href="#">Sfr-118</a>	HEI SPARK ROD, 118 INCHES
<a href="#">Mt1-046</a>	
<a href="#">Sf20046</a>	46 SUREFIRE PILOT/IGNITOR
<a href="#">61-7209-12</a>	
<a href="#">60-2203-2</a>	25SU3-5166, -5168 CHASSIS.
<a href="#">95irs2-2cg</a>	
<a href="#">Sb-Uv Amplificator</a>	
<a href="#">129-193</a>	
<a href="#">46-185</a>	
<a href="#">Uvm3mt75</a>	
<a href="#">Yp200</a>	
<a href="#">Ep178</a>	
<a href="#">60-2780-1</a>	
<a href="#">38-96</a>	
<a href="#">70dcb5uvs1t81</a>	
<a href="#">25su34163r</a>	CONTROL
<a href="#">95dss2e-1</a>	DUAL DETECTOR (IR AND UV) WITH QUICK DISCONNECT. CE APPROVED.
<a href="#">Ed512-8</a>	
<a href="#">70d40-72duv1</a>	FLAME SAFEGUARD CHASSIS BURNER 5AMP 120VAC
<a href="#">De601-006</a>	
<a href="#">Tfm-2a7</a>	
<a href="#">Sfr-110</a>	HEI SPARK ROD, 110 INCHES
<a href="#">MbuV-300d</a>	
<a href="#">Nxceso2p42-1</a>	O2 PROBE REPLACEMENT CARTRIDGE FOR ENGR CODE 00 (6 PIN)
<a href="#">Sfr-156</a>	HEI SPARK ROD, 156 INCHES
	ionization flame detector Self-monitoring with 11-pin

<a href="#">MBCE-230FR-1</a>	connector Supply voltage: 230VAC, 50/60Hz LED status display, logoff time 1 sec. Measuring points for the flame signal 4...20mA (Wiring base 60-2886 not included)
<a href="#">Eb700</a>	
<a href="#">Blps-300</a>	
<a href="#">71d8115</a>	
<a href="#">Mec320</a>	
<a href="#">61-4894-5</a>	
<a href="#">70dcb5uv1t60</a>	
<a href="#">Mec120d</a>	
<a href="#">70d201r1tcb</a>	
<a href="#">Flame Detector 65uv5-1004eqd</a>	DETAILED INFO ATTACHED TO MAIL
<a href="#">65uv5-1000</a>	
<a href="#">129179</a>	
<a href="#">70d20uv180</a>	
<a href="#">Sfr-088</a>	HEI SPARK ROD, 88 INCHES
<a href="#">Nx1034-2</a>	
<a href="#">3-1217c</a>	
<a href="#">60-2721-2</a>	
<a href="#">27r1</a>	ALARM INDICATOR
<a href="#">60-2685-50</a>	
<a href="#">Sc-59-25</a>	
<a href="#">61-4893</a>	
<a href="#">C9707a1023</a>	CONFORMALLY COATED ALL FUEL SCANNER WITH 3/4 PURGE HOLE AND MILITARY CONNECTOR. DE701-007C AND DE601-104G.
<a href="#">70dcb6uv1</a>	
<a href="#">59-507-15</a>	
<a href="#">Epd-167</a>	D CIRCUIT.
<a href="#">70dcb5rt1t81</a>	
<a href="#">Mbce-230fr-1cex</a>	
<a href="#">6022030507</a>	
<a href="#">Sf20-142</a>	SUREFIRE GAS IGNITER, 142

<a href="#">85uvf1-2qdk3</a>	ULTRA-VIOLET, WITH QUICK DISCONNECT AND K3 FILTER. USE 59-546-XX CABLE. FM, UL/C,
<a href="#">70d30uv1cb</a>	
<a href="#">60-2205</a>	
<a href="#">97-1079-1</a>	
<a href="#">Sfr-138</a>	HEI SPARK ROD, 138 INCHES
<a href="#">61-5042</a>	
<a href="#">De601-112e</a>	
<a href="#">70d40uvs1t</a>	
<a href="#">Ed150-25</a>	
<a href="#">Eb720</a>	
<a href="#">65uv5-1004</a>	
<a href="#">Sf20-106</a>	SUREFIRE GAS IGNITER, 106
<a href="#">70d21uvs1tcb</a>	
<a href="#">61-4842-11</a>	
<a href="#">70dcb5ir361</a>	
<a href="#">Sfr-146</a>	HEI SPARK ROD, 146 INCHES
<a href="#">Mt20032</a>	MOUNT TUBE 32 LONG (IGNITER LENGTHS 042 THROUGH 050)
<a href="#">105f1-1cget-050</a>	PARAGON SCANNER, ENHANCED TEMPERATURE CABLE GLAND VERSION, WITH 50 FEET OF CABLE.
<a href="#">Mt75</a>	
<a href="#">R9105-P5002</a>	RACK MOUNTED CONTROLLER, JUMPER SELECTABLE VOLTAGE AND FFRT.
<a href="#">De4360-100</a>	
<a href="#">Ed550-3</a>	
<a href="#">61-6944-030</a>	
<a href="#">59-497-040r</a>	
<a href="#">45rm2-1000ex</a>	
<a href="#">45rm4-1000</a>	INFRARED SELF-CHECKING, BGC, 1 INCH NPT MOUNT, 24 VDC, ADJUSTABLE FREQUENCY, ADJUSTABLE GAIN. USE WITH 25SU3 AND 25SU5.
<a href="#">Nxam</a>	COMFIRE 2 COMMUNICATIONS SOFTWARE (IBM PC) ON CD

<a href="#">61-6969</a>	FOR NEXUS / PPC5000 / PPC6000.
<a href="#">Pxms-15k</a>	1 BAR, 4-20MA OUTPUT, 1/2 NPT, NON SELF-CHECK.
<a href="#">Meuv1</a>	
<a href="#">Tfms</a>	
<a href="#">105f1-1cget-020</a>	PARAGON SCANNER, ENHANCED TEMPERATURE CABLE GLAND VERSION, WITH 20 FEET OF CABLE.
<a href="#">72dircb</a>	
<a href="#">E210</a>	
<a href="#">129-164rc</a>	
<a href="#">45rm4-1000cex</a>	
<a href="#">Sf20-134</a>	SUREFIRE GAS IGNITER, 134
<a href="#">70d20uvs1cb</a>	
<a href="#">Uvm4mt9010</a>	
<a href="#">70d10rt181</a>	
<a href="#">129-172</a>	
<a href="#">Mc120mauv3</a>	
<a href="#">Mc230rmauv1</a>	
<a href="#">Ic485</a>	
<a href="#">70d30ir360</a>	
<a href="#">61-7065-6</a>	
<a href="#">Mt1r-156</a>	
<a href="#">59-5356-10tb</a>	
<a href="#">70dcb5uvs460</a>	
<a href="#">59-497-250rc</a>	
<a href="#">61-436</a>	
<a href="#">45uvfs1-1001</a>	
<a href="#">70d21uvs1t81</a>	
<a href="#">Ts350-4</a>	
<a href="#">Sfr-046</a>	HEI SPARK ROD, 46 INCHES
<a href="#">38-88</a>	

<a href="#">70dcb5uvs1t80</a>	
<a href="#">70d10uvs1tcb</a>	
<a href="#">59-536c-010</a>	
<a href="#">60-2721-4</a>	
<a href="#">70-427</a>	
<a href="#">61-7065-14</a>	
<a href="#">25su3-2150</a>	19 INCH RACK AMPLIFIER, 24 VAC/24VDC, HIGH NOISE IMMUNITY
<a href="#">Mc230561mart</a>	
<a href="#">61-6960-10</a>	
<a href="#">Sfr-038</a>	HEI SPARK ROD, 38 INCHES
<a href="#">Mc120emp101</a>	
<a href="#">Ed400</a>	
<a href="#">59-497-250r</a>	
<a href="#">45uv5-1009</a>	264 VAC SHUTTER. USE WITH 72DUVS4, 72DUVS1T, BURNERLOGIX, E-SERIES, MICROM, FLAMEWORX II.
<a href="#">70dcb5ircb61</a>	
<a href="#">61-6521</a>	45RM4 SCANNER FOR USE WITH FIBER OPTIC ASSEMBLIES.
<a href="#">61-6872-12</a>	
<a href="#">61-4052-2e</a>	
<a href="#">Mep109</a>	
<a href="#">59-509-20</a>	
<a href="#">Tfm-1f</a>	
<a href="#">Uvm4mt74</a>	
<a href="#">Nxceso2-16-Kit</a>	FLANGE,FXIATS-140 SENSOR KIT, 16 INSERTION
<a href="#">Sf20-020</a>	
<a href="#">61-2275-2</a>	
<a href="#">26cf65022refur</a>	PROGRAMMER
<a href="#">Mt1r-094</a>	
<a href="#">Psaa-12f</a>	
<a href="#">Nxvfd502</a>	
<a href="#">35-200</a>	

<a href="#">60-1728-10</a>	
<a href="#">97-1047</a>	
<a href="#">192su3-2120</a>	
<a href="#">59-497-100r</a>	
<a href="#">Eb701</a>	
<a href="#">Sfr-092</a>	HEI SPARK ROD, 92 INCHES
<a href="#">45rm4-1001cex</a>	
<a href="#">Nxvfd256</a>	
<a href="#">Sf20-158</a>	SUREFIRE GAS IGNITER, 158
<a href="#">Nxo2pk6ex2</a>	
<a href="#">Mauv1t</a>	
<a href="#">35-127-1</a>	
<a href="#">70d20uv1t81</a>	
<a href="#">60-2470-1</a>	110 VAC INPUT/24 VDC, 2.5 AMPS OUTPUT POWER SUPPLY. INCLUDES 60-2482 CONNECTOR.
<a href="#">Ert1</a>	
<a href="#">85uvf4-1qd-Wr</a>	ULTRA-VIOLET, WITH QUICK DISCONNECT. USE 59-546-XX CABLE. FOR USE WITH EDC1, EDC2, MEDC2, YB110DC OR YB2
<a href="#">45rm4-1000ex</a>	
<a href="#">36-935</a>	
<a href="#">Sfr-108</a>	HEI SPARK ROD, 108 INCHES
<a href="#">48pt2-Cex</a>	
<a href="#">Sfr-128</a>	HEI SPARK ROD, 128 INCHES
<a href="#">N250339-00</a>	
<a href="#">61-6845</a>	
<a href="#">Ed500</a>	
<a href="#">45uv5-1103</a>	UV SELF-CHECKING, 1 INCH NPT MOUNT, 50 HZ. USE WITH 25SU3 AND 25SU5.
<a href="#">Nxvfd156</a>	
<a href="#">003181-001</a>	
<a href="#">59-497-020-Wr</a>	

<a href="#">Mt1r-136</a>	
<a href="#">Sfr-096</a>	HEI SPARK ROD, 96 INCHES
<a href="#">59-497-025c</a>	
<a href="#">25su34171</a>	
<a href="#">45uv2-1020</a>	
<a href="#">70d20uvs1t81</a>	
<a href="#">Uvm5mt125</a>	
<a href="#">60-2814-1</a>	
<a href="#">Sfr-036</a>	HEI SPARK ROD, 36 INCHES
<a href="#">59-497-060c</a>	
<a href="#">Mt1r-138</a>	
<a href="#">38-55</a>	
<a href="#">Uvm3mt6010</a>	
<a href="#">Mep300</a>	
<a href="#">Uv2a6</a>	
<a href="#">61-2841-1</a>	
<a href="#">129-152</a>	
<a href="#">70d20ircb61</a>	
<a href="#">De4599-120</a>	
<a href="#">25su3-2100</a>	19 INCH RACK AMPLIFIER, 24 VAC/24VDC.
<a href="#">Tfm-2</a>	
<a href="#">59-470-060</a>	
<a href="#">Mt1r-124</a>	
<a href="#">Yb230ir2</a>	CHASSIS, 230 VAC, 50/60 HZ WITH IR AUTO-CHECK AMPLIFIER. UL, FM, CE APPROVED. SPECIAL APPLICATION ONLY, CONSULT FACTORY.
<a href="#">105f1-1cget-070</a>	PARAGON SCANNER, ENHANCED TEMPERATURE CABLE GLAND VERSION, WITH 70 FEET OF CABLE.
<a href="#">60-2207-2</a>	FLAME AMPLIFIER (HIGH DISCRIMINATION) FOR 5012, 5166, 5167.
<a href="#">Ah221255</a>	POWER SUPPLY BOARD FOR PPC5000/PPC5001
<a href="#">Uv8a</a>	
<a href="#">3-2001c</a>	

<a href="#">59-5356-30tb</a>	
<a href="#">Ep300s</a>	
<a href="#">25su3-4170</a>	
<a href="#">C9707a1012</a>	ALL FUEL SCANNER WITH 3/4 PURGE HOLE AND MILITARY CONNECTOR.DE701-007A AND DE601-104G.
<a href="#">60-2919-1</a>	
<a href="#">59-535c-200</a>	
<a href="#">8-705</a>	
<a href="#">59-497-140rc</a>	
<a href="#">4-128-1</a>	
<a href="#">Mt1-096</a>	
<a href="#">59-497-140r</a>	
<a href="#">70d211r181</a>	
<a href="#">59-497-080rc</a>	
<a href="#">Sfr-058</a>	HEI SPARK ROD, 58 INCHES
<a href="#">Q9065a1000</a>	
<a href="#">Mert1</a>	
<a href="#">71d60</a>	
<a href="#">Sfr-022</a>	HEI SPARK ROD, 22 INCHES
<a href="#">Mbce-110fr-3cex</a>	
<a href="#">9-438</a>	
<a href="#">Mep562</a>	
<a href="#">59-536c-300</a>	
<a href="#">Nxvfd304</a>	
<a href="#">70d20uvs181</a>	
<a href="#">Yp183</a>	
<a href="#">Sfr-080</a>	HEI SPARK ROD, 80 INCHES
<a href="#">De701-107c</a>	
<a href="#">Sfr-150</a>	HEI SPARK ROD, 150 INCHES
<a href="#">60-2693</a>	
<a href="#">59-547-15</a>	

<a href="#">60-2206-1</a>	
<a href="#">102531-003</a>	
<a href="#">97-1104</a>	HEAT INSULATING JACKET FOR PARAGON SCANNERS.
<a href="#">59-536c-120</a>	
<a href="#">Ep170</a>	
<a href="#">59-497-060rc</a>	
<a href="#">Mt1r-052</a>	
<a href="#">De4643-001</a>	
<a href="#">Mep235</a>	
<a href="#">61-4894-9</a>	
<a href="#">De4599-160</a>	
<a href="#">70d20uv161</a>	
<a href="#">Nxceso2-8-Kit</a>	FLANGE,FXIATS-140 SENSOR KIT, 8 INSERTION
<a href="#">102531-001</a>	
<a href="#">65uv5-1004e , 65uv5-1004eqd</a>	
<a href="#">70d20uvs461</a>	
<a href="#">70d30rt1t80</a>	
<a href="#">46-56</a>	
<a href="#">Uvm3hmt75</a>	
<a href="#">Cu-57</a>	
<a href="#">59-598-17</a>	
<a href="#">Ep382</a>	
<a href="#">C9504m-001</a>	
<a href="#">Sfr-078</a>	HEI SPARK ROD, 78 INCHES
<a href="#">59-497-120r</a>	
<a href="#">003263-003</a>	
<a href="#">25su5-1003</a>	
<a href="#">003265-003</a>	
<a href="#">Mecd4</a>	
<a href="#">Sf20-148</a>	SUREFIRE GAS IGNITER, 148

<a href="#">Yp302</a>	
<a href="#">3-1264a</a>	
<a href="#">Fx20</a>	
<a href="#">70d30uvs4</a>	
<a href="#">70d20ircb80</a>	
<a href="#">105f1-1cget-030</a>	PARAGON SCANNER, ENHANCED TEMPERATURE CABLE GLAND VERSION, WITH 30 FEET OF CABLE.
<a href="#">129-166</a>	
<a href="#">Mauv1</a>	
<a href="#">59-598-12</a>	
<a href="#">Yp100</a>	
<a href="#">19-117</a>	
<a href="#">70dcb5uvs1t</a>	
<a href="#">70dcb6uvs480</a>	
<a href="#">C9508m2011</a>	
<a href="#">Ep160</a>	
<a href="#">Mc230mart1t</a>	
<a href="#">35-246</a>	
<a href="#">Mbpf-202s</a>	
<a href="#">129-145-3</a>	
<a href="#">70d21uv170</a>	
<a href="#">Mt310</a>	
<a href="#">Epd260</a>	
<a href="#">55uv5-1009</a>	260 VAC, 50/60 HZ.
<a href="#">46-186</a>	
<a href="#">59-497-180rc</a>	
<a href="#">Med2</a>	
<a href="#">Sf20-032</a>	
<a href="#">Uvm-1f</a>	
<a href="#">45uvs1-1000ex</a>	NEMA 7, CLASS 1, DIV 1 AND 2, GROUPS C AND D, CLASS 2, DIV 1 AND 2, GROUPS E, F, AND G EXPLOSION PROOF

<a href="#">60-2780-3k3</a>	HOUSING WITH 45UVFS1-1000 SCANNER. REPLACEMENT SCANNER FOR 85UVF1-1CEX-K3
<a href="#">Sf20-064</a>	
<a href="#">61-6671-15</a>	
<a href="#">25su3-2000</a>	19 INCH RACK AMPLIFIER, 24 VAC/24VDC. CE APPROVED.
<a href="#">Mc120r</a>	
<a href="#">60-2490-6</a>	
<a href="#">Mec320c</a>	
<a href="#">Blps-15</a>	
<a href="#">1001</a>	
<a href="#">Sfr-044</a>	HEI SPARK ROD, 44 INCHES
<a href="#">Cu-33</a>	
<a href="#">60-1257</a>	
<a href="#">Tfm-3-H</a>	
<a href="#">61-2275-3</a>	
<a href="#">Ep100s</a>	PROGRAMMER. SELECTABLE PURGE, SELECTABLE TFI, NON- RECYCLE, SPANISH LANGUAGE.
<a href="#">105f1-1cg-020</a>	
<a href="#">Yb230ir</a>	CHASSIS, 230 VAC, 50/60 HZ WITH IR AUTO-CHECK AMPLIFIER. FM, CE APPROVED.
<a href="#">70d20uvs480</a>	
<a href="#">61-7203</a>	
<a href="#">Mc230mart3</a>	
<a href="#">Mp230h</a>	
<a href="#">Ec600</a>	
<a href="#">Cu-26</a>	
<a href="#">Med5</a>	
<a href="#">59-536c-200</a>	
<a href="#">59-497-100rc</a>	
<a href="#">Mc120remart3</a>	
<a href="#">60-2930-1</a>	
<a href="#">Mauv3</a>	

<a href="#">60-2107</a>	
<a href="#">Ps-60</a>	
<a href="#">De4360-040</a>	
<a href="#">Nxvfd5063</a>	
<a href="#">Yb110uv</a>	CHASSIS, 120 VAC, 50/60 HZ WITH UV NON SELF-CHECK AMPLIFIER. UL, FM, CE APPROVED.
<a href="#">Sfr-068</a>	HEI SPARK ROD, 68 INCHES
<a href="#">Mc120emart3</a>	
<a href="#">61-4842-9</a>	
<a href="#">Uv7r4</a>	
<a href="#">Eb346</a>	
<a href="#">Euvs4</a>	
<a href="#">Sf20-178</a>	SUREFIRE GAS IGNITER, 178
<a href="#">145-19</a>	
<a href="#">Sf20-162</a>	SUREFIRE GAS IGNITER, 162
<a href="#">Mep105</a>	
<a href="#">C9701a1023</a>	CONFORMALLY COATED UV SCANNER WITH 3/4 PURGE HOLE AND MILITARY CONNECTOR. DE701-107C AND DE601-104G.
<a href="#">70dcb5uvs490</a>	
<a href="#">R9006m3011</a>	
<a href="#">Mc230r</a>	
<a href="#">De601-106</a>	SCANNER ELECTRONICS ASSEMBLY C9501N SERIES.
<a href="#">70d21uv1t80</a>	
<a href="#">De601-108a</a>	
<a href="#">61-7189</a>	
<a href="#">70d30ir3cb</a>	
<a href="#">Mep290</a>	
<a href="#">Sfr-020</a>	HEI SPARK ROD, 20 INCHES
<a href="#">Mart1</a>	Amplifier Module
<a href="#">Blps-25</a>	
<a href="#">61-6872-8</a>	

<a href="#">70d101r1t60</a>	
<a href="#">Nxqd1m</a>	
<a href="#">129-145-2</a>	
<a href="#">Ftir-900</a>	
<a href="#">14-64</a>	
<a href="#">Blv512</a>	
<a href="#">Mep104</a>	
<a href="#">25su5-1100</a>	
<a href="#">Sf1-Ret-5</a>	
<a href="#">Nx1021-1</a>	600 MILLIBAR, 1/2 NPT.
<a href="#">Nx1034-1</a>	4 BAR, 1/4 BSP. INCLUDES 1/4 FEMALE BSP TO 1/2 NPT MALE ADAPTER.
<a href="#">Nx20-1</a>	SERVO-MOTOR, 15 FT LBS., 20 NM., 50/60 HZ, 120 VAC.
<a href="#">Mp561</a>	
<a href="#">61-7345-5</a>	GLASS, FOR INSIGHT II SCANNER.
<a href="#">Sfr-034</a>	HEI SPARK ROD, 34 INCHES
<a href="#">Mc120mart1t</a>	
<a href="#">Q2625a1314</a>	
<a href="#">Uvm-5</a>	
<a href="#">De601-111</a>	
<a href="#">59-546-90</a>	
<a href="#">Nx04-2</a>	
<a href="#">61-6671-40</a>	
<a href="#">70d10uvs470</a>	
<a href="#">59-598-45</a>	
<a href="#">59-565-40</a>	
<a href="#">61-6856-14</a>	
<a href="#">60-2539-12</a>	
<a href="#">70d10uvs190</a>	
<a href="#">Mb-685m</a>	
<a href="#">Tfm3904</a>	

<a href="#">C9506m1085</a>	NON SELF-CHECK PIPE STYLE SCANNER WITH 8 LEAD WIRES.
<a href="#">46-187</a>	
<a href="#">Mecd1</a>	
<a href="#">70dcb51r1t90</a>	
<a href="#">33-426</a>	
<a href="#">70d101r1t81</a>	
<a href="#">61-6944-020</a>	
<a href="#">Sf20-054</a>	
<a href="#">124-14</a>	
<a href="#">De601-114</a>	
<a href="#">60-2480</a>	
<a href="#">Sf20-072</a>	SUREFIRE GAS IGNITER, 72
<a href="#">Nx1030-2</a>	
<a href="#">Sfr-172</a>	HEI SPARK ROD, 172 INCHES
<a href="#">E720w-Cd</a>	
<a href="#">De601-113c</a>	
<a href="#">Zb230uvsc</a>	CHASSIS, 230 VAC, 50/60 HZ WITH BURNER CONTROL FUNCTIONS, CONTAINS UV SELF-CHECK AMPLIFIER
<a href="#">59-470-120</a>	
<a href="#">61-7080-10</a>	
<a href="#">Uv1a12</a>	
<a href="#">Sf20-078</a>	SUREFIRE GAS IGNITER, 78
<a href="#">De52</a>	
<a href="#">129-169-2</a>	
<a href="#">59-497-060r</a>	
<a href="#">70d30uvs1t61</a>	
<a href="#">Eb700ed500</a>	
<a href="#">Mbpf-200s</a>	
<a href="#">61-6671-20</a>	
<a href="#">R9108m1001</a>	
<a href="#">61-4894-3</a>	

<a href="#">53380-30001</a>	CHASSIS, 230 VAC, 50/60 HZ WITH BURNER CONTROL FUNCTIONS, CONTAINS HIGH SENSITIVITY IR AUTOCHECK AMPLIFIER. SPECIAL APPLICATION ONLY, CONSULT FACTORY.
<a href="#">Zb230ir2</a>	
<a href="#">4suv51101</a>	SCANNER
<a href="#">105f1-1cget</a>	PARAGON FLAME SCANNER, ENHANCED TEMPERATURE, CABLE GLAND VERSION, WITH 10 FEET OF CABLE.
<a href="#">59-497-100</a>	
<a href="#">35-69</a>	
<a href="#">Mec230</a>	
<a href="#">61-7064-14</a>	
<a href="#">61-4894-7</a>	
<a href="#">Cb2</a>	
<a href="#">002608-001</a>	
<a href="#">27-102</a>	
<a href="#">35-247</a>	
<a href="#">Tfm3hmt55</a>	
<a href="#">Uv-Ri</a>	
<a href="#">70dcb6ircbcb</a>	
<a href="#">61-6872-10</a>	
<a href="#">Sb-Uv</a>	
<a href="#">61-6944-040</a>	
<a href="#">Uvm4mt904</a>	
<a href="#">MbuV-310d</a>	
<a href="#">000710-023</a>	
<a href="#">MbpF-100s</a>	
<a href="#">60-2886</a>	
<a href="#">Mb-632s</a>	
<a href="#">Nxo2pk4</a>	
<a href="#">Uv1a50</a>	
<a href="#">129-127-60</a>	
<a href="#">129-189</a>	

<a href="#">Sfr-086</a>	HEI SPARK ROD, 86 INCHES
<a href="#">60-2919-2</a>	
<a href="#">61-3057</a>	
<a href="#">95dss1-1cg</a>	INSIGHT SCANNER
<a href="#">Sf20-114</a>	SUREFIRE GAS IGNITER, 114
<a href="#">70d30uvs1</a>	
<a href="#">Sfr-124</a>	HEI SPARK ROD, 124 INCHES
<a href="#">Ep170w</a>	
<a href="#">Mep696</a>	
<a href="#">4-314-Uv2</a>	
<a href="#">70d10ircb60</a>	
<a href="#">Nxvfd2023</a>	
<a href="#">C9701a</a>	FLAME SCANNER ULTRAVIOLET
<a href="#">Ppc5001</a>	
<a href="#">59-497-180</a>	
<a href="#">Cu-31lf</a>	
<a href="#">70dcb5rt1t61</a>	
<a href="#">Yb110uvsc</a>	CHASSIS, 120 VAC, 50/60 HZ WITH UV SELF-CHECK AMPLIFIER. UL, FM, CE APPROVED.
<a href="#">61-7345-6</a>	GLASS, FOR INSIGHT II SCANNER.
<a href="#">Eb500</a>	
<a href="#">61-7080-12</a>	
<a href="#">95irs1e-1</a>	
<a href="#">70d20uvs1t80</a>	
<a href="#">61-6856-3</a>	
<a href="#">Sfr-134</a>	HEI SPARK ROD, 134 INCHES
<a href="#">Sfr-030</a>	HEI SPARK ROD, 30 INCHES
<a href="#">De4599-040</a>	
<a href="#">Mt1-166</a>	
<a href="#">E110edepe1r</a>	
<a href="#">E1r1r</a>	

<a href="#">Mep107</a>	
<a href="#">60-2771</a>	
<a href="#">70d21uvs160</a>	
<a href="#">70d30rt1t61</a>	
<a href="#">65uv5-1004eqd</a>	
<a href="#">45uv5 -1007</a>	
<a href="#">Mc120rmp102e</a>	
<a href="#">Tfm2mt3010</a>	
<a href="#">70d40</a>	
<a href="#">45uv5-1009ex</a>	
<a href="#">45rm2</a>	SCANNER
<a href="#">Ep200s</a>	
<a href="#">61-2913-1</a>	
<a href="#">70d301r1cb</a>	
<a href="#">59-497</a>	
<a href="#">Mec320r</a>	
<a href="#">Mt1r-106</a>	
<a href="#">70dcb5uvs1t60</a>	
<a href="#">59-507-10</a>	
<a href="#">97-1051</a>	
<a href="#">Nxvfd10043</a>	
<a href="#">60-801</a>	
<a href="#">95uvs2-1</a>	ULTRA-VIOLET WITH QUICK DISCONNECT. FM, UL/C APPROVED.
<a href="#">61-4914</a>	
<a href="#">60-2468-4</a>	
<a href="#">59-536c-090</a>	
<a href="#">59-547-30</a>	
<a href="#">59-497-300r</a>	
<a href="#">Uvm4mt125</a>	

<a href="#">Uvm5mt304</a>	
<a href="#">Nx6110</a>	
<a href="#">59-497-080r</a>	
<a href="#">101806-004</a>	
<a href="#">255us5011</a>	CONTROL
<a href="#">Uvm2mt9010</a>	
<a href="#">105f1-1cget-100</a>	PARAGON SCANNER, ENHANCED TEMPERATURE CABLE GLAND VERSION, WITH 100 FEET OF CABLE.
<a href="#">70d21uv180</a>	
<a href="#">Nx50-1</a>	SERVO-MOTOR, 37 FT LBS., 50 NM, 50/60 HZ, 120 VAC.
<a href="#">Epd161</a>	PROGRAMMER. 30 SEC PURGE, 10 AND 30 SEC TFI, NON-RECYCLE.
<a href="#">4-290-1 Replacement Bulb For 65uv5</a>	
<a href="#">59-497-300</a>	
<a href="#">70dcb6rt1t</a>	
<a href="#">30-287</a>	
<a href="#">Sfr-094</a>	HEI SPARK ROD, 94 INCHES
<a href="#">Uv90-9</a>	
<a href="#">Sfr-040</a>	HEI SPARK ROD, 40 INCHES
<a href="#">Mc120rmp100e</a>	
<a href="#">Uvm3hmt710</a>	
<a href="#">Ed510</a>	
<a href="#">D40-5050</a>	CHASSIS CONTR MANUALLY IGNITED BURNER 70D40/72DRT1
<a href="#">70dcb5rt1t</a>	
<a href="#">19mps-2000</a>	
<a href="#">30-188</a>	
<a href="#">Sf20-108</a>	SUREFIRE GAS IGNITER, 108
<a href="#">Mt30-4</a>	
<a href="#">Mec120rd</a>	
<a href="#">65uv5-1004e</a>	
<a href="#">Sfr-064</a>	HEI SPARK ROD, 64 INCHES
<a href="#">Mb-600m</a>	

<a href="#">Cu-21</a>	
<a href="#">Mc120rmauv1</a>	
<a href="#">59-546-4</a>	
<a href="#">Nxvfd3023</a>	
<a href="#">85uvf1-1qd</a>	ULTRA-VIOLET, WITH QUICK DISCONNECT.USE 59-546-XX CABLE. FM, UL/C, CE APPROVED.
<a href="#">60-2470-2</a>	220-240 VAC INPUT/24 VDC, 2.5 AMPS OUTPUT POWER SUPPLY. INCLUDES 60-2482 CONNECTOR.
<a href="#">Mt1r-128</a>	
<a href="#">61-7208</a>	
<a href="#">45fs1-1000cex</a>	
<a href="#">Sf20-056</a>	
<a href="#">53se2-1000</a>	FIRST OUT FAULT ANNUNCIATOR/BURNER CONTROL 6-PT
<a href="#">Ed580-2</a>	
<a href="#">Sfr-032</a>	HEI SPARK ROD, 32 INCHES
<a href="#">61-7074-3</a>	
<a href="#">61-6960-8</a>	
<a href="#">Mc230rmart1</a>	
<a href="#">Nxvfd404</a>	
<a href="#">61-6872-9</a>	
<a href="#">1/2\" Npt</a>	
<a href="#">Sfr-014</a>	HEI SPARK ROD, 14 INCHES
<a href="#">C9503m-001</a>	
<a href="#">Sf1ca115</a>	
<a href="#">Nxvfd102</a>	
<a href="#">70d30uv161</a>	
<a href="#">Tfm3mt3010</a>	
<a href="#">Med3</a>	
<a href="#">72drt1t</a>	
<a href="#">61-6960-12</a>	
<a href="#">60-2721-9</a>	

<a href="#">Mc120100mart</a>	
<a href="#">70d10ir381</a>	
<a href="#">27ph7-1000</a>	SMOKE DENSITY INDICATOR 120/230VAC 50/60HZ
<a href="#">70dcb6uvs1tcb</a>	
<a href="#">60-1199-1</a>	
<a href="#">C9501n5023</a>	UV SCANNER WITH 3/4 PURGE HOLE AND 50 LEAD WIRES. DE601-106 AND DE601-104F.
<a href="#">23-198</a>	
<a href="#">55uv5-1007</a>	
<a href="#">Mc120re</a>	
<a href="#">Mt1r-164</a>	
<a href="#">59-497-120rc</a>	
<a href="#">59-470-200</a>	
<a href="#">70d10uvs180</a>	
<a href="#">Nx1030-1</a>	25 BARS, 1/2 NPT.
<a href="#">61-6647</a>	
<a href="#">Uv1au</a>	
<a href="#">61-7064-9</a>	
<a href="#">Sf20-104</a>	SUREFIRE GAS IGNITER, 104
<a href="#">Tfm-3-90</a>	
<a href="#">Tfm3hmt75</a>	
<a href="#">95dss3-1cexss</a>	DUAL DETECTOR (IR AND UV) WITH EEXD IIC T6, ATEX / IECEX APPROVED STAINLESS STEEL HOUSING. INCLUDES 95DISP-1.
<a href="#">45uv5-1005ex</a>	
<a href="#">60-2490-4</a>	
<a href="#">Fireye Insight Scanner</a>	95IRS1E-1CG
<a href="#">Mep697</a>	
<a href="#">Feuv1a6</a>	
<a href="#">61-6960-14</a>	
<a href="#">70d301r1t90</a>	
<a href="#">95uvs2-1cex</a>	ULTRA-VIOLET WITH EEXD IIC T6, ATEX APPROVED HOUSING. HOUSING ONLY CE APPROVED.

<a href="#">Pxms-200</a>	14 BAR, 4-20MA OUTPUT, 1/2 NPT, NON SELF-CHECK.
<a href="#">59-598-90</a>	FACTORY WIRED CABLE ASSEMBLY (59-598) FOR SIMPLICITY QUICK DISCONNECT VERSION. 90 METERS / 295 FT.
<a href="#">129-168-1</a>	
<a href="#">45 Uv5-1009</a>	
<a href="#">De4360-080</a>	
<a href="#">60-2366</a>	
<a href="#">Q2625a1303</a>	
<a href="#">Sfr-070</a>	HEI SPARK ROD, 70 INCHES
<a href="#">70dcb5uv170</a>	
<a href="#">Sf20-112</a>	SUREFIRE GAS IGNITER, 112
<a href="#">61-3263-1</a>	
<a href="#">De3420-002</a>	
<a href="#">35-318-2</a>	
<a href="#">Tfm3mt125</a>	
<a href="#">60-2380-4</a>	
<a href="#">59-497-140c</a>	
<a href="#">26sj5</a>	
<a href="#">E340</a>	BOILER CONTROL (INCLUDES CHASSIS, KEYPA
<a href="#">Med1</a>	
<a href="#">Tfm3mt304</a>	
<a href="#">Sfr-112</a>	HEI SPARK ROD, 112 INCHES
<a href="#">Sf20-128</a>	SUREFIRE GAS IGNITER, 128
<a href="#">70d21uv1tcb</a>	
<a href="#">Sf20-092</a>	SUREFIRE GAS IGNITER, 92
<a href="#">Uvm4mt304</a>	
<a href="#">45uv5-1105</a>	
<a href="#">10-211</a>	
<a href="#">Yb230uv</a>	CHASSIS, 230 VAC, 50/60 HZ WITH UV NON SELF-CHECK AMPLIFIER. FM, CE APPROVED.
<a href="#">Sfr-026</a>	HEI SPARK ROD, 26 INCHES

<a href="#">60-1728-1</a>	
<a href="#">Sf20-136</a>	SUREFIRE GAS IGNITER, 136
<a href="#">60-2806</a>	
<a href="#">Mp100e</a>	
<a href="#">60-2721-6</a>	
<a href="#">003265-001</a>	
<a href="#">60-2207-1</a>	FLAME AMPLIFIER (HIGH SENSITIVITY) FOR 5011, 5168.
<a href="#">C9508m2000</a>	PIPE STYLE UV SCANNER WITH MILITARY CONNECTOR.
<a href="#">Mc230561mauv</a>	
<a href="#">60-2060-2</a>	
<a href="#">70d21uvs1</a>	
<a href="#">Ed590-6</a>	
<a href="#">61-5745-3</a>	
<a href="#">61-6306</a>	
<a href="#">Uvm-2a7</a>	
<a href="#">Mt20-102</a>	
<a href="#">C9506m1096</a>	
<a href="#">Mc120remp230</a>	
<a href="#">25ru8-6580</a>	
<a href="#">Uvm3h904</a>	
<a href="#">Mep130</a>	
<a href="#">4-314-1</a>	
<a href="#">Ep260ed510</a>	
<a href="#">97-1067</a>	
<a href="#">70d201r1t61</a>	
<a href="#">Uvm5mt3010</a>	
<a href="#">95irs2e-1</a>	
<a href="#">95widisp-2</a>	
<a href="#">85uvf1-1cex-K3</a>	CENELEC EEXD IIC T6, ATEX APPROVED HOUSING WITH 85UVF1-1K3 SCANNER. CE APPROVED. MOUNTING FLANGE ORDERED SEPARATELY.

<a href="#">70d201r1t70</a>	
<a href="#">Uvm2mt904</a>	
<a href="#">61-4842-1</a>	
<a href="#">23-93</a>	
<a href="#">45uvfs1-1000cex</a>	
<a href="#">70dcb6uv190</a>	
<a href="#">46-177</a>	
<a href="#">60-2060-15</a>	
<a href="#">59-497-120c</a>	
<a href="#">60-2938-2</a>	REPLACEMENT SCANNER FOR THE 95DSS3-1CEXSS. 95DISP-1-SS DISPLAY ORDERED SEPARATELY.
<a href="#">48pt2-1003</a>	
<a href="#">Nxceso2-30</a>	30 INSERTION.INCLUDES AMBIENT TEMPERATURE SENSOR. ORDER MOUNTING FLANGE SEPARATELY.
<a href="#">Mt</a>	
<a href="#">95dss3-1wicex</a>	
<a href="#">61-6944-050</a>	
<a href="#">70d201r180</a>	
<a href="#">61-3359</a>	
<a href="#">95dss3-1cex-2</a>	DUAL DETECTOR (IR AND UV) WITH EEXD IIC T6, ATEX APPROVED HOUSING. HOUSING ONLY CE APPROVED. PROVIDES EASY ACCESS WIRING TE
<a href="#">Mt1-006</a>	
<a href="#">Blps-30</a>	
<a href="#">129-164</a>	
<a href="#">25su5-1000</a>	
<a href="#">85260599r</a>	
<a href="#">Nxc12</a>	
<a href="#">59-497 12x6m</a>	
<a href="#">35-318-1</a>	
<a href="#">Sf20-050</a>	
<a href="#">70dcb5ircb</a>	

<a href="#">23-184</a>	
<a href="#">60-2803</a>	
<a href="#">Nx280pk</a>	ZIRCONIA EXHAUST GAS PROBE ASSEMBLY.
<a href="#">Sf20-088</a>	SUREFIRE GAS IGNITER, 88
<a href="#">60-1793</a>	
<a href="#">70dcb6uvs1t</a>	
<a href="#">70d30uvs1cb</a>	
<a href="#">45uv5-1101ex</a>	NEMA 7, CLASS 1, DIV 1 AND 2, GROUPS C AND D, CLASS 2, DIV 1 AND 2, GROUPS E, F, AND G EXPLOSION PROOF HOUSING WITH 45UV5-1101 SCANNER.
<a href="#">129-164r</a>	
<a href="#">De701-007a</a>	
<a href="#">-422</a>	
<a href="#">85uvf4-2qdk3wr</a>	ULTRA-VIOLET, WITH QUICK DISCONNECT AND K3 FILTER. USE 59-546-XX CABLE. FOR USE W
<a href="#">Nxvfd6043</a>	
<a href="#">Ces1000</a>	COMBUSTION EFFICIENCY CONTROLLER
<a href="#">60-2471-1</a>	
<a href="#">61-7080-14</a>	
<a href="#">60-2692-4</a>	
<a href="#">Yb230uvsc</a>	CHASSIS, 230 VAC, 50/60 HZ WITH UV SELF-CHECK AMPLIFIER, FM, CE APPROVED.
<a href="#">129-162-1</a>	
<a href="#">003263-004</a>	
<a href="#">23-183</a>	
<a href="#">Ec485</a>	
<a href="#">Sf20-172</a>	SUREFIRE GAS IGNITER, 172
<a href="#">59-536c-250</a>	
<a href="#">Mt1r-098</a>	
<a href="#">Cb70</a>	
<a href="#">29-184</a>	
<a href="#">Mc120mp230</a>	
<a href="#">25ru8</a>	

<a href="#">Uvm2a</a>	
<a href="#">Mep101</a>	
<a href="#">23-176</a>	
<a href="#">61-7065-5</a>	
<a href="#">Uv-1a-U-6</a>	
<a href="#">70d21rt1t60</a>	
<a href="#">Yb230fr</a>	CHASSIS, 230 VAC, 50/60 HZ WITH FLAME RECTIFICATION AMPLIFIER. FM, CE APPROVED.
<a href="#">Meuvs1</a>	
<a href="#">Ep270</a>	
<a href="#">23-194</a>	
<a href="#">Nxvfd7543</a>	
<a href="#">Sf20-156</a>	SUREFIRE GAS IGNITER, 156
<a href="#">Nxvfd756</a>	
<a href="#">61-6960-5</a>	
<a href="#">95uvs11</a>	CONTROL
<a href="#">De601-20c1</a>	
<a href="#">85uvf1-1cex</a>	
<a href="#">Sf20-068</a>	SUREFIRE GAS IGNITER, 68
<a href="#">70d21ir380</a>	
<a href="#">70d21uvs490</a>	
<a href="#">72drt1</a>	FLAME RECTIFICATION AMPLIFIER, 2-4 SEC FFRT, USE WITH 45CM OR 69ND.
<a href="#">70d30uvs481</a>	
<a href="#">45UV5-1101</a>	UV flame sensor tilting flange UV tube Self-monitoring with aperture screw connection R1" BSP, inside Purge air connection 3/8" BSP, inside Weight: 1.7 kg
<a href="#">It1000</a>	WIRELESS MONITORING SYSTEM. MONITORS UP TO 10 FLAME-MONITOR AND/OR MICROM CONTROLS, 4 DRY CONTACT INPUTS, AND 4 AC INPUTS COMPLETE WITH 3 INCH, 1/4 WA
<a href="#">Mep561</a>	
<a href="#">Sfr-104</a>	HEI SPARK ROD, 104 INCHES

<a href="#">Tsd-104</a>	FULL COLOR TOUCH SCREEN DISPLAY (10.4) FOR USE WITH UP TO FOUR (4) BURNERLOGIX Y OR Z MODELS AND YX300 FIRST OUT ANNUNCIATOR. INCLUDES PS-60 POWER SU
<a href="#">70dcb61r1t80</a>	
<a href="#">Sfr-158</a>	HEI SPARK ROD, 158 INCHES
<a href="#">Cb40</a>	
<a href="#">45uv5-1000ex</a>	NEMA 7, CLASS 1, DIV 1 AND 2, GROUPS C AND D, CLASS 2, DIV 1 AND 2, GROUPS E, F, AND G EXPLOSION PROOF HOUSING WITH 45UV5-1000 SCANNER.
<a href="#">Epd170</a>	PROGRAMMER. 30 SEC PURGE, 5 AND 10 SEC TFI, NON-RECYCLE, EARLY SPARK TERMINATION.
<a href="#">Bf-655m</a>	
<a href="#">Euv1</a>	
<a href="#">Nxvfd4023</a>	
<a href="#">Mc120emp561</a>	
<a href="#">Tfm3hmt125</a>	
<a href="#">Uvm3mt710</a>	
<a href="#">45uvfs1-1000</a>	ULTRAVIOLET SIGNATURE SCANNER, 1 INCH NP T MOUNT, 24 VDC. USE WITH 25SU3 AND 25SU5. SCANNER NO LONGER AVAILABLE (OBSOLETE) AFTER JULY 1, 2015.
<a href="#">60-2862</a>	
<a href="#">Yp138</a>	
<a href="#">De601-104e</a>	
<a href="#">95uvs1e-1</a>	ULTRA VIOLET W/ QUICK DISCONNECT
<a href="#">Mt90-10</a>	
<a href="#">Sf1-Ca1-25</a>	
<a href="#">Q9062a</a>	
<a href="#">Sf20-138</a>	SUREFIRE GAS IGNITER, 138
<a href="#">59-497-120</a>	FACTORY WIRED CABLE ASSEMBLY (59-497) WITH STRAIGHT CONNECTOR (129-164). 120 FEET.
<a href="#">R9005p5001</a>	
<a href="#">Ed150-3</a>	
<a href="#">Uvm-1dc</a>	
<a href="#">Mep304</a>	
<a href="#">95irs2e-1cex</a>	

<a href="#">70d101r190</a>	
<a href="#">95uvs2-3cg</a>	
<a href="#">Mt1r-070</a>	
<a href="#">61-6872-3</a>	
<a href="#">Mart3</a>	
<a href="#">Mc230rmp100</a>	
<a href="#">105f1-1cget-040</a>	PARAGON SCANNER, ENHANCED TEMPERATURE CABLE GLAND VERSION, WITH 40 FEET OF CABLE.
<a href="#">70d20uvs1t</a>	
<a href="#">E300</a>	USE WITH E100/E110/E201/E211
<a href="#">Mp562</a>	
<a href="#">65uv5-1000, 65uv5-1004</a>	
<a href="#">61-6872-5</a>	