

Fitok



Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Fitok Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Fitok Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
SS-PHN-NS8-MS16	FITOK hexagon screw-in double nipple 1/2 "NPT (M) on metric thread M16x1.5 Material: 316 SS, EN 1.4401 Weight: 70g
SS-PHN-NS4-MS20	FITOK hexagonal screw-in double nipple 1/4 "NPT (M) on metric thread M20x1.5 Material: 316 SS, EN 1.4401 Weight: 53g
SS-PUW-MS12-MTB8	FITOK Pipe to Weld Fitting M12 x 1.5 on Pipe connection for butt welding 8 x 1.8 mm Length: 30.0 mm Material: 316 SS, EN 1.4401 Weight: 30g
SS-PUW-MS20-MTB10	FITOK Pipe to Weld Fitting M20 x 1.5 on Pipe connection for butt welding 10 x 2.2 mm Length: 34.0 mm Material: 316 SS, EN 1.4401 Weight: 71g
. GB-A63-NS4-5000PB-GL	
. HRT-M6	
10BSS-FNS6-6-1-N-AO	
15NSS-DFF2-1	
15NSS-FH2-1	
20BSS-2FH6-6-1	

20NSS-MF6-1
2RSS-FNS8-V
30NSS-HF6-R6-ATO-H
3D6L-FNS8-A-P-54-Q14673
5DSS-FNS8-F
5NHC-DFF2-I (5NHC-DHL2-I)
60CSS-FH9
60NSS-6FH9-6
6L-PHN-NS8-MS20-Q12940
6L-ST12M-1.5
6L-ST6M-1.0
904L-CF-ML8-MS20
904L-FRTTT-ML12
904L-PHN-RS8-MS20
904L-SF-ML12-MS20
904L-ST12M-1.5-6M-MP-A269
AHSS-AM16-12FNS8Y-VPFNS8
BBSS-NN-NS8-FNS8-V4-H
BFSS-ML12-P-R110
BOSS-ML10-07
BOSS-ML12-10
BOSS-ML6-05
BPSS-FNS4-P10
BPSS-ML10-10
BR904L-FRP8-10
BR904L-MS20-10
BRSS-FL4-05
BRSS-ML12-10-L
BVSS-ML12-K10
CLSS-FNS2

CLSS-ML4-ML4-Z-2SF2
CVSS-FL2-Z-1
CVSS-FL6
CVSS-ML6-Z-1
FCR-1D6L-30-50-00-B-B-00
FTSS-ML4-S-40-SF2
FTSS-ML8-2
GB-A63-NS4-10000PB-GL
GB-A63-NS4-15000PB-GL
HC-TMP-2-035-10-BA-F2
HRT-M4
HSRSS-2FH9-FNS12-3
I 5NSS-FH2- I
NFSS-ML12-8R
NFSS-ML4-7R-GYM-ASF2
NGSS-ML12-8
PP-CS-SB12
RVSS-ML4-ML4-6Z-JM-LSF2
SS-AF-MT10-RG8
SS-AM-MT12-RT6
SS-AM-MT6-NS4
SS-BU-ML10
SS-CF-FL4-NS4
SS-CF-FL4-NS4-8K
SS-CF-FL4-NS6
SS-CF-FL4-NS6-8K
SS-C-FL4
SS-CF-ML12-MS20
SS-CF-ML12-NS8
SS-CM-AN8-SH12-5K
SS-CM-AN8-ST12

SS-CM-FL2-NS2	
SS-CM-FL4-AN4	
SS-CM-FL4-NS2	
SS-CM-FL4-NS4	316 SS, FITOK 6 Series Tube Fitting, Male Connector, 1/4" O.D. x 1/4 Male NPT
SS-CM-FL4-NS6	316 SS, FITOK 6 Series Tube Fitting, Male Connector, 1/4" O.D. x 3/8 Male NPT
SS-CM-FL4-NS6-8K	
SS-CM-FL8-NS4	
SS-CM-FL8-NS8	
SS-CM-ML10-NS12	
SS-CM-ML10-NS4	
SS-CM-ML10-NS8	
SS-CM-ML10-RS4	
SS-CM-ML10-RT6	
SS-CM-ML12-NS8	
SS-CM-ML12-RT8	
SS-CM-ML16-RS8	
SS-CM-ML25-NS12	
SS-CM-ML25-NS8	
SS-CM-ML6-RS8	
SS-CM-ML6-RT6	
SS-CO-6FH9	
SS-CTN-2FH9	
SS-CW-ML12-PB4	
SS-CW-ML12-PB8	
SS-CW-ML6-PB4	
SS-DCF-DFF2-FNS2	
SS-DCF-DFF2-FNS2 (SS-CF-DHL2-NS2)	
SS-DF-FL4	
SS-DLU-DFF2	

SS-DT-DFF2	
SS-DT-OFF2 (SS-TTT-DHL2)	
SS-DU-DFF2	
SS-DU-OFF2 (SS-U-DHL2)	
SS-FMA-MF6-HM4	
SS-FMA-MF6-NS4	
SS-FMA-MF6-NS6	
SS-FRS-FL2	
SS-FRS-FL4	316 SS, FITOK 6 Series Tube Fitting, Ferrule Set (1 Front Ferrule & 1 Rear Ferrule), 1/4" OD, please order in multiples of 10
SS-FRS-FL8	
SS-HMC-JF4	
SS-HMC-JF6	
SS-HMC-JF8	
SS-HPA-FNS4-NS4	
SS-HPN-JM4	
SS-HPN-JM6	
SS-HPN-JM6-JM4	
SS-HPN-JM8	
SS-HPN-NS4	
SS-HPN-NS6-JM4	
SS-HPN-NS8-NS4	
SS-HPP-JM4	
SS-HPP-JM6	
SS-HPP-JM8	
SS-HPP-NS12	
SS-HPP-NS16	
SS-HPP-NS4	
SS-HPT-FNS4	
SS-HPT-FNS4-FNS4-NS4	

SS-HPT-NS4	
SS-HSU-HF9 Ihre Art.Nr.: SS-SU-6FH9	
SS-LM-FL4-NS4	316 SS, FITOK 6 Series Tube Fitting, Male Elbow, 1/4" O.D. x 1/4 Male NPT
SS-LM-FL6-NS4	
SS-LM-FL8-NS8	
SS-LM-ML10-NS4	
SS-LR-ML12-MT12	
SS-LU-2FH9	
SS-LU-ML16	
SS-MCO-MF6	
SS-MG-MF6	
SS-MMA-MM12-JM6	
SS-MMA-MM6	
SS-MMA-MM6-JM6	
SS-MMA-MM6-NS6	
SS-MMA-MM9-JM6	
SS-MT-MF6	
SS-MTP-MF6	
SS-MU-MF6	
SS-NFS-FL2	
SS-NFS-FL8	
SS-NFS-ML12	
SS-NFS-ML4	
SS-OLU-DFF2 (SS-LU-DHL2)	
SS-PCG-NS16	
SS-PCG-NS4	
SS-PCG-RG8	
SS-PHN-NS12-MS27	
SS-P-ML10	
SS-P-ML12-ML6	

SS-PRB-NS16-RT4	
SS-PRB-RS12-RG8	
SS-R-ML10-MT12	
SS-T20M-6CT-4	
SS-TMP-12M-1.0-3M	
SS-TTF-ML6-NS4	
SS-TTM-FL6-NS4	
SS-TTT-AN6	
SS-TTT-AN8	
SS-TTT-AN8-5K	
SS-TTT-FL4	316 SS, FITOK 6 Series Tube Fitting, Union Tee, 1/4" O.D.
SS-TTT-ML10	
SS-TTT-ML10-ML10-ML6	
SS-TTT-ML12	
SS-TTT-ML16	
SS-TMP-2-028-1 O-BA-F2	
SS-U-FL4	
SS-U-ML12	
SS-U-ML12-ML10	
SS-U-ML20	
SS-U-ML6	
SS-U-ML6-FL2	
T-3503	
SS-PUW-MS20-MTB14-ES	Pipe-Tube BW 316 SS, FITOK 6 Series Weld Fitting, Pipe to Tube Butt Weld, M20×1.5 Metric Thread(MS) × 14mm O.D. Tube Butt Weld
SS-PUW-MS20-MTB16-ES	Pipe-Tube BW 316 SS, FITOK 6 Series Weld Fitting, Pipe to Tube Butt Weld, M20×1.5 Metric Thread(MS) × 16mm O.D. Tube Butt Weld
SS-PT-NS8	TEE female 316 SS, FITOK 6 Series Pipe Fitting, Female Tee, 1/2 Female NPT
SS-PT-NS4	TEE female 316 SS, FITOK 6 Series Pipe Fitting, Female Tee, 1/4 Female NPT

SS-PT-NS2	TEE female 316 SS, FITOK 6 Series Pipe Fitting, Female Tee, 1/8 Female NPT
SS-U-FL12	316 SS, FITOK 6 Series Tube Fitting, Union, 3/4" O.D.
SS-CM-FL16-NS12	316 SS, FITOK 6 Series Tube Fitting, Male Connector, 1" O.D. x 3/4 Male NPT
SS-U-FL16	316 SS, FITOK 6 Series Tube Fitting, Union, 1" O.D.
SS-U-FL8	316 SS, FITOK 6 Series Tube Fitting, Union, 1/2" O.D.
SS-CM-FL8-NS8.	316 SS, FITOK 6 Series Tube Fitting, Male Connector, 1/2" O.D. x 1/2 Male NPT
Pipe-Tube BW	SS-PUW-MS20- MTB14 316 SS, FITOK 6 Series Weld Fitting, Pipe to Tube Butt Weld, M20x1.5 Metric Thread(MS) x 14mm O.D. Tube Butt Weld
SS-CF-FL4-NS8	316 SS, FITOK 6 Series Tube Fitting, Female Connector, 1/4" O.D. x 1/2 Female NPT
BFSS-FL4-P-3	316 SS, BF Series Ball Valves, Trunnion, PEEK Seats, 1/4" Tube Fitting x 1/4" Tube Fitting x 1/4 Female NPT, 6000psig(414bar),0°F to 450°F(-18°C to 232°C), 0.75 Cv, 3-way
CHSS-FL4-1	316 SS, CH Series Check Valves, 1/4" Tube Fitting,Fluorocarbon FKM O-ring, 6000psig(414bar), -10°F to 400°F(-23°C to 204°C), Fixed Cracking Pressure 1/3psig(0.02bar)
BFSS-FL4-P	316 SS, BF Series Ball Valves, Trunnion, PEEK Seats, 1/4" Tube Fitting, 6000psig(414bar), 0°F to 450°F(-18°C to 232°C), 1.6 Cv, Straight
FTSS-FL4-80	316 SS, FT Series Tee-type Filter, 1/4" Tube Fitting, Silverplated316 SS Gasket, Sintered Element, Nominal pore sizes 80µm, Filtration Area 830mm ² (1.30in. ²)
RVSS-FL4-6-J	316 SS, RV Series Relief Valves, High Pressure, 1/4" Tube Fitting, Fluorocarbon FKM O-ring, 6000psig(414bar), -25°F to 250°F(-4°C to 121°C), 0.14" Orifice, Blue Spring, Set Pressure 3500 to 4500psig(241 to 310bar)
RPGX-SS-6K-5H- 1H1-FNS4-SVPM-F2	
SS-CF-FL4-RG8	316 SS, FITOK 6 Series Tube Fitting, Female Connector, 1/4" O.D. x 1/2 Female ISO Parallel Thread(RG)
SS-PP-NS4	316 SS, FITOK 6 Series Pipe Fitting, Pipe Plug, 1/4 Male NPT
RPGX-SS-6K-4K- 1H1-FNS4-SVPM-F2	316SS, RPGX Series High Pressure Piston Regulators, Max. Inlet Pressure 6000psig, Outlet Pressure Range 50~4000psig, 2 Ports(1 Inlet & 1 Outlet): 1/4"FNPT, With Panel Mounting Clamp, Self-Venting Opiton, FC-02 Standard Cleaning and Packaging
HTB-4	Hand Tube Bender, 1/4" Tube OD, 0.75" Bend Radius
	Tube Cutter, for cutting stainless steel,copper and aluminum

FTC-04	tubing from 1/4" to 1-3/8" and 6mm to 35mm Tube O.D
TDT-03	Tube Deburring Tool, for deburring copper and aluminum tubing, Tube O.D. or I.D. 6mm to 38mm and 1/4" to 1-1/2"
4L-SC18-DN4-T-1000	Sample Cylinders and accessories Material: 304L SS, WP: 1,800psig, Double-ended Type, DOT-3A, Volume: 1,000cc, with Handle, End Connections: 1/4in. x 1/4in. (F)NPT, Sulfinert Treated
NDSS-NS4-FNS4-8D	Needle Valves 316 SS, MWP:3000psig, O-ring:FKM, Stem Tip:PCTFE, Conn.:1/4in. (M)NPT x 1/4in. (F)NPT, Orifice:6.4mm, Cv:0.53, Black Knob Handle, Sulfinert Coating
SSMSS-FNS2-K-VI- SM	Stream Switching System Standard stream module,Standard base plate, valve module and instructions
BFSS-FL4-P-3	316 SS, BF Series Ball Valves, Trunnion, PEEK Seats, 1/4" Tube Fitting x 1/4" Tube Fitting x 1/4 Female NPT, 6000psig(414bar),0°F to 450°F(-18°C to 232°C), 0.75 Cv, 3-way
SS-CM-FL4-RS6	316 SS, FITOK 6 Series Tube Fitting, Male Connector, 1/4" OD x 3/8 ISO Parallel Thread(RS)
RPGX-SS-6K-4K-1H1-FNS4-SVPM-F1	316 Stainless Steel, RPGX Series High Pressure Piston Regulator, Max Inlet Pressure 6000 psig (414 bar), outlet pressure 50 tons 4000 psig (3.4 to 276 bar), 2 ports (1 In, 1 Out), 1/4 Female NPT, NBR O-ring, With Panel Mount, With Self-Venting
Boss-MI10-07-3I	
Ss-Qc8-Fms27	
Hmrss-6fh6-Fns12-6	
Ss-Cf-MI6-Ns4	
Ss-Lu-MI6	
Brss-MI6-05	
Ss-Cm-FI4-Ns4 Fitok Einschraub-Verschraubung Npt1/4" Zweiklemmringverschraubung Auf1/4" Npt (M)	
Ss-Tp-MI6	
Ss-Ttt-6fh9	
15nss-Fh2-1 Hochdruck-Nadelventil	
Ss-Qc8-Fms12	
Ss-Du-Off2 (Ss-U-DhI2) Rohrverschraubungen Der Union Serie 200 118", Edelstahl 316ss Material	

Boss-MI6-03-3I
Ss-Tp-6fh9
Ss-Ttt-MI14
Ss-Cm-MI25-Ns12 Einschrauber, Edelstahl, 25 Mm Klemmring X 3/4"npt Male
Ss-Cm-MI10-Ns8 Einschrauber, Edelstahl, 10 Mm Klemmring X 1/2"npt Male
Ss-Ctn-6fh9-10
Ss-Cm-FI4-Ns4 Einschrauber, Edelstahl, 1/4" Klemmring X 1/4" Nptmale
L 5nss-Fh2- L Hochdruck-Nadelventil
Ss-Gfpp-4-255
Ss-Lu-MI14
Ss-Cm-FI2-Ns2 Fitok Einschraub- Verschraubung Npt1/8" Zweiklemmringverschraubung Auf1/8" Npt (M)
Gt-Ss-Ps-4-F
Ss-P-MI6
Ss-Cm-FI4-Ns2 Fitok Einschraub- Verschraubung Npt1/4" Zweiklemmringverschraubung Auf1/8" Npt (M)
Ss-Tp-6fh9 Fitok Stopfen 6fh Seriedruckbereich: 4.137 Bar9/16" 6fhmaterial: Edelstahl
Ss-U-MI8-MI6
Ss-Cm-MI6-Ns4
Nfss-Mts16-Mts14-9-G
Ss-Phn-Ns8-Ms20
Ss-Pt-Ns 12
Ss-Cm-MI25-Ns8 Einschrauber, Edelstahl, 25 Mm Klemmring X 1/2"npt Male
Ss-Pp-Ms20
Ss-Ps8-Qc8s-Qc8b

Ss-Cf-MI10-Ns8
Ss-Cm-FI8-Ns8 Fitok Einschraub- Verschraubung Npt1/2" Zweiklemmringverschraubung Auf1/2" Npt (M)
Ss-U-MI10-MI8
Ss-Ctn-6fh9-4
Ss-Cm-FI8-Ns4 Fitok Einschraub- Verschraubung Npt1/2" Zweiklemmringverschraubung Auf1/4" Npt (M)
Ss-Ctn-6fh9-6
Chss-FI4-B-1
Brbr904I-Frp8-10 Kugelhahn Rostfreier Stahl
Nfs4-Ps8-9-G
Ss-U-MI10-MI6
Ngs1-Uj12-8k-L
MIss-MI6-V
71453552 6I-Phn-Ns8-Ms20-Q12940 Adapter
Chss-FI4-B-2
Ngs1-Uj14-9k-L
Ss-Dcf-Dff2-Fns2 (Ss-Cf-Dhl2-Ns2) Rohrverschraubungen Der Serie 20d 118",316ss Aus Edelstahl
Ngs1-Uj8-7k-L-A
Ss-Frs-MI6
Tdt-05
Ss-T?P-2-028-1 O-Ba-F2
Ngs1-Uj8-7k-L
Ss-U-MI14 Fitok Gerade Verschraubung14 Mm Zweiklemmringverschraubungmaterial: 316 Ss, En 1.4401
Hc-Frs-FI2

[Ss-Cm-MI10-Ns12 Einschrauber, Edelstahl, 10 Mm Klemmring X 3/4"npt Male](#)

[Ss-Tc-MI6](#)

[Ss-Cf-MI10-Ns4](#)

[Nfss-Mts28-0-G](#)

[Ss-Cm-FI8-Ns8 Einschrauber, Edelstahl, 1/2" Klemmring X 1/2" Nptmale](#)

[Ss-Ttt-MI6](#)

[P/N: Ss-Cm-MI2-Rt2](#)

[Ss-U-MI6 Rohrverschraubung Aus Edelstahl, Au. Durchm. Schlauch 6 Mm](#)

[5n?C-Dff2-L \(L 5n?C-Dhl2-L\)](#)

[Ss-C-6fh9](#)

[Boss-MI6-05-3I](#)

[Ss-Co-6fh9 Fitok Collar 6fh
Seriedruckbereich: 4.137 Bar9/16"
6fhmaterial: Edelstahl](#)

[Nf15crmo-Mtb14-9-G](#)

[Ss-Cm-FI2-Ns2 Einschrauber, Edelstahl, 1/8" Klemmring X 1/8" Nptmale](#)

[60css-Fh6](#)

[Ss-Tmp-2-035-1 O-Ba-F2](#)

[Ss-Lu-6fh9 Fitok Winkel Verbinder 6fh
Seriedruckbereich: 4.137 Bar9/16"
6fhmaterial: Edelstahl](#)

[Ss-Lu-MI14 Fitok
Winkelverschraubung14 Mm
Zweiklemmringverschraubungmaterial:
316 Ss, En 1.4401](#)

[Ss-Dt-Off2 \(Ss-???-Dhl2\)](#)

[Rvss-Ns8-Fns8-8-J](#)

[Ss-U-6fh9-6fh6](#)

[Clss-Fns4](#)

[Ss-Qc4-Fns4-B](#)

[Ss-U-MI20 Fitok Gerade
Verschraubung20 Mm](#)

Zweiklemmringverschraubungsmaterial:

316 Ss, En 1.4401

Ss-Cf-MI6-Ns8

Ss-Cf-MI6-Rp4

Nf15crmo-Ps8-9-G

Ss-Pmt-Ns 12

Ss-Qc4-Fns4-D

Ss-Qc8-Fms20

Ss-Cm-FI4-Ns2 Einschrauber, Edelstahl,
1/4" Klemmring X 1/8" Nptmale

Ss-N-MI6

Nf4I-Mtb14-9-G

Nfss-MI12-8

6t-Cw-MI12-Pb8

FITOK Straight StumpfschweiŐverschraubung 12 mm two-clamp screwed connection 1/2 "OD tube butt welding
Material: 316 TI, EN 1.4571 Customs tariff number: 7307 2390 25 Country of origin: China

Ss-U-MI14

Ss-Su-6fh9

Ss-Lu-6fh9

904I-Frcf-MI8-MS20

Ss-Ttt-6fh9 Fitok T-Verschraubung 6fh
Seriedruckbereich: 4.137 Bar9/16"
6fhmaterial: Edelstahl

Mhss-MI6-V-A

Hmrss-Hf6-Fns12-6 Ihre Art.Nr.: Hmrss-
6fh6-Fns12-6

Ss-Lm-MI6-Ns4

6t-P-MI12

FITOK pipe socket 12 mm Material: 316 TI, EN 1.4571
Customs tariff number: 7307 2980 90 Country of origin: China

Brss-MI10-07

NgS1-Uj14

J24s-Flg08-D12bf8n-Bf8n-S

71454066 3d6I-Fns8-A-P-54-Q14673 3-
Fach-Ventilblock

15nss-Off2-L (15nss-OhI2-1)

[904I-Frphn-Rs8-Ms20](#)

[Ss-C-6fh9 Fitok Kreuz Verbinder 6fh](#)
[Seriedruckbereich: 4.137 Bar9/16"](#)
[6fhmaterial: Edelstahl](#)

[30nss-6fh9-6](#)

[Msss-MI6-V](#)