

Flowserve



Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐbuvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Flowserve Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Flowserve T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
Lema 251 9z B3n 0e 7 2a	*** Successor of the requested LEMA 251 9Z B3N 0E 7 BW with the serial number 08-114039-01. The pump has the same power and connection, but the motor is about 65mm longer and 5mm higher. *** shaft seal Single mechanical seal, not relieved, uncooled, with bellows Standard: DIN EN 12756 Manufacturer: BURGMANN Type: MG912 Material combination: BVVGG engine data Rated power [kW] at 50 Hz: 6.70 Rated power [kW] at 60 Hz: 8.00 Synchronous speed [rpm] 50 Hz: 1,500 Synchronous speed [rpm] 60 Hz: 1,800 Design: IMB35 Size: 132M Y voltage [V] at 50 Hz: 660-725 D-voltage [V] at 50 Hz: 380-420 D-voltage [V] at 60 Hz: 440-480 Frequency [Hz]: 60 Degree of protection: IP 55 Insulation class: F Number of PTC thermistors: 3 Position of terminal box: above Efficiency class: IE3 Color: engine unpainted Engine registration: 2A
Mechanical Seal ,Pumps Lema 251 9z	
Valve Plate,Pumps Lema 251 9z	
Complete Vacuum Pump Lem 251 9z	
Logix 3200md 14-N6-E-03-40-0s-0f	
Logix 3200md-28-D6-E-04-40-0s-0f	
Logix 520 Md +37 Wxd3f0 - Gm1	
Logix 510si-14-W1dee-00f0-000	
037858.999.000 Kit, Spare Part, Actuator, Size 25	, 2.00 SPUD
037863.999.000 Kit, Spare Part	, ACTUATOR, SIZE 200 LIN, 2.62/2.88 SPUD
037861.999.000 Kit	, SPARE PART, ACTUATOR, SIZE 100 LIN,3

037859.999.000	KIT SPARE PART, ACTUATOR, SIZE 50 LIN
037860.999.000 Kit	, SPARE PART, ACTUATOR, SIZE
298338.999.000 Kit	, SPARE PART, ACTUATOR, SIZE 100, VL-ES, 3.38/4.75
Spare Part 100869	
Spare Part 25800-031	
Spare Part 26100-270	
Spare Part 26100-095a	
Limitor Mx-05/10/20/40 Fuse	
Efs-Gdc-100ma	
26100-294	
M/F64-825-0146+mx Sftwr	
Mx-05 Power Board	Assy 26100-216
Pos 2350	Wing wheel 20072583 722232510-213 (Discontinued program)
Pos 4330	Mechanical seal 43036505
Pos 7511	Valve plate 43036489 722610100-484
Gestra Una 45hl	GESTRA Order no .: 82315100363 Float steam traps DN 25 PN 16 Closing organ (AO): 13 duplex Connection type: flange EN 1092 PN 16 Housing: 1.0460 / SA105 Hood: 5.3103 (A395) Inner parts: stainless steel Equipped with: - Viewing hood with lifting device
70-Sacc Logix 520md+37-W 1d300-000-1100	
70-030000 Stellventil 030037	DN25 PN10 Kvs 0.63 =% APV flange connections DN25 PN10 Housing material 1.4581 Pneumatic actuator 3712 pp Stroke 10 mm Spring closes Supply air 1.4 bar (g) Integrated P / P positioner Input signal 0.2-1.0 bar Replacement for S / N F5926.001 according to the attached data sheet page no.1
Pa 46	Order number 0051500 GESTRA blowdown valve - manually operated Hand lever with clip fastening Separate sealing pretension Wear protection through downstream, integrated radial stage nozzle Control hole in the spring protection tube for Leakage monitoring Materials: Housing: 1.0460 / A105 Stuffing box screw connection: 1.0460 / A105 Screw plug: 1.7225 / A193-B7 Sealing ring: 1.4301 Seat bushing (hardened): 1.4034 Cone (hardened): 1.4122 Connection: flange PN 40 B1 DN 25
	Order number 3101141 NRS 1-50 GESTRA level switch ONE-electrode device EC type-tested as a water level limiter "special design" Safety integrity level SIL 3 in connection with a level electrode NRG 1x-50 Response sensitivity: 10

00392643	mues / cm Outputs: - two separate, positively driven contacts for the safety circuit Switch-off delay: 3 sec. - An instant signal contact A test and diagnostic button An operating and alarm indicator 3 message and diagnosis LEDs Voltage: 24 V DC Weight: approx. 0.5 kg
00392645 (alternative model) Voltage: 100-240 V AC	Order number 310114150 Type NRS 1-50 GESTRA level switch ONE-electrode device EC type-tested as a water level limiter "special design" Safety integrity level SIL 3 in connection with a level electrode NRG 1x-50 Response sensitivity: 10 µS / cm Outputs: - two separate, positively driven contacts for the safety circuit Switch-off delay: 3 sec. - an instantaneous signal contact A test and diagnostic button An operating and alarm indicator 3 message and diagnosis LEDs Voltage: 100-240 V AC Weight: approx. 0.5 kg
ELECTRO PNEUMATIC POSITIONER EP5	INPU:4-20 MA SUPPLY:1MPA FOR ACTUATOR INTERAPP TYPE:IA700S110,F1227
COMPRESSED AIR PRESSURE AIR STARTER INLET	P:0-40 BAR KG/CM2,0-400KPA OUT:4-20MA SUPPLY:9-32VD.C. MBS 3150, 060G668 29035195 ,3328 CONN:G1/4"X19
Control Valve (with I/P) -	Technischedaten sind beigefgt. 4 verschiedene Control Valve Endverbleib ist die Trkei
SLC-1010-111-GA-POS.231,73,9b,6,27	TB-HYPO-F5-TB080--050-160-B ERSATZTEIL NR. 67086
IMA-1020-31G-AA POS.236,14,8b,8a,235,9c,2	TB-HYPO-F5-TB080--050-160-B ERSATZTEIL NR. 67086
SUCTION RING CRK-1023-GA POS.9a,7,72	TB-HYPO-F5-TB080--050-160-B ERSATZTEIL NR. 67086
Packing follower	item 87
Packing spacer	item 93
Packing set	item 88
Packing stop	item 99
Bonnet gasket	item 58
Thrust Bearing	item 48
Shaft	item 51
Shaft Bearing	item 83
Plug	item 50
End post bearing	item 84
Shims	item 23
Seat	item 20
Seat retainer	item 30

End post gasket	item 61
Upper Guide	item 87
Upper packing	item 88
Packing spacers	item 94-99
Lower packing	item 88
Lower guide	item 83
Bonnet gasket	item 58
Plug	item 50
Seat Retainer	item 30
Seat Ring	item 20
Seat Gasket	item 55
Typ ARF25S31-A00B091 24VDC	Solenoid valve make Flowserve 3/2 + 5/2-WEGE NAMUR (insert) Type ARF25S31-A00B091 24VDC Housing aluminum, connection G1 / 4 " IP 65; Temp. -20 ° C + 80 ° C SAP-Artikelnummer: 657072
T2518PDS0BAE 24VDC	magnetic valve Flowserve P/N: 657075 3/2 + 5/2-WEGE NAMUR (insert) Type T2518PDS0BAE 24VDC
LEMB 161 8Z AAE 0K 0 2B	10175616 - successor model with the same connection - - approx. 70mm longer than the previous model - Shaft seal Single mechanical seal, not balanced, dependent on the direction of rotation Standard: DIN EN 12756 Manufacturer: SIHI Type: FN2 Material combination: EBPGG Material execution Vacuum housing: 0.6025 GG-25 Cover: 1.4301 - EN 10088-1 Control disc: 1.4301 - EN 10088-1 Impeller: 1.4308 G-X5 Cr Ni 19 10 Valve plate / balls: polyamide A Motor data Nominal power [kW] at 50 Hz: 4.00 Synchronous speed [1 / min] 50 Hz: 1,500 Design: IMB35 Size: 112M Y voltage [V] at 50 Hz: 690 +/- 10% D voltage [V] at 50 Hz: 400 +/- 10% Frequency [Hz]: 50 Protection class: IP 55 Insulation class: F Number of PTCs: 3 Terminal box position: above Efficiency class: IE3 Engine code: 2B
LEMD 162 AZ D4W 0E 1 AA	10216191 - Alternative model from the current standard delivery program - Shaft seal Single mechanical seal, not balanced, independent of direction of rotation Standard: DIN EN 12756 Manufacturer: Flowserve Type: P192 Material combination: BQ2PFF Material execution Vacuum housing: 0.6025 GG-25 Middle body: 0.6025 GG-25 Control disc: 1.4404 X2 Cr Ni Mo 17 12 2 Impeller: 1.4408 G-X5 Cr Ni Mo 19 11 2 Valve plate / balls: PTFE Motor data Manufacturer: WEG Motor design: IMB35 Motor size: 132S Nominal power (50 / 60Hz) [kW]: 5.50 Nominal power (50 / 60Hz) [kW]: 6 Speed (50/60 Hz) [1 / min]: 1500 Speed (50/60 Hz) [1 / min]: 1800 Frequency [Hz]: 50 Frequency [Hz]: 60 Voltage [V]: 400/690 Protection class: IP 55 Insulation class: F Number of PTCs: 3 Efficiency class: IE3 / NEMA Premium

	Efficiency Frequency converter operation: X Execution / regulation: CSA / UR Housing material: aluminum Engine code: AA Terminal box position: above
AKTUATOR PNOMATİK PB701 BADHABS SN:1009813.001	Endverbleib: T¼rkei
AKTUATOR PNOMATİK PB503 BADLABS SN:1009813.002	AKTUATOR PNOMATİK PB503 BADLABS SN:1009813.002
SPARE PART SET P.502152098	
SPARE PART SET P.502/503	SEALING SET HANDWHELLCODE L 119371
SPARE PART SET P.700DIAPHRAGM SET 152099	
SPARE PART SET P.700SEALING SET 115674	
GLOB REGELVENTIL,	TYP:0300E2, PRODUKTIONS-SERIEN-NR:14837001, DN:1/2", PN:40 Endverbleib : T¼rkei
LOGIX 3200 MD ACTUATOR/	3200MD-28-D6-E-04-40-0G-00
Type: RD5	Pneumatic Actuator Series Rotadisk Action: double acting (FCW) Operating temp. range: -20°C to +80°C European Version Namur DIN ISO 5211 F04 / S11 Basic Version
ANALOG POSITIONERS - APEX 4000	
NBB2-V3-E2	Endverbleib T¼rkei
Logix 3200MD 14-N6-E-03-40-0S-0F	
Logix 3200MD-28-D6-E-04-40-0S-0F	
Logix 520 MD +37 WXD3F0 - GM1	
Logix 522MD+37-W1D300-GM1-1100	
70-1058497	70-1058497 Gasket Set 191400 DN65 Old/New Set consisting of: 1 pc 70-0915321KU WIPER 16 - 1 2 pcs. 70-1914638IA PLAIN BEARING IGUS ASM 1618-12 (FDA)A200 1 pc 70-1914637PT GUIDE BUSHING Ø16/18*51DN125 (DN50-150) 1 pc 70-191062500 O-RING DN 65 D77*5 SILICONE 1 pc 70-091534400 O-RING SILICONE Ø15.88x2.62 FDA
CEHA 4101NA LZ AF3 0B 0AN	
Positioner Logix 520MD-15-W2DEE-0000-000	
C23PP2625EACBB	
Logix 520MD Digital pozisyoner	520MD+14-W1D100-GM1-1100 , Seri no:3615021S
DA1125T33	
LE3M1123T33-2	

657258 LIMIT SWITCH MOUNTING	100746028 Eurobox long PA6 with 2 inductive sensors IFM,GG711S,19.2-30V DC,4 wire PNP,SIL 1-3 IP67, DIN EN 60529 SIL 1-3 (IEC 61508:2010 1x cable gland M20x1.5 2 cable sockets mounted on the switch and Soldered to 9 pin black terminal strip Stainless steel assembly bridge MBHV (1.4301) Hole pattern: 80x30 mm Wave height: 20mm Article number: EPL2I01-444 >>I_Z025_08092014_a >>AA_G-S034_25022015_a
NRS 1-50	3101141 GESTRA - level switch ONE electrode device EC - type tested as a water level limiter "special design" Safety integrity level SIL 3 in connection with a level electrode NRG 1x-50 Sensitivity: 10 mueS/cm Outputs: - Two separate, forcibly guided contacts for the safety circuit Shutdown delay: 3 sec. - An instantaneous signaling contact A test and diagnostic button A power and alarm display 3 Message and diagnostics LED Voltage : 24VDC Weight : about 0.5 kg
VTP-10-EML-3 10 BAR	
80-50CPXM250	
80-50CPXM200	
LPHX 55316 AB	Komplett
338922.999.000	
510+37	
BY50424F	felt, steel body
FLOW CONTROL VALVE	FCV-111&211 VALVE ; IT IS REQUESTED AS A SET TOGETHER WITH THE BODY AND DRIVE GROUPS
5801	
4-20MA EP5 PMV	
2K-63743	Mechanical Seal RO 'ISO' 316SS,FOR CWT
ELECTROPNEUMATIC	POSITIONER, WITH REGULATOR- MANOMETER, 1.4-7 BAR, 4-20MA, 24 V DC, <4-20MA, 4 WIRE>- (Flowserve - Logix 3200MD - Positioner 3200MD-28 -D6-E-04-40-0G-0F)
1426360/3	
1521072/1	
030037	
568031GU	SEAL GASKET JOINT
C0011922YO	STATIONARY FACE GRAIN FIXE -
K23C1375C33	ROTATING FACE GRAIN TOURNANT-
MIAX88403CL	COIL SPRING RESSORT - ALLOY C-276

568230GU 568126GU	GLAND GASKET JOINT
C0010310GE	GLAND BUSHING BAGUE LAMINAGE-
C001204QF	VIBRATION DAMPER AMORTISSEUR -
seal	
ES1778594-01	
70-1058497 Seal kit 191400 DN65 Old/New	Set consists of: 1 pc. 70-0915321KU WIPER 16 - 1 2 pcs. 70-1914638IA SLIDE BEARING IGUS ASM1618-12(FDA)A200 1 pc. 70-1914637PT GUIDE BUSHING Ø16/18*51 (DN50-DN150) 1 pc. 70-191062500 O-RING 2.5" D77*5 SILICONE 1 pc. 70-091534400 O-RING, SILICONE Ø15.88x2.62 FDA
T41	T-LINE PLUG VALVE 1
T 41	T-LINE PLUG VALVE 1 1/2
AKH3 0038280	1 1/2" 150LB FLG
AKH3-V14.8	1 1/2" LINED BALL VALVE
FV-10	1" 150LB FLG
FV-15A	2" 150LB FLG
70-191461000 Spare parts set soft parts 191400DN10-32	
70-191460104B Bonnet (GB) DN10-32 PN 16 1.4404/1.4435	
70-0100336A4 HEX. NUT ISO4032(DIN934) M10 A4-70	
70-0100389A4 SL. ROUND NUT DIN1804 M38*1.5 A4-70	
70-191000 Stellventil Serie CleanFlow - 1910P2	Replacement for Serial No. H8953.001 DN 25 / PN 16 Body material: 1.4404 (~316L) Kv 2.5 =% Cone material: 1.4435 (~316L) Actuator P2-22 Stroke 20mm Failure: Opens Supply air pressure 3.0 bar (g) Logix 500+ Series Digital Positioner Serial No. 520MD+42-Y2D100-000-1000 HART/4-20 mA according to technical data sheet, page 1
FLOW KONTROL VALVE	SERİAL:SF2JF004T OC: 393712-120 CORP BODY A216WCC DN 25 PN: PN25 RF SUPPLY: 1,4BAR ACT.RANGE 0,2-1
LEMA 25 AZ	
C2CPXM035ECXEX	SEAL MECHANISM FEED PUMP 35MM SALES ORDER 400022269
Repair lit for FK75	ball valve repair kit
Couplings for CEP-301	Mark 3 P/P

S160DF10507	
S100DF07507	
VALTEK CONTROL VALVE DN50PN40	
20004056	RING, SEAL BACK-UP, 2.00 OD MIN. FLOW PV0022,PV0023,PV0025 - 220519.330.000
21-125-04	
Erpn - M	
568132gu	
Ceh A 1203/6 Aaaf	
Ceh A 1206/6 Aaaf	
70-Hs5104w211e Logix 510si-15- W2dee-00f0-000	
R-N-80-Vj9-039604610	MOTOR 230-415V 3PHASE 1700RPM 1.6HP 1.2KW
Ceh A 3608 Aaaf	
01040981	
Ep5xx-Hpgu-23k01-Pv9da-4q Pmv Stellungsregler	
Ceh A 5106 Aaaf	
53653651	
15-Rdb-1xd1e0-D	PNEUMATIC ACTUATOR DOUBLE ACTING 8.3BAR TYPE 40R
By50424c	
A-34sn	
154799ry	
154769ge	
Rkf4tmr11	
20-39s-2	ACTUATORS PNEUMATIC 2IN VALVE
21414155	
7056945	
90m2-24d	
30a7c8	
Ceh A 3607 Aaaf	
1275zm2	ACTUATOR

114-3/4-50-1/8	
Ep5xx-Hpgu-23k01-Pv9da-4z	
10-B755z-120a-V49	
20037-İp	
30-39-Sn-R6	PNEUMATIC ACTUATOR 80PSI SERIES 390920IN LB
10-Ark40-Os	
Mark One-X	
Rk-41-6	
Ceh A 3601/6 Afaf	
53771604	
20rk174	KIT
1u-11597	
24466rtswv36r2	
2054812	VENTIL GLOBE Y TYP DN25 HANDBUCH CL1690 A182 F22 BW 80BAR bei 575 ° C
160021	
58176	
580090387	
2039-S	
1039sw120a	
Knfc4375dm3	
2-Cs-E325-12rf	
134513-G	
A182 Type 321+graphite G204567pu-00-A1 0398	
Ceh A 3107 Aaaf	
Ceh A 3103 Aaaf	
Cscpx1750eaxvs	
A890.Gr.4a G204570pu-00-A1 0425	
Nt3000-10	
133871	
568256gu	

51324153	
21-062-07	
S050/200/Rg/Lps	
Bk39s	
A25nfawr1	
Geb2367638a	
Wdb1101201	
Logix3200md-10-D6-E-04-40-0g-0f	
Ceh A 3601 Afaf	
Adxlu1000	LIMIT SWITCH ROTARY ENCLOSURE ACCORD ULTRASWITCH
A848f11y	GLOBE VALVE SIZE2
Ep5-Ex	ELECTROPNEUMATIC POSITIONER EXPLOSION PROOF 4-20MA
20-75-Wm2-120v	ACTUATOR 120VAC/1.5A/60HZ 75 SERIES
05-37	
10h755xr1	
Ceh A 6101aaaf	
154883	DURA SEAL SINGLE INSERT CARTRIDGE 1.875IN-SHAFT
Ceha6104aaaf3um0	
A34	
B34-120/60vac	
70-Vd 002138.150.000	
3-4566rtsw/3039sn	BALL VALVE 3INCH W/PNEUMATIC ACTUATOR
Wab0201201	
1573w	
G44466tse	
9404-410-32051	
Astm A 395	
Rk44pm-R17-2	
Nxclu2m1-18-00200	
Mk012	

2rk44tr13	
Mk539	
Bk34s	
134625-Gs	SEAL PBR DURA 1.499IN SHAFT SIZE
Ceh A 3608 Afaf	
105941	
Rk44rt-2.0	
Ceh A 3108 Aaaf	
D3xgu-D23pva-Z4sx	
61-Wdb1201201	
Geb4116191b	
10-51-6-6t-150	
53641953	
22h-75-W-V49	
A11203	
Ceh A 1202 Afaf	
221b159ax1-K	
102584	DOUBLE SEAL INSIDE RX-O KIT
Nt300-10-W	
Akh2a Kugelhahn Dn150 Pn16	
Mk328s-N1531	
Ceh A 1201 Afaf	
Bxrh-2625-Gxcq	
Es50 M	
By50424b	
Ceh A 4107 Aaaf	
Mw-3l	
Ceh A 1202 Aaaf	
181366.9991	
Ceh A 4106 Afaf	
Ceh A 616 Aaaf	

12hm755wr1	
Ceh A 5104 Afaf	
B125s10	
A73b4375ww3	
416t-Se	
Bm151300	
V15bg980	
098334.999.000	VALTEK 098334.999.000,KIT, I/P MODULE, FILTER ELEMENT
Ceh A 6104 Afaf	
53653551	
Ceh A 5103 Aaaf	
1039w	
Cs-C325-12rf-1-1/2	
4e426pt301c0102	BALL VALVE
S085d-S01	
Mk509	
Kit F¼r E4631-001	
4466rtse12	
199793.999.000	
B142-3.5	
3r53106	BEARING GUARD 2INCH ID 5.125INCH OD
510si-14-B1rse-F000	
10-Rdb40-1sd1e0-D	
10053002	
Ceh A 5103 Afaf	
A182 Type F51+graphite G204570pu-00-A1 0507	
1770831.000836	
12111-1/4-800	
1rk44tr11	

Bx2-W 1811a1v9z	
510si-15-W1dee-00f1-000	
10134491	
P02098-00	
Rk44pm-R5	
70-1042670	
Api Pi.11 , 1/2quot; Npt G204567pu-00-A1 F	
Ceh A 4103/6 Afaf	
Size 2 D36125	
10392484	
V 726 Dcvna	
10rk39r-2	
Mvsr7750333n-Q2	
00568229 Gu	
Ceh A 3602/6 Afaf	
41-D3-Sp1 Pmv-Spare Part, Block Complete Incl. Cable, Seal And Filter Plug	
Mk171	
Pb730	
Pf3l3000as3	
4446tse2	
3039sn	PNEUMATIC ACTUATOR
Ceh A 4107/6 Aaaf	
Akh3 Article No.: 80-0038280	
Cm1-151-B46a	
Ay58150a-Sr	
51320801	
Mk510	
Ax-648727 Bg	
7002086	

119609	
10ht75xm2	
Dbsa 20032d As Bks 0b B	
Isc2pp	
2039n	ACTUATOR
Ceh A 4108 Aaaf	
51321951	
21-075-98	
Ceh A 5106 Afaf	
2054809	VENTILKUGEL Y TYP DN40 PNEUMATISCH CL2680 A182 F91 BW 285BAR bei 575 ° C
53645685	
Ceh A 5102 Afaf	
05-E51-66um-Pt-150-Pp0-B	
Nrs1-54	LEVEL SWITCH
Cn1-Q4131-366y	
Ceh A 5106/6 Aaaf	
Akh2-0009667	
444266	
A276 S31803 G204570pu-00-A1 0367	
20rk39ro	
Cpt94666iggswog60	
18a7w66	
20h755w120av49	CONTROL VALVE
2054808	VENTILKUGEL Y TYP DN40 PNEUMATISCH CL2680 A182 F91 BW 285BAR bei 575 ° C (Mit dem FLOWSERVE (PB700BADHAB) -Antrieb kompatibel)
3-Rk-59-Rt	
20h-75-W-V49	
70-Vd 001702.925.000	
Ceh A 6106 Afaf	
543357-003-01 125-100cpxm250	

2-4446p-Se-R2	
Logix 520md	Flowsolve Positioner Logix 520MD-14-W 1DEE-00F0-DA0 Logix 520MD+2 HART, 4-20 mA 14 General purpose W Aluminium - Black Base with White Cover 1 Mounting: 5/16" 18 UNC, Pneumatics: 1/4" NPTF, Conduit: 1/2" NPTF, Vents 1/4" NPTF D D - 316 Stainless Steel Shaft (Valtek Standard) E Extended -40°C to 85°C (-40°F to 185°F) E English F 4-20 positon feedback DA Double Acting
Mark Eight	
Ceh A 6103 Aaaf	
Bk00632	
2044466ttse	
Valvola Mark One	
20-39-S-120a-R6	
10h-75-W m2-T2499	
23h-75wm2-T2499	ELECTRIC VALVE ACTUATOR SERIES 75 1200 IN-LB
Mark 100	
Le3m8500m33	
D20dnu-S23pva-Z4x0x Pmv- Positionerdigital Compact Positioner Withled Status Indicator	
B100s10	
3/4-E-51-4-6-T-150	
4446pmse1	
520 Si-14-W 1dee-0000-Da3	
Dfp17	
255014.999.000	
10h-75-W-V49	
30-Rk39-R2-R3	
V726dcvna 150 16 1.0619/Odab	
50902477	
1500 Class -1 ½(Dn40) Sw	
Nt3002102sn1w00	VALTEK BETA POSITIONER WITH I/P MODULE PART NO:96734 Input :4 - 20 mA Output : 3 - 15 psi"

0367	
Ceh A 5104 Aaaf	
10-Rdb40-1sd1e0e	
Y5fj1750l33	
Xswm2apu2nq15	
Ceh A 3606/6 Afaf	
2-476-098-999-00	
Rk44rt-1-1/2	
B150d	
140883	
9464.004/3	
446pz1513	
117494fa	
Ceh A 3607/6 Afaf	
Ceh A 1203 Afaf	
Ceh A 3603 Afaf	
70-025532671	
Nt300-10	
B063s10	
181366999000	TRANSDUCER
R2cwp1500	
7011p-4112a	
Ceh A 5103/6 Aaaf	
66-06846	
1rk44ybr16	
Ceh A 4104 Afaf	
2039-S/Mk508	
112a2a153	
510si-02-W1dee-00f0-Gm2	
Alloy C-276 891652 (Seal Type;Qb Size:1.875) 4r0432	

Ceh A 6106/6 Aaaf	
0201-57-84-0	
0627-1000-0003-60	
800 Class -1 ½(Dn40) Sw (Socket Weld)	
V726dcvna	
Mvb24311219	
Nxclu2pe-18-0h200	
Qbw28755u9z	
Ceh A 1204 Aaaf	
Ep3xx-Snu-05pv-3zx	
85m075saa1b5	
123656	
01422745071697	
300b26bx1	
Rlsa15976	
S125d Antrieb Endschalter	
Ceh A 3104 Aaaf	
Ceh A 6107 Afaf	
A-34/Mk-004	
Mk536	
668805yo	
393d157ax1	
B150s10	
Ceh A 3605 Afaf	
Akha 4104na Ra 001	
Rk4451pz3	
10e39wz	ACTUATOR
Ceh A 5101 Aaaf	
Ceh A 4103 Afaf	
25038	
Ceh A 6101/6 Afaf	

175s8afx1-K	
Rk44t12	
G4466tse	
7719002505	
036981	
Tt4466t-Sw-V1	BALE VALVE 2IN SW SS 3 PC
Ceh A 3603/6 Aaaf	
Ceh A 3607/6 Aaaf	
493258	
01502930 - Type V726	
70-Vd 001383.150.000	
Kit F¼r E3699-001-02	
Ay21281a-Tfec	
Le3m3000wx3	
1/2-4466-R-T-Se	
Rk44pm-R17	
Aepb1375we3	
70-Naf 8764ef-0002-0a	
For Ser. ? ?7375.1 Dn50	
8780eb-0050-0a	
15-Rkb401sgj-00b-NI	
C38s	PNEUMATIC ACTUATOR
145658999	
4446tse15	
15elkz1r3	
For Ser. ? ?5286.1 Dn40	
D3xgu-D23pva-Z5sx	
130122999000	
Ceh A 4106/6 Aaaf	
2-Sr-44	

Apex81248akt	
671854db	
3/4-E325-Cs-Rf12	
B34sw115vac	
20755w/10dfp17-4	
10h-754x	
Ball ? Carbon Steel 1.0619 For Akh2a-1?	
90m2-120a	
Y5fj1875mz3	
Ay38411a-Gtb	
Valve	
70-0355351gr	
520md+14-W1d300-Gm1-0000	70-SACC Logix equipment
B085s10	
Ceh A 3602/6 Aaaf	
Ceh A 6107 Aaaf	
Alloy C-276 891652 (Seal Type;Qb Size:1.875) 668796	
Jf/62230007/05 02 N15323-Xx13	
568327gu	
Ceh A 5105/6 Afaf	
15-39-Sw-24d-R6	
12rk44pm	
12e4446tse	
Kit F¼r E4395-004-02	
Ceh A 1207 Aaaf	
Ceh A 4105/6 Aaaf	
16-075-03	
70-Kp-P2 Pneumatic Actuator Type P2	
K43r1875333	
3x2-8 Mark3	

Geb2653872b	
53469483	
Js-0981	
20hm755w120a	ACTUATOR
A276 Type 316 Ti G204567pu-00-A1 0499	
16-062-04	
510si-15-W2dee-00f0-001	
316800-Base	
15-Rdb40-Isdie0-D	
568251	
Ceh A 3105 Afaf	
Nt3000042sn1w	
F5gu-Mec420-00-Z	
668856	
262917.999.000	
4416tse125	
2-Rk44-Rtr17	
70-102	
Typ: Apex71247at0	
568227gu	
60100b	
V 726 Dcvna 0724214004001	
Ceh A 1204 Afaf	
1r300	
Nt3002042sn1w00	
2054807	VENTILKUGEL Y TYP DN100 CL1690 A182 F22 MIT ANTRIEB BW80BAR bei 575 ° C (Kompatibel mit Rotork-Antrieben)
70-Vd 020749.925.000	
64-825-0043-4	
Ceh A 1206/6 Afaf	

Mark 200	
Ceh A 3105 Aaaf	
1039xr6	
20-Rk44-Rt	
10-39-N	
Ceh A 3106/6 Afaf	
Ks92-112-1009d-Ua0	
1/2-4466pmse	
12h-75-W-V49	
16-062-11	
70-Vd 002138.158.000	
Ceh A 5105/6 Aaaf	
20a11em236	
07-F519-666tt7-Z150-B	
70-Vd 001703.925.000	
Cg1-5100-78	
3.59065e+76	
B0049800-K12	
176211.999.000	POSITIONER
2-Rk44-Pm	
Astm A995gr 18	
510+37-W1d300-Gm1-0000	70-SACC Logix equipment
199791.999.000	
1210e-13-M	
68-062-48	
1-T4416tse-V2	
Ceh A 3606/6 Aaaf	
Xedn1750nx3	
Bk 37 Dn 15-25	
Ceh A 3604/6 Afaf	
B-34s-R	

K21
My50798a62-D4
122604
Ceh A 1201 Aaaf
00568227 Gu
05f-39-Sn-R3-120psi
51324085
20-39-Sw-120a-R6
555c
Ceh A 4107/6 Afaf
B100s10h
:Tag:Fv-1a,1b... 1 1/2quot; 150lb Flg
Ceh A 3103/6 Afaf
00568245 Gu
82461161/322
036980
Rkf4tr11
Ceh A 6102/6 Aaaf
KI02
Ceh A 3104/6 Afaf
A276 Type 316 Ti G204567pu-00-A1 0433
3r53070-Db
4gasmodo
6059054058
B100s07
61-Apex71247ato
56689051
15-75
30a7c5
668948sl

Ep5xxhpgu23k01pv	POSITIONER
Kr3a3000w33	
Ceh A 4104/6 Afaf	
Ceh A 3605 Aaaf	
21-062-50	
70-Naf 8784ef-0002-02	
Control Valve With Accessories	
Ceh A 6104 Aaaf3um0	
D4466rtse	
50047216	
Eprm200-400-1/Oh2 Ref:036980	
3r52874-Db	
15-39-Sn-R6	
606700017-1	
Ceh A 1205/6 Afaf	
Crk44-Pm-Rt	
Ceh A 6105/6 Afaf	
C2cpx1875ecxvb	
5410	
70-Vd 003366.158.000	
Aktuator:Pm350g07 Supply:Min/Max 14/06bar Ambient Temperature:Min/Max -30/+60 Strok:30 Rang:04-12 Po	
1-4466rtnp-R3	
51322201	
A182 Type 321+graphite G204567pu-00- A1 0507	
Ceh A 5108 Afaf	
A34swr3	
10-75-W-120a	
Ep3is-Snu-05pv-4zx	
Ceh A 5102/6 Afaf	

51439102	
20-755w-120a	ACTUATOR ELECTRIC 120VAC 60HZ
L93swp4	CONTROL
510si-15-Y2dse-0000 Positioner Logix	
D05288-Xb	
Api Plan 61 , 1/2quot; Npt G204567pu-00-A1 Q	
14466pmse	
Mk531	
Ceh A 1205/6 Aaaf	
10-Ark40-0l	
Ceh A 4107 Afaf	
Acl444cptse	
96734	VALTEK BETA POSITIONER: Part No: 96734
Ceh A 1204/6 Aaaf	
2rk44tr16	
8320g18412060	
104017	
07cl444477ttse	
4466tse	
R16cwp1000	
Ceh A 4105 Aaaf	
Stellungsregler70-Hs5104y211e Logix 510si-15-Y2dee-00f0-000	
B115rkb	
Ceh A 4102 Afaf	
21-075-99	
Ceh A 3104/6 Aaaf	
57738-1bbbb	
21-050-43	
D3igu-S23-Pva-Z4tm	POSITIONER

V726dcvna_150_16_1.0619	
20-39-Sn-R6	
Ceh A 3102 Afaf	
15rk39	
618555gu	
70-Vd 283101.999.000	
Dmc-Y5fl1125bm3-91	
1-1/2t-416t-Se-V2	
Ceh A 6108 Aaaf	
3400iq-07-D6-M-4v-40-0g-00	
Akh2-0009668	
1036-Ro	
22h-75-Wm2-T2499	ELECTRIC VALVE ACTUATOR SERIES 75 900 IN-LB
51323983	
1-1/2-Wk4466ttc	
Ku3t2500t03	
A2r53072-01	
226569.999.000	510SI-14-W1DSE-0000-000, ASSY, LOGIX 500 SERIES
1914p3	
My36862a100-D4	
Ap3.5	
Ay56930c	PUMP POWER MONITOR 0.1A 220-240VAC 50HZ
20939sn	
Ep5xx-Hpgu-06k02-Pv9da-4z	
12111-1/2-800	
Ceh A 6104/6 Afaf	
8683690	
3r26174ae	
Ceh A 4108 Afaf	
510si-15-W2dee-Oofo	

70-Vd_002104.150.000	
Nt3002i02sn1b00	
Qe3e2500aw3	
S18580/2-1	
Adxclum2m3-18-00200	ULTRASWITCH EXPLOSION PROOF 15AMP 125/250V 3/4HP
052730-00	
4416tse2	
Ahrk34sr1	
Rk44rt-1/4	
446use-1/2	
Mark One Three-Way	
Ceh A 4105/6 Afaf	
Xl21000	
2050879	VENTILKUGEL DN25 PN100 A105N MANUELLES SCHWEISSEN
30-Rdb40-1sd1e0-D	
10-Rdb40-1sdbeo-D	
356v	
221867	
Ceh A 5101/6 Afaf	
77994	
Rk44tr16	
813002-61	
Xe3f1875dz3	
Rk44rt-3/4	
Ceh A 4105 Afaf	
20-Fzrk44-Tm-R3	
25-39-Sn	
Alloy Steel 891652 (Seal Type;Qb Size:1.875) 4r0429	
4446rtse2	
Cpt94666iggswog30	

20rk39-R3	
15rk39r3	
25038-İp	
Ceh A 3606 Aaaf	
S125d S93647/2-1	
10145179	
262588999000/1323p2	POSITIONER LOGIX 3200IQ 4-20MA 150PSI W/ ACTUATOR
A44-6666tt-W-Dn20-Kvs=10.4	
Ceh A 1202/6 Aaaf	
4İ93swp4	PNEUMATIC ACTUATOR 4-20A
Ceh A 6104 Aaaf	
A34wr3-120/60ac	
53437585	
20-36-W-M1-120a	
Xexn1750333	
208b159aax2-K	
Bearing Ob Oil Gp2mk3style, Ay58150a-Sr	
1/4-4466pmse	
1437d257dx1-249	
Ceh A 3104 Afaf	
1036w12060	
Xexn1375m33-2	
70-1042634	
3n02554ge	
Board Main Processor For Mx-05	
Sn125 096452	
1-Kaf5166rm150-V32v36-R6	
12-75w-R1	
3/4-Cİ444ct-Se	
Mk502	

B-34-R-120/60vac
E5-Std
Prp436-Ne
Nxclc2m1-18-00200
Ceh A 3102 Aaaf
Ceh A 5102 Aaaf
102 Nm 4l
Ceh A 6105 Afaf
Af-17
03r28535 Ge
Ceh A 5107/6 Aaaf
Ceh A 3101 Aaaf
Mhrr5000333
Sw-701
My50754a82-D4
Ceh A 1201/6 Afaf
Nxvu2pp-17-0j4a1pm
A43x2125jaj
Mbax8840307
56688951
053912-00
70-Vd 001847.150.000
A125-Da
1895a875x11a002-K
Crk44pnr16
Ceh A 3602 Aaaf
R6cwp1500
Ceh A 3605/6 Aaaf
446ybse
Ball ? Carbon Steel 1.0619 For Akh2a-2?
K73r1125333

Xcsb1875cy3-03	
53653483	
Api 610 8th Edition	
20-755-W	
300-B1634300	
250s127tx1f-K	
10rk39-R6	
510si-02	
Ceh A 3105/6 Afaf	
Ceh A 5107 Afaf	
50147at	
70-0359034e22	
Ceh A 3601/6 Aaaf	
Ad-300600 Kh	
By50424c-Tssr	
53653583	
11/4-4466usw-R2	
C35-Sr-2c-Imp	COMPACT ACTUATOR
Logix 3200iq	DIGITAL VALVE POSITIONER
Vr4601cb	
4446rtse	
Ceh A 1204/6 Afaf	
00668805 SI	
003r2111 Ge	
By Pump Manufacturer 891652 (Seal Type;Qb Size:1.875) N/A	
70-1919A33E35 Valve plug DN25 KV 2.5 ep Ø10 S20	
76459	
51324185	
Qe5c8500af3	

Ceh A 1203 Aaaf	
Ceh A 5107/6 Afaf	
53466551	
555b	
030037-İp	
31987530	
Ceh A 1205 Afaf	
Vra1375-Erepy	SEAL VRA VRA-C DURA MECHANICAL STYLE 11
129462	
64-525-0006-31	
60587615	
3r53105-Db	
Ad-304260 Bx	
70-0359İ39pst	
Ceh A 5104/6 Aaaf	
3/4-446xvse	
Ceh A 3103/6 Aaaf	
Ceha 1202na La 001 0a 0an	0020975530 / 10 SIEHE ANHANG
Ceh A 6104/6 Aaaf	
A44-6666tt-W -Dn10-Kvs=6.9	
7722-0011-0603, 0001 U 1550	
23-Hv-818-4	
S063d(Exsid063d)	
Nrs1-50	WATER LEVEL LIMITER
Ceh A 3107/6 Aaaf	
Gx-200	
H7166xvsw	
3r26155yo	
1rk44yb	
Anello/O-Ring	

226527.999.000	
Ceh A 3101/6 Afaf	
70-Vd 003366.150.000	
7703am5	
Alloy C-276 891652 (Seal Type;Qb Size:1.875) 4r0429	
9070000-012	
Ceh A 6102 Afaf	
Bearing Sleeve Line Brg123226 444 S (For Centrifugal Pump, Multi Stag, Type 3wx-10a11)	
Ceh A 3604/6 Aaaf	
Ceh A 3602 Afaf	
2093831.000836	
Limitorque Actuation Systeme Mx : 40-3	Ventilreparatursatz Output RPM: 33 Order No: 134983-001 Series "A" TAG No: 20-HV514006M Serial Number: L1010179 SHC-632 Enclosure Type 3,4 4x,6 IP68 Rated To 440 FT-LBS (597 N-m) -30°C<T Amb<65°C Motor RPM : 1425 PH 3 HZ 50 Volts AC 400 LP AMPS 26.0 Run AMPS 4,8 Duty 15 MIN
5916tse15	
1539-Sw-Z1-120a	
Ceh A 3604 Afaf	
70-030000	
20rk39r2r3	
Ceh A 5104/6 Afaf	
B125rkb	
5946tse15	
Ceh A 6103 Afaf	
Cpt94666iggswog15	
Ceh A 4101 Afaf	
By50424d	
10f39sxx224d5 R7	
411267	
F¼r: Pumpe V726dcvnn Membran	

A276 S31803 G204570pu-00-A1 0499	
R704353	
647825-0100-4	
70-191461400	
Aesb1875w33j	
3279grf	
121649	
Apex70247at0	
Ceh A 4102 Aaaf	
Akha 4104na Rb Af3	
Pv3l3000at3	
56851037	
Rk44rt2	
Sna115d	PNEUMATIC ACTUATOR 150PSIG MAX
01040979	
B-34-W-R4	
80037-İp	
954260-88	
1036tw-Ro	
Ce2k	ACTUATOR 1.3AMP 115VAC 60HZ DUTY CYCLE25
10181780	
20f39sn	ACTUATOR
61092	
Ceh A 1206 Aaaf	
199789.999.000	
Ceh A 3107 Afaf	
145658.999.000	STAINLESS STEEL
Ls-500	
Kl01	
30a7c9	
Ceh A 1207/6 Afaf	

Nhs2m	
Ceh A 4103 Aaaf	
Cpt5266pm300g60	
5nc06	
Egl130	
Wdb02+01201	
Ceh A 3106 Afaf	
70-Naf 8760eb-0002-0a	
Zlkd 040200 A4 Bhs 0b 2 160 Pumpe Mit Freiem Wellenende	
10e-Lk39z-R3	
Ceh A 5107 Aaaf	
158755	
Ceh A 3106/6 Aaaf	
Ceh A 5101 Afaf	
Ep5	
Ceh A 3106 Aaaf	
Ceh A 3607 Afaf	
1e4446pmse	
Ceh A 4106/6 Afaf	
758-382-11504	
B34s	
04007000025	
Ep5xx-Hpnu-23k01-Pv9da-4z	
510si-14-W1dse-0000	70-HS510EW 100E LOGIX
0189 21 17 0/12, 0527 21 30 0/4	
52038401	
1pwk4466ttc-V36	
Nt3000-10-W	
1rk44tr16	
Ceh A 3107/6 Afaf	

21-175-08	
B200d	
Ceh A 5101/6 Aaaf	
Mk179	
6-31808-7475-9	
Ceh A 3604 Aaaf	
Ceh A 4104/6 Aaaf	
B100c10	
Ceh A 6103/6 Afaf	
Angl200	
10-39-S-120a-R6-3/4-446ybse	
B320-20	
R13cp1000	
30a7c3	
Vdxcl12m1-18-00200	
70-1055418	
Ceh A 4103/6 Aaaf	
23-Hv-818-3	
10-75-Wr1-120v	
5610 Vc	
60-601-0017-1	
Ceh A 6103/6 Aaaf	
201bc	
Ceh A 6101/6 Aaaf	
2539sw12060	ACTUATOR
51323953	
Ceh A 4106 Aaaf	
Ceh A 3603/6 Afaf	
Nrs-1-8b-230v	
4416tse	

56428351	
12h-75-Wm2-T2499	ELECTRIC VALVE ACTUATOR SERIES 75 225 IN-LB
1-F602-Cs-R-Cs-1200cwp	
Xl11000	
Br53623	
2109a12	
A23407 - 25-Rdb40-1sdmn0-D	
Mevr7000333	
0060 4258	
70-0359l37kst	
Ceh A 4102/6 Afaf	
VI-Uhc-150	
510si-15-Y2dse-0000	
Ceh A 1207/6 Aaaf	
D3xnu-L23pva-Zfxm	
51609902	
Cml0464201	
Ceh A 6106/6 Afaf	
3910sn	
Ceh A 5108aaaf	
04015010040	
61-Es, Typ: Ce72z	
0398	
1/2-CI444ct-Se	
1/4-444-Yb	
70-030000 Control Valve Model 030000	
Ceh A 6102 Aaaf	
A-11275	
51322185	
V 726 Dcvna 0724214002001	
12hm755xm2	ACTUATOR

20a19w06	
20p755xd2c0192	ACTUATOR
5801-047416779 Dn50/Pn50 Kvs25	
30a7s9	
5643502290	
44d4466tt	
1-30-Rk45-Rt-R2	
3/8-4844r-Se	
2539-Sn6-R6	
A73v3000v33	
124a2c5	
2073w-115v	
Ceh A 3108 Afaf	
5nc13	
1-4446pmse	
Ga-1501	pump with motor
Aegl130	
Ceh A 1201/6 Aaaf	
Ir311	
617716gu	
1039nr6	
139630-Base	
Ceh A 6105/6 Aaaf	
70-1055436	
R2cwp1000	
1039s-115a	
Aqxlu1000	LIMIT SWITCH ROTARY ENCLOSURE ACCORD ULTRASWITCH
1-4466tse	
Api Pi.11 , 1/2quot; Npt G204570pu-00-A1 F	
A351cf3m	

S250/300/Box	
B142-200-Cwp	
B125s07	
Wrum10a2nr	
10-Rk39-R2-R3	
Ngl210	
60954740	
2021472	SCHWEISSVENTIL GLOBE DN50 PN500 VERBUNDEN T: 425 ° C
Ceh A 1208 Aaaf	
56854122	
B16.34ltd	
Ceh A 4101 Aaaf	
090-125-01-0101	
20rk39r6	
1039snv64	
Nrs1-51	
25rk39	
Ceh A 5105 Aaaf	
1/2-4446rtse	
70-Naf 8780eb-0002-02	
Mk006	
076407.999.000 Valve, Booster, Valtek, 3/4" Npt	
520si-14-W1ree-000-0000	LOGIX 500SI ANALOG POSITIONER
T466tse-V2	
70-025600700	
275b191cx1	
Mk023	
10-39-W-120a-R6	
Ceh A 6101 Afaf	

00899205	
Brn04218470	
Ceh A 5102/6 Aaaf	
A276 Type 316 Ti G204567pu-00-A1 0367	
40rk44ptc0103	REPAIR KIT
Bk34	
Ceh A 3103 Afaf	
Ceh A 3603 Aaaf	
54015951	
17430-W	
61-825-0713-1	
446pmse1	
B34	
Ceh A 3105/6 Aaaf	
01040982	
40f39sn	ACTUATOR
A4446pmse12	
By50424d-Tssr Gt;Gt; No Quotation Possible	
25f39sn	ACTUATOR
1039-Sw	
Sp-Nhs2m	
Akh3-0003850	
Bk 46	
1-4466tse-V77-R2	
1gasmido	
125569	
2rk44ybr16	
Valtek Gs	
2054811	VENTILKUGEL Y TYP DN25 PNEUMATISCH CL1690 A182 F22 BW 80BAR bei 575 ° C (Verfügbares FLOWSERVE

	(PB502BADLAB), geeignet für Stellantrieb muss bereitgestellt werden. Der Antrieb wird nicht benötigt.)
Kit Für E4469003-04	
25rk39r	
140036825	
142864	
Mcxk-51322-111111	SPLI3239 MX85 TO MXA85 CONVERSION KIT
Ep5xx-Hpnu-30k01-Pv9da-4z	
45271-1-R11	
51320851	
Ceh A 1207 Afaf	
10elk39wd-R3	
124416tse	
Mark Two	
02601342-0000000	
Ceh A 3102/6 Afaf	
Ceh A 4104 Aaaf	
A351.Gr.Cf-8m G204567pu-00-A1 0425	
1r309	
00899205 V740 1 Class 300	
Y53v1250gb3	
Api Plan 62 , 1/2quot; Npt G204570pu-00-A1 Q	
Wbb1201305	
Ceh A 3101/6 Aaaf	
12hm755w11560	ACTUATOR
200s127a-Cx1fk	
6je-Epdm	
3560830058-65-1	
Alloy C-276 891652 (Seal Type;Qb Size:1.875) 4n31723	
107512vdc	

Ceh A 4101/6 Aaaf
110048
33-39-Sn-R6
98-062260 Ab
2z104-Tfr
Coupling For Oil Pump Sgc 13725020 Flowserve / Roots
2trk44-P-R1
8cr4
20rk39
20-39
Ceh A 6107/6 Aaaf
1-3-Rk59-Rt
Mvb24311217
51324053
Eprn200-400-1/Oh2
1039
Ceh A 4101/6 Afaf
Nx121000
6742
Ceh A 3101 Afaf
64-525-0006-32
9466t150
82461187/322
D3xgu-D23pva-Z5xx
04007200015
Ceh A 1205 Aaaf
10rk39
3-8-4844r
568330gu
Audco Dichtmittel 735

Ceh A 6107/6 Afaf	
2cn4466pmse	
20d755w120a	POTENTIOMETER
10rk39r3	
Ceh A 3605/6 Afaf	
D3xnu-K39pva-Z5sx	
Ep5xxhpnu26k	POSITION CTRL
Ceh A 3601 Aaaf	
250d88aex1	
166869	
5966rbw4t6900r21	
00706703, Ean 4049757022145, Rk 86a	
Automax S125d S118982/4-1 06	
28a13-F-312	
S150d S94208/4-1	
3r6998ry	
A276 S31803 G204570pu-00-A1 0433	
My50746a62-D4	
Pmvf5numec42000z	
Ceh A 1208 Afaf	
Ceh A 3102/6 Aaaf	
A182 Type F51+graphite G204570pu-00-A1 0398	
Bearing Sleeve Thrust Brg128392 443 S (For Centrifugal Pump, Multi Stag, Type 3wx-10a11)	
Mk501	
Cm1-228-B46a	
1-1/2-Rk44-Rt	
70-101	
Model Eps (Double Acting)	
4466rtse34	

Ad-300599_Kh
Ceh A 1202/6 Afaf
Sw12351
197940
B063dh
21-150-04
Ceh A 5106/6 Afaf
64-825-0068-4
Ceh A 5103/6 Afaf
82349010/117
Ceh A 1203/6 Afaf
B085s07
1-Sr-44
Rk44-Rt-1.0
Bb 22/24 C Pn 10-16
10i-39-Szms120-P-C
Ceh A 6108 Afaf
10-39s
5916tse
Ceh A 4102/6 Aaaf
80-50cpxm200
F¼r: Pumpe Type V726dcvnn