



## Fluimac

Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Fluimac** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Fluimac Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

rn	Aıklama
<a href="#">Kitme0101ht</a>	DIAPHRAGM KIT FOR P0101 Composed by: 2 diaphragms hytrell + 2 diaphragms Ptfе HS CODE: 84139100
<a href="#">P0101P-HTSSD1-AB</a>	PHOENIX 101 P HTSSD1 AB AODD 1" pneumatic pump. casing in PP diaphragms in Hytrell+Ptfе, balls in Aisi, ballseats in Aisi, o-ring in Epdm, BSP connections
<a href="#">P0700P-HHTPD1-AB</a>	PHOENIX 700 P HHTPD1 AB 2" AODD pneumatic pump, casing in PP, diaphragms in Hytrell+Ptfе, balls in Ptfе, ballseats in PP, o-ring in Epdm, BSP connections.
<a href="#">P38285</a>	
<a href="#">GC1178188</a>	
<a href="#">P0065DF000102PM</a>	INTERMEDIATE PLATE WITH ORING FOR P250 HS CODE: 84139110
<a href="#">P0065BC000101PM</a>	COMMAND BUSH WITH ORING FOR P250
<a href="#">SP 810.070 07b PTFE</a>	Fluid diaphragm for JP-810.70 PTFE
<a href="#">SP 810.070 07a Hytrell</a>	Air diaphragm for JP-810.70 Hytrell
<a href="#">Inner membrane Hytrell for JP-810.700 7a</a>	
<a href="#">Outer membrane PTFE for JP-810.700 7b</a>	
<a href="#">Pos. 45</a>	SP 810.170 Cover air exchanger

<a href="#">Pos. 43</a>	SP 810.170 Seegerring air exchanger
<a href="#">Pos. 24</a>	SP 810.170 screw for air exchanger
<a href="#">SP 810.170 02</a>	Air exchanger for JP-810.170 pneumatic exchanger for JP-810.170
<a href="#">100505751</a>	
<a href="#">100512224</a>	
<a href="#">100513608</a>	
<a href="#">100519978</a>	
<a href="#">100519979</a>	
<a href="#">100519980</a>	
<a href="#">8333</a>	
<a href="#">JP-280</a>	
<a href="#">KLP0160P-HTSST</a>	
<a href="#">KLP0160P-HTTPT</a>	
<a href="#">P0018P-MT- TPT1</a>	
<a href="#">P0700S-MT-TST1 AB</a>	
<a href="#">P1000S- MT-TST1 AB</a>	
<a href="#">P500P-M DZD1</a>	
<a href="#">JP-831.150-PDTA123-1</a>	magnetic centrifugal pump Housing: PP Gasket: EPDM Bushing+Shaft: PTFEC +ALLUMINA 99.7% Impeller Ø: 123mm STD / closed Connections: BSP (2" inlet, 1 1/4" outlet) Motor connection: IEC flange Max. flow rate: 23.5 m³/h max. head: 20 meters Max Viscosity: 200 cps max. temperature PP: -5°C / +90°C
<a href="#">Motor: 3 PHASE MOTOR</a>	1,1 Kw / IEC 80 / 2 poles - 2900
<a href="#">Motor: 3 PHASE MOTOR</a>	1,5 Kw / IEC 80 / 2 poles - 2900
<a href="#">P0065ME004157HT</a>	Membrane Hytrel
<a href="#">P0065ME004261TF</a>	Membrane PTFE
<a href="#">Pos 7a HYTREL</a>	
<a href="#">Pos. 7b Membrane PTFE</a>	
<a href="#">KLP0160A-HTTST</a>	KIT PHOENIX 160 A-HTTST SPARE PARTS KIT composed by: diaphragms in Hytrel+Ptfe, balls in Ptfe, ballseats in Aisi, o-ring in Ptfe.
<a href="#">810.171 KCMTTKT</a>	JP-810.171 PVDF 1 inch (KCMTTKT) Air-operated diaphragm pump / Diaphragm pump II 3/3 G Ex h IIB T4 Gb (Ex-Zone 2) II 3 D Ex h IIIB T 135°C Db X (Ex-Zone 2) 170 l/min, max. 8 bar Housing: PVDF Diaphragms: Santoprene/PTFE Balls: PTFE Ball seats: PVDF O-rings: PTFE Serial no.: P
<a href="#">810.170AHTTST 1X</a>	JP-810.170 ALU 1 inch (AHTTST) 1 X Pneumatic diaphragm pump / Diaphragm pump II 2/2 G Ex h IIC T4 Gb (Ex-Zone 1) II 2 D Ex h IIIB T 135°C Db X (Ex-Zone 1) 170 l/min, max. 8 bar Housing / Housing: Aluminium Membrane / Diaphragms: Hytrel/PTFE Balls / Balls: PTFE Seats / Ball-seats: SS O-rings / O-rings: PTFE Serial no.: P
<a href="#">P18024</a>	P0160KCMTTKV1-AB
<a href="#">P19446</a>	P0160A-HTTATAXAB

<a href="#">P0171KCMTTKV1-AB</a>	PHOENIX 171 KCMTTKV1 AB Diaphragm pump 1", casing in PvdF+Cf, diaphragm in Santoprene+Ptfe, balls in Ptfe, ball seats in PvdF, o-ring VITON, connections BSP
<a href="#">P0160A-HTTST1XAB</a>	PHOENIX 160 A HTTST1XAB 1" AODD pump, casing in Aluminum, diaphragm in Hytrel+Ptfe, balls in Ptfe, ball seats in INOX, o-ring Ptfe, connections BSP. ATEX ZONE 1 ATEX MARKING: Ex II 2/2 G Ex h IIB T4 Gb Ex II 2 D Ex h IIIB T135°C Db X
<a href="#">810.060 KCMTTKT</a>	JP-810.60 KC ½ inch (KCMTTKT) compressed air diaphragm pump / diaphragm pump II 3/3 G Ex h IIC T4 Gb (Ex zone 2) II 3 D Ex h IIIB T 135°C Db X (Ex zone 2) 65 l/min, max. 8 bar Housing: PVDF + Carbon Fiver Membrane / diaphragm: Santoprene/PTFE Balls: PTFE Seats / Ball-seats: PVDF O-rings: PTFE Serial No.: P
<a href="#">JP-810.90-KCMTTKT1-AB</a>	Pneumatic diaphragm pump PVDF 3/4" 100l/min JP-810.90-KCMTTKT1-AB Housing: PVDF+CF Membrane: Santoprene+PTFE Valve balls: PTFE ball seat: PVDF Seals: PTFE Connections: 3/4" BSP Connections: AB Max. flow rate: 100 l/min Displacement per stroke: 140 CC~ Solids: 4.0mm max. Viscosity: 25,000 mPas max. Standard: II 3/3 G Ex h IIC T4 Gb (Ex zone 2) II 3 D Ex h IIIB T 135°C Db X (Ex zone 2)
<a href="#">JP-FSK-810.810.90- KCMTTKT1-AB</a>	Fluid Kit JP-810.90 PVDF consisting of: 2x SANTOPRENE membrane on the air side 2x membrane media side PTFE 4x valve ball PTFE 4x valve seat PVDF 4x valve cage PTFE seals
<a href="#">P35</a>	Diaphragm Pump (Stainless)
<a href="#">JP-810.60-PHTTPT1-AB</a>	Pneumatic diaphragm pump PP - 1/2" - 35l/min Housing: PP Membrane: Hytrel+PTFE Valve balls: stainless steel Ball seat: PP Seals: PTFE Connections-Medium: 1/2" BSP Air connection: 1/4" BSP Connections: AB Flow rate: 65 l/min Displacement/Stroke: 140 CC~ Solids: 3.5mm max. Viscosity: 20,000 mPas max. Max. suction height (dry): 5m Standard: II 3/3 G Ex h IIC T4 Gb (Ex zone 2) II 3 D Ex h IIIB T 135°C Db X (Ex zone 2)
<a href="#">JP-860.40-PD-TA-68-1-IE-3-0.12</a>	Magnetic centrifugal pump Housing: PP Seal: EPDM Bushing+Shaft: PTFEC + ALLUMINA 99.7% Impeller Ø: 68mm / closed Connections: BSP (1"F inlet, 1/2"M outlet) Motor connection: IEC flange max. flow rate: 3.2 m³/h max. delivery head: 5.5 meters Max. viscosity: 100 CPS max. density: up to 1.3 Max. temperature PP: -5 °C +65 °C Motor: IEC 56 - 0.12 kW-2 pole - 2900 RPM
<a href="#">JP-810.35- AHTTST1-AB</a>	Air diaphragm pump aluminum 1/2" 35l/min JP-810.35-AHTTST1-AB *new version Housing: aluminum Membrane: Hytrel+PTFE Valve balls: PTFE Ball seat: stainless steel Seals: PTFE Fluid connections: 1/2" BSP Connections: AB Air connection: 1/4" BSP Flow rate: 35 l/min Displacement per stroke 65CC ~ Solids: 3.0 mm max. Dry suction height max. 5 meters Viscosity max. 15,000 mPas Standard: II 3/3 G Ex h IIC T4 Gb (Ex zone 2) II 3 D Ex h IIIB T 135°C Db X (Ex zone 2)
<a href="#">JP-810.35- AHTTST1X-AB</a>	Alternatively: Air diaphragm pump aluminum 1/2" 35l/min JP-810.35-AHTTST1X-AB *new version Housing: aluminum Membrane: Hytrel+PTFE Valve balls: PTFE Ball seat: stainless steel Seals: PTFE Fluid connections: 1/2" BSP Connections: AB Air connection: 1/4" BSP Flow rate: 35 l/min Displacement per stroke 65CC ~ Solids: 3.0 mm max. Dry suction height max. 5 meters Viscosity max. 15,000 mPas Conductive: II 2/2 G Ex h IIC T4 Gb (Ex zone 1) II 2 D Ex h IIIB T 135°C Db X (Ex zone 1)
<a href="#">DP-20-PC-MT1X-T</a>	Pulsation damper stainless steel DP-20-PC-MT1X-T Housing: PP+CF Membrane: Santoprene+PTFE Connection: 3/4" -T Air connection: 6mm Conductive: II 2/2 G Ex h IIC T4 Gb (Ex zone 1) II 2 D Ex h IIIB T 135°C Db X (Ex zone 1)
<a href="#">JP-810.700-KCMTTKT1-AB</a>	Air-operated diaphragm pump PVDF 2" 700l/min JP-810.700-KCMTTKT1-AB Housing: PVDF Membrane: Santoprene+PTFE Valve balls: PTFE Ball seat: PVDF Seals: PTFE Connections: 2" BSP / DN50 flange Connections: AB Air connection: 3/4" BSP Maximum flow rate: 700 l/min

	Displacement/stroke: 3050 cc~ Solids: 8.5 mm max. Viscosity: 50,000 mPas max. Maximum dry suction height: 5 meters Standard: II 3/3 G Ex h IIB T4 Gb (Ex zone 2) II 3 D Ex h IIIB T 135°C Db X (Ex zone 2)
<a href="#">810.056 AHTTST</a>	JP-810.56 ALU ½ inch (AHTTST) Air-operated diaphragm pump pump II 3/3 G Ex h IIC T4 Gb (Ex zone 2) II 3 D Ex h IIIB T 135°C Db X (Ex zone 2) 55 l/min, max. 8 bar Housing: Aluminum Membrane / diaphragm: Hytrel/PTFE Balls: PTFE Seats / Ball-seats: SS/Stainless Steel O-rings: PTFE Serial No.: P
<a href="#">3A SPARE PARTS PUMP</a>	
<a href="#">3 SPARE PARTS PUMP</a>	
<a href="#">2 SPARE PARTS PUMP</a>	
<a href="#">7B SPARE PARTS PUMP</a>	
<a href="#">7A SPARE PARTS PUMP</a>	
<a href="#">13 SPARE PARTS PUMP</a>	
<a href="#">15A SPARE PARTS PUMP</a>	
<a href="#">PUMP CHEMICAL P55</a>	
<a href="#">Spare parts for P0030A</a>	The spare parts kit consists of diaphragms, balls, ball seats and O-rings. Housing: Aluminum Membrane: Hytrel + PTFE Spheres: PTFE Seats: Stainless steel O-rings: PTFE
<a href="#">P700 Atex</a>	
<a href="#">P0065me004261tf</a>	PTFE DIAPHRAGM FOR P0101
<a href="#">Jp-280 Electric Drum Pump Motor</a>	
<a href="#">Phoenix 100 ? P0100kcmttkv1-Ab</a>	
<a href="#">Back Body For P500p-M Dzd1 Part For Pump</a>	
<a href="#">P0s0a-Httat1</a>	
<a href="#">Jp-41 Pvdf</a>	
<a href="#">Phoenix 65 P-Mttpd-1, 1/2" Standard Air Operated Double Diaphragm Pump</a>	
<a href="#">Jp-800.50 Al-Httlt</a>	
<a href="#">Teflon Top For P500p-M Dzd1</a>	
<a href="#">Phoenix P0160/P0160a-D-Dadi-Ab</a>	
<a href="#">Motor Coupling 8333</a>	
<a href="#">Fmr 20.15 Pump</a>	
<a href="#">Fmr 20.15</a>	
<a href="#">O-Ring For P500p-M Dzd1</a>	
<a href="#">Phoenix 65 P-Mttpd-1, 1/2' Standard Air Operated Double Diaphragm Pump</a>	
<a href="#">P160a-Httat1xab</a>	
<a href="#">P100p-Htspd1</a>	
<a href="#">Eh-1400-4</a>	
<a href="#">P700 Atex Pump</a>	

<a href="#">Back Body For P500p-M Dzd1</a>	
<a href="#">Phoenix 100 - P0100kcmttkv1-Ab Air Operated Double Diaphragm Pump</a>	
<a href="#">Klp0160kcmttkv1</a>	
<a href="#">Jp-800.50 Al-Httlt Druckluftmembranpumpen</a>	
<a href="#">P100a-Htsad1</a>	
<a href="#">Jp-41 PvdF Drum Pump Tube</a>	
<a href="#">Input Collector For P10363</a>	
<a href="#">P400</a>	
<a href="#">P100s-Mttst1</a>	
<a href="#">Output Collector For P10363</a>	
<a href="#">Jp-810.170</a>	
<a href="#">Phoenix 700 Phttpd1-</a>	
<a href="#">Diaphragm Gasket For P0s0a-Httat1</a>	
<a href="#">P0065me004157ht</a>	HYTREL DIAPHRAGM FOR P0101
<a href="#">R100kc-Mttkv1</a>	
<a href="#">O-Ring For P500p-M Dzd1 Spare Part For Pump</a>	
<a href="#">Pump Tube Coupling 1004</a>	
<a href="#">P0s0a-Httat1 Pump</a>	
<a href="#">Eh-1400-4 Mixer Shaft Material Pp</a>	
<a href="#">Klp0160kcmttkv1 Kit Fluid Side</a>	
<a href="#">Phoenix 65 P-Mttpd-1, 1/2ã39;ã39; Standard</a>	
<a href="#">0160a-Httat1xab</a>	