



Fluimac

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Fluimac** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Fluimac Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
Kitme0101ht	DIAPHRAGM KIT FOR P0101 Composed by: 2 diaphragms hytrell + 2 diaphragms Ptfе HS CODE: 84139100
P0101P-HTSSD1-AB	PHOENIX 101 P HTSSD1 AB AODD 1" pneumatic pump. casing in PP diaphragms in Hytrell+Ptfе, balls in Aisi, ballseats in Aisi, o-ring in Epdm, BSP connections
P0700P-HTTPD1-AB	PHOENIX 700 P HTTPD1 AB 2" AODD pneumatic pump, casing in PP, diaphragms in Hytrell+Ptfе, balls in Ptfе, ballseats in PP, o-ring in Epdm, BSP connections.
P38285	
GC1178188	
P0065DF000102PM	INTERMEDIATE PLATE WITH ORING FOR P250 HS CODE: 84139110
P0065BC000101PM	COMMAND BUSH WITH ORING FOR P250
SP 810.070 07b PTFE	Fluid diaphragm for JP-810.70 PTFE
SP 810.070 07a Hytrell	Air diaphragm for JP-810.70 Hytrell
Inner membrane Hytrell for JP-810.700 7a	
Outer membrane PTFE for JP-810.700 7b	
Pos. 45	SP 810.170 Cover air exchanger

Pos. 43	SP 810.170 Seegerring air exchanger
Pos. 24	SP 810.170 screw for air exchanger
SP 810.170 02	Air exchanger for JP-810.170 pneumatic exchanger for JP-810.170
100505751	
100512224	
100513608	
100519978	
100519979	
100519980	
8333	
JP-280	
KLP0160P-HTSST	
KLP0160P-HTTPT	
P0018P-MT- TPT1	
P0700S-MT-TST1 AB	
P1000S- MT-TST1 AB	
P500P-M DZD1	
JP-831.150-PDTA123-1	magnetic centrifugal pump Housing: PP Gasket: EPDM Bushing+Shaft: PTFEC +ALLUMINA 99.7% Impeller Ø: 123mm STD / closed Connections: BSP (2" inlet, 1 1/4" outlet) Motor connection: IEC flange Max. flow rate: 23.5 m³/h max. head: 20 meters Max Viscosity: 200 cps max. temperature PP: -5°C / +90°C
Motor: 3 PHASE MOTOR	1,1 Kw / IEC 80 / 2 poles - 2900
Motor: 3 PHASE MOTOR	1,5 Kw / IEC 80 / 2 poles - 2900
P0065ME004157HT	Membrane Hytrel
P0065ME004261TF	Membrane PTFE
Pos 7a HYTREL	
Pos. 7b Membrane PTFE	
KLP0160A-HTTST	KIT PHOENIX 160 A-HTTST SPARE PARTS KIT composed by: diaphragms in Hytrel+Ptfe, balls in Ptfe, ballseats in Aisi, o-ring in Ptfe.
810.171 KCMTTKT	JP-810.171 PVDF 1 inch (KCMTTKT) Air-operated diaphragm pump / Diaphragm pump II 3/3 G Ex h IIB T4 Gb (Ex-Zone 2) II 3 D Ex h IIIB T 135°C Db X (Ex-Zone 2) 170 l/min, max. 8 bar Housing: PVDF Diaphragms: Santoprene/PTFE Balls: PTFE Ball seats: PVDF O-rings: PTFE Serial no.: P
810.170AHTTST 1X	JP-810.170 ALU 1 inch (AHTTST) 1 X Pneumatic diaphragm pump / Diaphragm pump II 2/2 G Ex h IIC T4 Gb (Ex-Zone 1) II 2 D Ex h IIIB T 135°C Db X (Ex-Zone 1) 170 l/min, max. 8 bar Housing / Housing: Aluminium Membrane / Diaphragms: Hytrel/PTFE Balls / Balls: PTFE Seats / Ball-seats: SS O-rings / O-rings: PTFE Serial no.: P
P18024	P0160KCMTTKV1-AB
P19446	P0160A-HTTATAXAB

P0171KCMTTKV1-AB	PHOENIX 171 KCMTTKV1 AB Diaphragm pump 1", casing in Pvd+cf, diaphragm in Santoprene+Ptfe, balls in Ptfe, ball seats in Pvd, o-ring VITON, connections BSP
P0160A-HTTST1XAB	PHOENIX 160 A HTTST1XAB 1" AODD pump, casing in Aluminum, diaphragm in Hytel+Ptfe, balls in Ptfe, ball seats in INOX, o-ring Ptfe, connections BSP. ATEX ZONE 1 ATEX MARKING: Ex II 2/2 G Ex h IIB T4 Gb Ex II 2 D Ex h IIIB T135°C Db X
810.060 KCMTTKT	JP-810.60 KC ½ inch (KCMTTKT) compressed air diaphragm pump / diaphragm pump II 3/3 G Ex h IIC T4 Gb (Ex zone 2) II 3 D Ex h IIIB T 135°C Db X (Ex zone 2) 65 l/min, max. 8 bar Housing: PVDF + Carbon Fiver Membrane / diaphragm: Santoprene/PTFE Balls: PTFE Seats / Ball-seats: PVDF O-rings: PTFE Serial No.: P
JP-810.90-KCMTTKT1-AB	Pneumatic diaphragm pump PVDF 3/4" 100l/min JP-810.90-KCMTTKT1-AB Housing: PVDF+CF Membrane: Santoprene+PTFE Valve balls: PTFE ball seat: PVDF Seals: PTFE Connections: 3/4" BSP Connections: AB Max. flow rate: 100 l/min Displacement per stroke: 140 CC~ Solids: 4.0mm max. Viscosity: 25,000 mPas max. Standard: II 3/3 G Ex h IIC T4 Gb (Ex zone 2) II 3 D Ex h IIIB T 135°C Db X (Ex zone 2)
JP-FSK-810.810.90- KCMTTKT1-AB	Fluid Kit JP-810.90 PVDF consisting of: 2x SANTOPRENE membrane on the air side 2x membrane media side PTFE 4x valve ball PTFE 4x valve seat PVDF 4x valve cage PTFE seals
P35	Diaphragm Pump (Stainless)
JP-810.60-PHTTPT1-AB	Pneumatic diaphragm pump PP - 1/2" - 35l/min Housing: PP Membrane: Hytel+PTFE Valve balls: stainless steel Ball seat: PP Seals: PTFE Connections-Medium: 1/2" BSP Air connection: 1/4" BSP Connections: AB Flow rate: 65 l/min Displacement/Stroke: 140 CC~ Solids: 3.5mm max. Viscosity: 20,000 mPas max. Max. suction height (dry): 5m Standard: II 3/3 G Ex h IIC T4 Gb (Ex zone 2) II 3 D Ex h IIIB T 135°C Db X (Ex zone 2)
JP-860.40-PD-TA-68-1-IE-3-0.12	Magnetic centrifugal pump Housing: PP Seal: EPDM Bushing+Shaft: PTFEC + ALLUMINA 99.7% Impeller Ø: 68mm / closed Connections: BSP (1" F inlet, 1/2" M outlet) Motor connection: IEC flange max. flow rate: 3.2 m³/h max. delivery head: 5.5 meters Max. viscosity: 100 CPS max. density: up to 1.3 Max. temperature PP: -5 °C +65 °C Motor: IEC 56 - 0.12 kW - 2 pole - 2900 RPM
JP-810.35- AHTTST1-AB	Air diaphragm pump aluminum 1/2" 35l/min JP-810.35-AHTTST1-AB *new version Housing: aluminum Membrane: Hytel+PTFE Valve balls: PTFE Ball seat: stainless steel Seals: PTFE Fluid connections: 1/2" BSP Connections: AB Air connection: 1/4" BSP Flow rate: 35 l/min Displacement per stroke 65CC ~ Solids: 3.0 mm max. Dry suction height max. 5 meters Viscosity max. 15,000 mPas Standard: II 3/3 G Ex h IIC T4 Gb (Ex zone 2) II 3 D Ex h IIIB T 135°C Db X (Ex zone 2)
JP-810.35- AHTTST1X-AB	Alternatively: Air diaphragm pump aluminum 1/2" 35l/min JP-810.35-AHTTST1X-AB *new version Housing: aluminum Membrane: Hytel+PTFE Valve balls: PTFE Ball seat: stainless steel Seals: PTFE Fluid connections: 1/2" BSP Connections: AB Air connection: 1/4" BSP Flow rate: 35 l/min Displacement per stroke 65CC ~ Solids: 3.0 mm max. Dry suction height max. 5 meters Viscosity max. 15,000 mPas Conductive: II 2/2 G Ex h IIC T4 Gb (Ex zone 1) II 2 D Ex h IIIB T 135°C Db X (Ex zone 1)
DP-20-PC-MT1X-T	Pulsation damper stainless steel DP-20-PC-MT1X-T Housing: PP+CF Membrane: Santoprene+PTFE Connection: 3/4" -T Air connection: 6mm Conductive: II 2/2 G Ex h IIC T4 Gb (Ex zone 1) II 2 D Ex h IIIB T 135°C Db X (Ex zone 1)
JP-810.700-KCMTTKT1-AB	Air-operated diaphragm pump PVDF 2" 700l/min JP-810.700-KCMTTKT1-AB Housing: PVDF Membrane: Santoprene+PTFE Valve balls: PTFE Ball seat: PVDF Seals: PTFE Connections: 2" BSP / DN50 flange Connections: AB Air connection: 3/4" BSP Maximum flow rate: 700 l/min

	Displacement/stroke: 3050 cc~ Solids: 8.5 mm max. Viscosity: 50,000 mPas max. Maximum dry suction height: 5 meters Standard: II 3/3 G Ex h IIB T4 Gb (Ex zone 2) II 3 D Ex h IIIB T 135°C Db X (Ex zone 2)
810.056 AHTTST	JP-810.56 ALU ½ inch (AHTTST) Air-operated diaphragm pump pump II 3/3 G Ex h IIC T4 Gb (Ex zone 2) II 3 D Ex h IIIB T 135°C Db X (Ex zone 2) 55 l/min, max. 8 bar Housing: Aluminum Membrane / diaphragm: Hytrel/PTFE Balls: PTFE Seats / Ball-seats: SS/Stainless Steel O-rings: PTFE Serial No.: P
3A SPARE PARTS PUMP	
3 SPARE PARTS PUMP	
2 SPARE PARTS PUMP	
7B SPARE PARTS PUMP	
7A SPARE PARTS PUMP	
13 SPARE PARTS PUMP	
15A SPARE PARTS PUMP	
PUMP CHEMICAL P55	
P700 Atex	
P0065me004261tf	PTFE DIAPHRAGM FOR P0101
Jp-280 Electric Drum Pump Motor	
Phoenix 100 ? P0100kcmttkv1-Ab	
Back Body For P500p-M Dzd1 Part For Pump	
P0s0a-Httat1	
Jp-41 Pvdf	
Phoenix 65 P-Mttpd-1, 1/2" Standard Air Operated Double Diaphragm Pump	
Jp-800.50 Al-Httlt	
Teflon Top For P500p-M Dzd1	
Phoenix P0160/P0160a-D-Dadi-Ab	
Motor Coupling 8333	
Fmr 20.15 Pump	
Fmr 20.15	
O-Ring For P500p-M Dzd1	
Phoenix 65 P-Mttpd-1, 1/2' Standard Air Operated Double Diaphragm Pump	
P160a-Httat1xab	
P100p-Htspd1	
Eh-1400-4	
P700 Atex Pump	
Back Body For P500p-M Dzd1	
Phoenix 100 - P0100kcmttkv1-Ab Air Operated	

Double Diaphragm Pump	
Klp0160kcmttkv1	
Jp-800.50 Al-Httlt Druckluftmembranpumpen	
P100a-Htsad1	
Jp-41 Pvdf Drum Pump Tube	
Input Collector For P10363	
P400	
P100s-Mttst1	
Output Collector For P10363	
Jp-810.170	
Phoenix 700 Phttpd1-	
Diaphragm Gasket For P0s0a-Httat1	
P0065me004157ht	HYTREL DIAPHRAGM FOR P0101
R100kc-Mttkv1	
O-Ring For P500p-M Dzd1 Spare Part For Pump	
Pump Tube Coupling 1004	
P0s0a-Httat1 Pump	
Eh-1400-4 Mixer Shaft Material Pp	
Klp0160kcmttkv1 Kit Fluid Side	
Phoenix 65 P-Mttpd-1, 1/2ã39;Ã39; Standard	
0160a-Httat1xab	