**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr



# Fluimac

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

**Fluimac** Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

*Firmamız Fluimac Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.*

| Ürün | Açıklama |
|---|---|
| Kitme0101ht | DIAPHRAGM KIT FOR P0101<br>Composed by:<br>2 diaphragms hytrel + 2 diaphragms Ptfe<br>HS CODE: 84139100 |
| P0101P-HTSSD1-AB | PHOENIX 101 P HTSSD1 AB<br>AODD 1" pneumatic pump. casing in PP diaphragms in Hytrel+Ptfe, balls in Aisi, ballseats in Aisi, o-ring in Epdm, BSP connections |
| P0700P-HTTPD1-AB | PHOENIX 700 P HTTPD1 AB<br>2" AODD pneumatic pump, casing in PP, diaphragms in Hytrel+Ptfe, balls in Ptfe, ballseats in PP, o-ring in Epdm, BSP connections. |
| P38285 | |
| GC1178188 | |
| P0065DF000102PM | INTERMEDIATE PLATE WITH ORING FOR P250<br><br>HS CODE: 84139110 |
| P0065BC000101PM | COMMAND BUSH WITH ORING FOR P250 |
| SP 810.070 07b PTFE | Fluid diaphraghm for JP-810.70 PTFE |
| SP 810.070 07a Hytre | Air diaphraghm for JP-810.70 Hytrel |
| Inner membrane Hytrel for JP-810.700 7a | |
| Outer membrane PTFE for JP-810.700 7b | |

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| Pos. 45 | SP 810.170 Cover air exchanger |
| Pos. 43 | SP 810.170 Seegerring air exchanger |
| Pos. 24 | SP 810.170 screw for air exchanger |
| SP 810.170 02 | Air exchanger for JP-810.170<br>pneumatic exchanger for JP-810.170 |
| 100505751 | |
| 100512224 | |
| 100513608 | |
| 100519978 | |
| 100519979 | |
| 100519980 | |
| 8333 | |
| JP-280 | |
| KLP0160P-HTSST | |
| KLP0160P-HTTPT | |
| P0018P-MT- TPT1 | |
| P0700S-MT-TST1 AB | |
| P1000S- MT-TST1 AB | |
| P500P-M DZD1 | |
| JP-831.150-PDTA123-1 | magnetic centrifugal pump<br><br>Housing: PP<br>Gasket: EPDM<br>Bushing+Shaft: PTFEC +ALLUMINA 99.7%<br>Impeller Ø: 123mm STD / closed<br>Connections: BSP (2" inlet, 1 1/4" outlet)<br>Motor connection: IEC flange<br>Max. flow rate: 23.5 $m^3/h$<br>max. head: 20 meters<br>Max Viscosity: 200 cps<br>max. temperature PP: -5°C / +90°C |
| Motor: 3 PHASE MOTOR | 1,1 Kw / IEC 80 / 2 poles - 2900 |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| Motor: 3 PHASE MOTOR | 1,5 Kw / IEC 80 / 2 poles - 2900 |
| P0065ME004157HT | Membrane Hytrel |
| P0065ME004261TF | Membrane PTFE |
| Pos 7a HYTREL | |
| Pos. 7b Membrane PTFE | |
| KLP0160A-HTTST | KIT PHOENIX 160 A-HTTST<br>SPARE PARTS KIT composed by:<br>diaphragms in Hytrel+Ptfe, balls in Ptfe,<br>ballseats in Aisi, o-ring in Ptfe. |
| 810.171 KCMTTKT | JP-810.171 PVDF 1 inch (KCMTTKT)<br>Air-operated diaphragm pump / Diaphragm pump<br>II 3/3 G Ex h IIB T4 Gb (Ex-Zone 2)<br>II 3 D Ex h IIIB T 135°C Db X (Ex-Zone 2)<br>170 l/min, max. 8 bar<br>Housing: PVDF<br>Diaphragms: Santoprene/PTFE<br>Balls: PTFE<br>Ball seats: PVDF<br>O-rings: PTFE<br>Serial no.: P |
| 810.170AHTTST 1X | JP-810.170 ALU 1 inch (AHTTST) 1 X<br>Pneumatic diaphragm pump / Diaphragm pump<br>II 2/2 G Ex h IIC T4 Gb (Ex-Zone 1)<br>II 2 D Ex h IIIB T 135°C Db X (Ex-Zone 1)<br>170 l/min, max. 8 bar<br>Housing / Housing: Aluminium<br>Membrane / Diaphragms: Hytrel/PTFE<br>Balls / Balls: PTFE<br>Seats / Ball-seats: SS<br>O-rings / O-rings: PTFE<br>Serial no.: P |
| P18024 | P0160KCMTTKV1-AB |
| P19446 | P0160A-HTTATAXAB |
| P0171KCMTTKV1-AB | PHOENIX 171 KCMTTKV1 AB<br>Diaphragm pump 1", casing in Pvdf+Cf, diaphragm in Santoprene+Ptfe, balls in Ptfe, ball seats in Pvdf, o-ring VITON, connections BSP |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| P0160A-HTTST1XAB | PHOENIX 160 A HTTST1XAB<br>1" AODD pump, casing in Aluminum,<br>diaphragm in Hytrel+Ptfe, balls in Ptfe,<br>ball seats in INOX, o-ring Ptfe,<br>connections BSP. ATEX ZONE 1<br>ATEX MARKING:<br>Ex II 2/2 G Ex h IIB T4 Gb<br>Ex II 2 D Ex h IIIB T135°C Db X |
| 810.060 KCMTTKT | JP-810.60 KC ½ inch (KCMTTKT)<br>compressed air diaphragm pump / diaphragm pump<br>II 3/3 G Ex h IIC T4 Gb (Ex zone 2)<br>II 3 D Ex h IIIB T 135°C Db X (Ex zone 2)<br>65 l/min, max. 8 bar<br>Housing: PVDF + Carbon Fiver<br>Membrane / diaphragm: Santoprene/PTFE<br>Balls: PTFE<br>Seats / Ball-seats: PVDF<br>O-rings: PTFE<br>Serial No.: P |
| JP-810.90-KCMTTKT1-AB | Pneumatic diaphragm pump PVDF 3/4" 100l/min<br>JP-810.90-KCMTTKT1-AB<br>Housing: PVDF+CF<br>Membrane: Santoprene+PTFE<br>Valve balls: PTFE<br>ball seat: PVDF<br>Seals: PTFE<br>Connections: 3/4" BSP<br>Connections: AB<br>Max. flow rate: 100 l/min<br>Displacement per stroke: 140 CC~<br>Solids: 4.0mm max.<br>Viscosity: 25,000 mPas max.<br>Standard:<br>II 3/3 G Ex h IIC T4 Gb (Ex zone 2)<br>II 3 D Ex h IIIB T 135°C Db X (Ex zone 2) |
| JP-FSK-810.810.90- KCMTTKT1-AB | Fluid Kit JP-810.90 PVDF<br>consisting of:<br>2x SANTOPRENE membrane on the air side<br>2x membrane media side PTFE<br>4x valve ball PTFE<br>4x valve seat PVDF<br>4x valve cage<br>PTFE seals |
| P35 | Diaphragm Pump (Stainless) |
| JP-810.60-PHTTPT1-AB | Pneumatic diaphragm pump PP - 1/2" - 35l/min |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| | Housing: PP<br>Membrane: Hytrel+PTFE<br>Valve balls: stainless steel<br>Ball seat: PP<br>Seals: PTFE<br>Connections-Medium: 1/2" BSP<br>Air connection: 1/4" BSP<br>Connections: AB<br>Flow rate: 65 l/min<br>Displacement/Stroke: 140 CC~<br>Solids: 3.5mm max.<br>Viscosity: 20,000 mPas max.<br>Max. suction height (dry): 5m<br>Standard:<br>II 3/3 G Ex h IIC T4 Gb (Ex zone 2)<br>II 3 D Ex h IIIB T 135°C Db X (Ex zone 2) |
| JP-860.40-PD-TA-68-1-IE-3-0.12 | Magnetic centrifugal pump<br>Housing: PP<br>Seal: EPDM<br>Bushing+Shaft: PTFEC + ALLUMINA 99.7%<br>Impeller Ø: 68mm / closed<br>Connections: BSP (1"F inlet, 1/2"M outlet)<br>Motor connection: IEC flange<br>max. flow rate: 3.2 $m^3/h$<br>max. delivery head: 5.5 meters<br>Max. viscosity: 100 CPS<br>max. density: up to 1.3<br>Max. temperature PP: -5 °C +65 °C<br>Motor: IEC 56 - 0.12 kW-2 pole - 2900 RPM |
| JP-810.35- AHTTST1-AB | Air diaphragm pump aluminum 1/2" 35l/min<br>JP-810.35-AHTTST1-AB *new version<br>Housing: aluminum<br>Membrane: Hytrel+PTFE<br>Valve balls: PTFE<br>Ball seat: stainless steel<br>Seals: PTFE<br>Fluid connections: 1/2" BSP<br>Connections: AB<br>Air connection: 1/4“ BSP<br>Flow rate: 35 l/min<br>Displacement per stroke 65CC ~<br>Solids: 3.0 mm max.<br>Dry suction height max. 5 meters<br>Viscosity max. 15,000 mPas<br>Standard:<br>II 3/3 G Ex h IIC T4 Gb (Ex zone 2)<br>II 3 D Ex h IIIB T 135°C Db X (Ex zone 2) |
| JP-810.35- AHTTST1X-AB | Alternatively: |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| | Air diaphragm pump aluminum 1/2" 35l/min<br>JP-810.35-AHTTST1X-AB *new version<br>Housing: aluminum<br>Membrane: Hytrel+PTFE<br>Valve balls: PTFE<br>Ball seat: stainless steel<br>Seals: PTFE<br>Fluid connections: 1/2" BSP<br>Connections: AB<br>Air connection: 1/4“ BSP<br>Flow rate: 35 l/min<br>Displacement per stroke 65CC ~<br>Solids: 3.0 mm max.<br>Dry suction height max. 5 meters<br>Viscosity max. 15,000 mPas<br>Conductive:<br>II 2/2 G Ex h IIC T4 Gb (Ex zone 1)<br>II 2 D Ex h IIIB T 135°C Db X (Ex zone 1) |
| DP-20-PC-MT1X-T | Pulsation damper stainless steel<br>DP-20-PC-MT1X-T<br>Housing: PP+CF<br>Membrane: Santoprene+PTFE<br>Connection: 3/4" -T<br>Air connection: 6mm<br>Conductive:<br>II 2/2 G Ex h IIC T4 Gb (Ex zone 1)<br>II 2 D Ex h IIIB T 135°C Db X (Ex zone 1) |
| JP-810.700-KCMTTKT1-AB | Air-operated diaphragm pump PVDF 2" 700l/min<br>JP-810.700-KCMTTKT1-AB<br>Housing: PVDF<br>Membrane: Santoprene+PTFE<br>Valve balls: PTFE<br>Ball seat: PVDF<br>Seals: PTFE<br>Connections: 2" BSP / DN50 flange<br>Connections: AB<br>Air connection: 3/4" BSP<br>Maximum flow rate: 700 l/min<br>Displacement/stroke: 3050 cc~<br>Solids: 8.5 mm max.<br>Viscosity: 50,000 mPas max.<br>Maximum dry suction height: 5 meters<br>Standard:<br>II 3/3 G Ex h IIB T4 Gb (Ex zone 2)<br>II 3 D Ex h IIIB T 135°C Db X (Ex zone 2) |
| 810.056 AHTTST | JP-810.56 ALU ½ inch (AHTTST)<br>Air-operated diaphragm pump<br>pump |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| | II 3/3 G Ex h IIC T4 Gb (Ex zone 2)<br>II 3 D Ex h IIIB T 135°C Db X (Ex zone 2)<br>55 l/min, max. 8 bar<br>Housing: Aluminum<br>Membrane / diaphragm: Hytrel/PTFE<br>Balls: PTFE<br>Seats / Ball-seats: SS/Stainless Steel<br>O-rings: PTFE<br>Serial No.: P |
| 3A SPARE PARTS PUMP | |
| 3 SPARE PARTS PUMP | |
| 2 SPARE PARTS PUMP | |
| 7B SPARE PARTS PUMP | |
| 7A SPARE PARTS PUMP | |
| 13 SPARE PARTS PUMP | |
| 15A SPARE PARTS PUMP | |
| PUMP CHEMICAL P55 | |
| Spare parts for P0030A | The spare parts kit consists of diaphragms, balls, ball seats and O-rings.<br>Housing: Aluminum<br>Membrane: Hytrel + PTFE<br>Spheres: PTFE<br>Seats: Stainless steel<br>O-rings: PTFE |
| P700 Atex | |
| P0065me004261tf | PTFE DIAPHRAGM FOR P0101 |
| Jp-280 Electric Drum Pump Motor | |
| Phoenix 100 ? P0100kcmttkv1-Ab | |
| Back Body For P500p-M Dzd1 Part For Pump | |
| P0s0a-Httat1 | |
| Jp-41 Pvdf | |
| Phoenix 65 P-Mttpd-1, 1/2" Standard Air Operated Double Diaphragm Pump | |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| Jp-800.50 Al-Httlt | |
| Teflon Top For P500p-M Dzd1 | |
| Phoenix P0160/P0160a-D-Dadi-Ab | |
| Motor Coupling 8333 | |
| Fmr 20.15 Pump | |
| Fmr 20.15 | |
| O-Ring For P500p-M Dzd1 | |
| Phoenix 65 P-Mttpd-1, 1/2' Standard Air Operated Double Diaphragm Pump | |
| P160a-Httat1xab | |
| P100p-Htspd1 | |
| Eh-1400-4 | |
| P700 Atex Pump | |
| Back Body For P500p-M Dzd1 | |
| Phoenix 100 - P0100kcmttkv1-Ab Air Operated Double Diaphragm Pump | |
| Klp0160kcmttkv1 | |
| Jp-800.50 Al-Httlt Druckluftmembranpumpen | |
| P100a-Htsad1 | |
| Jp-41 Pvdf Drum Pump Tube | |
| Input Collector For P10363 | |
| P400 | |
| P100s-Mttst1 | |
| Output Collector For P10363 | |
| Jp-810.170 | |
| Phoenix 700 Phttpd1- | |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*

**Yursat Dış Tic. Mühendislik**
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

| Ürün | Açıklama |
|---|---|
| Diaphragm Gasket For P0s0a-Httat1 | |
| P0065me004157ht | HYTREL DIAPHRAGM FOR P0101 |
| R100kc-Mttkv1 | |
| O-Ring For P500p-M Dzd1 Spare Part For Pump | |
| Pump Tube Coupling 1004 | |
| P0s0a-Httat1 Pump | |
| Eh-1400-4 Mixer Shaft Material Pp | |
| Klp0160kcmttkv1 Kit Fluid Side | |
| Phoenix 65 P-Mttpd-1, 1/2ã39;Ã39; Standard | |
| 0160a-Httat1xab | |


*YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.*