



Fluiten

Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Fluiten Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Fluiten Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
8045040EZ3	
8078045E	
GLRD - SK035 R	Mat.: SIC/SIC/Viton SK035035010
GLRD - SK035 L	Mat.: SIC/SIC/Viton SK0350?????
GLRD - SK035 R	Mat.: Kohle/SIC/Viton SK035016770
GLRD - SK045 L	Mat.: SIC/SIC/Viton SK045030275
GLRD - SK045 R	Mat.: Kohle/SIC/Viton SK045016771
6880038Y1	
7892050EK2	
7892090EK2	
7964055EK2	
8713035EK2	
8713050EK2	
911.02.0000-00	
A2121083	
CB3D025023540	
CB3D040024025	
F9692/02EK2	
GFL009028400	
GLRD - BM3+A 060	
GLRD - BM3A 040	

GLRD - BM3A 045/10955
GLRD - C3S 060
GLRD - GTED 80
GLRD - K1BA030/11631
GLRD - K1BA032
GLRD - K1BA040/13544
GLRD - KL2A065009568
GLRD - TB+A 040
GLRD - TBR 045/14520
GLRD - UM3+A 050
GLRD - UM3C 100
GLRD - US4+A 060/10671
GXA009013981
GXA009013983
K1BA030/11631
K22K22D3JE10
KL2A050009567
KL2A065009568
KR050 B3
MUV080/15060
R012B1F1R
R012B3M1R
R050 B3L1R
RH050A2M1W
SA 055 R/L Mat.: K22.V.EE
U31U31G720I.-Z32U31VE9.
U31U31G720IE-Z32U31VE9E
U31Z11VEE / VU31
US3C070/8230
US4A055025235

Z32U31VEE	
Z32Y1DE9E	
ZD52U32D3TEE	
Mechanical Seal MUV 090/15060	mat.: Y1Z32VV3EB6 MU090024581 Material code: Y1 = cast chrome Z32 = coal shrunk V = viton V3 = viton E = stainless steel B6 = brass (marine brass) With part no.: MU090024581
GLRD - SK035 L	Mat.: SIC/SIC/Viton (U32U31VEE)
GLRD - SK035 R	Mat.: Kohle/SIC/Viton (Z32U31VEE)
GLRD - SK045 L	Mat.: SIC/SIC/Viton (U32U31VEE)
GLRD - SK045 R	Mat.: Kohle/SIC/Viton (Z32U31VEE)
Mechanical Seal MUV 095/15060	mat.: Y1Z32VV3EB6 Materialcode: Y1 = ChromguŐ Z32 = Kohle geschrumpft V = Viton V3 = Viton E = Edelstahl B6 = Messing (marine brass) Fluiten Mechanical Seal fully metal for Propeller Shaft, Lloyds Register Approved. Wear-resistant sealing surfaces materials, the gasket are scaling prevent.
GLRD - UM3+A 030	Kohle/SIC/Viton
GLRD - KL2A030/9787	Mat.: ZD52CV4E9E10
Cartridge - CB3S 060 F15512	Mat.: U31Z11VIE
Mechanical Seal MUV080/15060	Material: Y1Z32VV3EB6 Material code: Y1 = cast chrome Z32 = Coal shrunk V = Viton V3 = Viton E = stainless steel B6 = brass (marine brass) GLRD with part number: 9458080ET15 for 080 shaft
GLRD - GT080 / 14292 / 001	Material: ZD52U32D3TEE
Mechanical Seal MUV080/15060	Mat.: Y1Z32VV3EB6 Materialcode: Y1 = ChromguŐ Z32 = Kohle geschrumpft V = Viton V3 = Viton E = Edelstahl B6 = Messing (marine brass)
9788065E10ZD5	
F9692-04E10K2	
GLRD - KL2A065/9692	Mat.: ZD52K22V4E9E10-CE 1935-2004 "Fluiten mechanical seal with part number: 9788065E10ZD5 + F9692-04E10K2"
35mm	
Mechanical Seal 020	Mat.: Kohle/SIC/Viton
Mechanical Seal 030	Mat.: Kohle/SIC/Viton
Mechanical Seal 050	Mat.: Kohle/SIC/Viton
Mechanical Seal 045	Mat.: Kohle/SIC/Viton
P752 -N-22 G6	

GLRD - KL2A035/9692	Mat.: U32K22D3JE10 CE 1935-2004
GLRD - UM3+A 045	Mat.: U42U41G729EE
8078045E	
MU095032875	61321
GLRD - GT1137C065	Material: ZD52U32D3TEE Item Code: KGT115/14292/01
GT1137C0650	
COMPLETE HYDROSTOP X MUV-MUSV 110	
9358030E	
Mechanical Seal MUV 110/15060	Y1Z32VV3EB6 Material code: Y1 = Chrome casting Z32 = Coal shrunk V = Viton V3 = Viton E = stainless steel B6 = brass (marine brass)
Mechanical Seal MUV 110/15060-	material: Y1Z32VV3EB6 Material code: Y1 = Chrome casting Z32 = Coal shrunk V = Viton V3 = Viton E = stainless steel B6 = brass (marine brass)
CB3D 048 F15514	Cartridge Mat: U31Z11G720IE-Z32U31VE9E CB3D048031402
GLRD Type EDV 100	Mat.: U31 T11 G4 V2 VEE
U31YI	Mechanical seal Fluinet brand diameter 30 mm, Cr-Mo Steel: Y1 Silicon Carbide: U31
Marked parts	
8344022EZ3	
6880030y1 - Turbo Keçesi	
O-Ring Viton For 7980040ek2	
Gleitring - Type Us4a020	
N55 Wct-FI-U	
Glrđ - Kl2a030/9692	
Glrđ - Tbr 090/3a - Item P03	
778129154	
Gxa009013382 Obsolete Replaced By Gxa 009013983	
U31z11vee / Vu31 Mechanical Seal Cartridge Cb3q 030 Mm	
Gxa 009013983 - Oboslete , By Gfla009028405	
8713050ek2 Gleitringdichtung	

[Glrđ - K1ba030/11631 Mat.:
Z12u41ve9ek1ba030030691](#)

[Glrđ - Us3a 040](#)

[Gt-Ed80u31zd71v4ee Gleitringdichtung](#)

[7892050ek2 Gleitkopf - Tb 050mat.:
Tungsten Carbide In Aisi316](#)

[Gx009013981\(Exgx009003629\)](#)

[911.02.0000-00 Face Seal On Turo T61-
100hf4/11 Lb3,Ps-4612 A1](#)

[Glrđ- Tb 035mat.:
K22k22ve9etb035000444](#)

[030z32u31vee](#)

[Glrđ - Tbr 030/3a - Item P03](#)

[Glrđ - Um3+a 050
Gleitringdichtungmat.: U32u31vee](#)

[150 X 100ucwm-Ebara](#)

[Glrđ - K12a050/9692 Gleitringdichtung
\(Satz\)](#)

[Rotary Face For Gted 025](#)

[Glrđ - K1ba040/13544 Mat.: Z32u41ve9e](#)

[Z32y1de9e Gleitringdichtung Glrđ -
K12a030014689 - K12a030/9787](#)

[Mu 080/14150](#)

[Stationary Face For Gted 025](#)

[Glrđ - Sa 035 R/L](#)

[8078030e - Turbo Keęesi](#)

[K12a065009568 Dichtung](#)

[73240402d71](#)

[8344035ez3](#)

[7980040ek2](#)

[7s80040ek2](#)

[C3k-035-Z32u41ve9e](#)

[Glrđ - K12a050/9692](#)

U31z11ve. Z32u31ve9. Glrđ Kl2a050 9692
060z32u31vee
Zd52u32d3tee Glrd - Gt100/14292-001
Glrđ - K1ba030/11631 Mat.: Z12u41ve9e
Edv040012153
R012 B3f1r Rotary union R 012 Johnson-Fluiten 1/2 "Sealing head type R012B3F1R Type = 2-channel Type of inner tube = stationary Type of suspension = self-supporting Medium = water, thermal oil, air Pressure = 50 BARG Temperature = 120 ° C Sealing head size = 0.50 " Size u. Type of rotor = 0.50 "BSP (ISO 228) RH Nipple material = corrosion resistant Medium connection M = 0.50 "BSP (ISO 228) RH Medium connection P = 0.38 "BSP (ISO 228) RH Inner pipe connection S = 0.13 "BSP (ISO 228) RH Sealing ring material = B3 = compact mechanical seal out Silicon carbide against Antimony carbon graphite Secondary sealing: Viton®
C2 D 065 K21k21vee/Z32u31vee
Cb3d040024025 Mechanische Dichtung
O-Ring Viton For 7961040ek2
Glrđ-Bm3a050
C2 D 040 K21k21vee/Z32u31vee
7892090ek2 Gleitkopf - Tb 090mat.: Tungsten Carbide In Aisi316
Springs For Gted
14082025u31 Sealing
Gldr-Sa-035 R
Glrđ - Tb+a 040 Mat.: Sic/Sic/Viton
Glrđ-C3k 035
U31z11vee / Vu31 Cartridge - Cb3q 030 Mm
Gf / 5038 13147 10 / 01
For ?B2d038
Gf 5038 13147 10 01
7961040ek2
025z32u31vee
Cb2d 038 F15502 End Of The

Line.Compactionmat.: U31u31g720ie-Z32u31ve9e
Sa030r-U32u31t3tee
R012b3m1r Rotations-Verbindung
Glrd - Tbr 065/3a - Item P03
Glrd - Us4+a 060/10671 Gleiringdichtung
Glrd - KI2a065/9692
KI2a030014693
Cb2d 038 F15502 Cartridgemat.: U31u31g720ie-Z32u31ve9e
Glrd - Bm3a 045/10955 Gleiringdichtung U32u41 N5ee
C2 D 050 K21k21vee/Z32u31vee
Z32u31vee Gleiringdichtung Glrd - Sa033002080 - Sa 033 R
K22k22ve9e
G2m009001494
Mu080033863 Shaft Seal
Glrd - N55wct FI-U
8045060 Ez3
9358040e
C2 D 075 K21k21vee/Z32u31vee
Glrd - C3s 060 Fluiten Cartridge Type C3smat.: U31u31vee
8004030ez3 - Turbo Keçesi
KI2a050009567 Dichtung
Glrd KI2a030 9692
R050 B3f1j
K22k22d3je10 KI2a050/9692
Rf 060-070
Glrd - N40wct FI-U