



Foxboro

Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Foxboro** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Foxboro Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
D0162lq	Harmonize number: 9026.90.2000 ECCN: EAR99 Country of Origin: United States D0162LQ FUNCTION: IT DISPLAY MOD D0162LQ{\par}
D0162vz	Harmonize number: 9026.90.2000 ECCN: EAR99 Country of Origin: United St D0162VZ FUNCTION: MODULE, HART Custom Enclosure{\par}
876PH-SWAA	Weight: 6.200 LB Harmonize number: 9027.80.4530 ECCN: EAR99 Country of Origin: United States 876PH FUNCTION: The Foxboro brand Model 876PH is a 2-wire, loop powered intelligent transmitter that, when used with appropriate electrochemical sensors, provides measurement, local display, and transmission of pH, ORP (Oxidation-Reduction Potential), or ISE (Ion Selective Electrode) concentration. The transmitter outputs a HART digital signal and a 4 to 20 mA analog output. Its human interface and on-line diagnostics provide local configuration, calibration, status and troubleshooting. S COMMUNICATIONS: For Use with Smart PH10-.S pH Sensor, HART and 4 to 20 mA W ENCLOSURE MOUNTING: Panel Mounting AA ELECTRICAL CLASSIFICATION: ATEX intrinsically safe; II 1 G, Ex ia IIC Zone 0 Tags 1 Instrument Tag - 1 Meas Electrode Type Factory Default. Glass pH 1 Select Language Conf English
	Weight: 9.600 OZ Harmonize number: 9027.80.4530 ECCN:

PH12-2P22S-AA	<p>EAR99 Country of Origin: United States PH12 FUNCTION: The Foxboro brand PH12 Series is a family of rugged, yet cost effective pH sensors in the widely used 12 mm form factor, available in both analog and Smart (Digital) versions. For analog sensor select 'Q' Sensor Termination; for Smart sensor select 'S'. These sensors provide unique design features, such as a built-in nonmetallic solution ground (allowing for sensor diagnostics), available PEEK bode and available flat membrane sensing electrode. PH12 sensors provide fast response, long life, and high accuracy and stability. They are used with a popular set of model FIT 12 mounting accessories. 2 pH/ORP ELECTRODE TYPE: High Temperature Domed Glass, 0 to 14 pH</p>
244LD-SI3R2LNMB1C6-ML236	<p>Weight: 14.000 KG Harmonize number: 9026.10 ECCN: EAR99 Country of Origin: France 244LD FUNCTION: Intelligent transmitter designed to perform measurements for liquid level, interface or density of liquids. The measurement is based on the Archimedes Buoyancy Principle. S WAFER BODY MATERIAL (Process Wetted): SS 1.4404 equivalent to 316L / 1.4435, application from -60°C to +400°C I TORQUE TUBE MATERIAL (Process Wetted): Inconel 600 - 2.4816 3 WAFER BODY FLANGE SIZE: 3 inch R2 WAFER BODY PRESSURE RATING AND CONTACT FACE: ANSI Class 900 (300/600/900) Form Raised Face / Raised Face L WAFER BODY MOUNTING DIRECTION: (Amplifier To Body Left Hand mounted N VERSION: Base VERSION LEVELSTAR - (244LD) M CABLE ENTRY: M20x1.5 without cable gland B COMMUNICATION: FOUNDATION Fieldbus H1 1C6 ELECTRICAL CLASSIFICATION: ATEX Intrinsic Safe, Zone 1, IIC T6 M OPTIONAL MODEL SUFFIX(ES) INCLUDED: External Push Buttons for Maintenance L OPTIONAL MODEL SUFFIX(ES) INCLUDED: Stainless Steel Label Fixed with Wire 2 OPTIONAL MODEL SUFFIX(ES) INCLUDED: EN 10204-2.2, Specific Test Report (Calibration) 3 OPTIONAL MODEL SUFFIX(ES) INCLUDED: EN 10204-3.1, Inspection Certificate of Process Wetted Material (for wafer 6 OPTIONAL MODEL SUFFIX(ES) INCLUDED: Comply with NACE Standard MR 0175 and MR 0103, not with Wafer Material K (C Tags 1 Calibrated Range 0 - 100 % 1 Tag No. Labeling-L - 1 Lower Density 1000 kg/m³ 1 Upper Density 1.2 kg/m³</p>
I / A-Serie CODE: P0928JH LCD 23 "TABLETOP MONITOR	<p>mit Display-Port-Eingang (schwarz)</p>
MODEL: RTT20-DISNKFD-L3M1	<p>OUTPUT: 4-20 MA LCD DISPLAY TEMPERATURE TRANSMITTER 1/ASERIES</p>
MODEL NO.E69F-B12-S	<p>(CS-EICB-A) INPUT 4 TO 20 MA OUTPUT 3 TO 15 PSI SUPPLY 20 PSIG DIRECT ACTION INTRINSICALLY SAFE</p>
MODEL NO.E69F-B12-S	<p>(CS-EICB-A) INPUT 4 TO 20 MA OUTPUT 3 TO 15 PSI SUPPLY 20 PSIG DIRECT ACTION INTRINSICALLY SAFE</p>
Base Model: IP26-1001	<p>Aux. Spec.: EBZG-IP1 EBZG-IP2 FRS02 VG-91 AD-A6, VG-92 INPUT 4 TO 20 MA OUTPUT 3 TO 15 PSI SUPPLY 20 PSIG DIRECT ACTION</p>
	<p>FOR DIFFERENTIAL PRESSURE INSTRUMENTS MATERIAL ASTM</p>

MANIFOLD 3-VALVE FLANGED	A 182 F 316 PRESSURE RATING 6000 LBS SIZE 1/2 IN X 1/2 IN DISTANCE BETWEEN CONNECTIONS 54 MM. FOXBORO PART NO. B0152ME
MANIFOLD 3-VALVE FLANGED	FOR DIFFERENTIAL PRESSURE INSTRUMENTS MATERIAL ASTM A 182 F 316 PRESSURE RATING 6000 LBS SIZE 1/2 IN X 1/2 IN DISTANCE BETWEEN CONNECTIONS 54 MM. FOXBORO PART NO. B0152ME
MANIFLOD 3-VALVE FLANGED	FOR DIFFERENTIAL PRESSURE INSTRUMENTS MATERIAL CADIUM PLATED CARBON STEEL ASTM A-105 CADM A 165 NS PRESSURE RATING 3000 LBS SIZE 1/2 IN X 1/2 IN DISTANCE BETWEEN CONNECTIONS 54 MM. PART NO : B0152MC
MANIFLOD 3-VALVE FLANGED	FOR DIFFERENTIAL PRESSURE INSTRUMENTS MATERIAL CADIUM PLATED CARBON STEEL ASTM A-105 CADM A 165 NS PRESSURE RATING 3000 LBS SIZE 1/2 IN X 1/2 IN DISTANCE BETWEEN CONNECTIONS 54 MM. PART NO : B0152MC
PH12-2P22S-AA	pH/ORP Sensor with 12 mm Barrel Diameter Weight: 9.600 OZ Harmonize number: 9027.80.4530 ECCN: EAR99 Country of Origin: United States PSS Reference: 6-1C5 A PH12 FUNCTION: The Foxboro brand PH12 Series is a family of rugged, yet cost effective pH sensors in the widely used 12 mm form factor, available in both analog and Smart (Digital) versions. For analog sensor select 'Q' Sensor Termination; for Smart sensor select 'S'. These sensors provide unique design features, such as a built-in nonmetallic solution ground (allowing for sensor diagnostics), available PEEK bode and available flat membrane sensing electrode. PH12 sensors provide fast response, long life, and high accuracy and stability. They are used with a popular set of model FIT 12 mounting accessories. 2 pH/ORP ELECTRODE TYPE: High Temperature Domed Glass, 0 to 14 pH P2 SENSOR BODY MATERIAL AND LENGTH: PEEK Body, 225 mm (8.9 in) 2 TEMPERATURE COMPENSATION: 1000 ohm Platinum RTD, 3-wire S SENSOR TERMINATION: Smart/digital Sensor with Integral Smart Connector AA OPTIONAL SELECTIONS: ATEX, II 1 G Ex ia IIC, Intrinsically Safe, Zone 0
IGP05S-T22C1FM-M2L1	Value Gauge Pressure Transmitter Remark : Same or better accuracy than 841GM Weight: 9.000 LB Harmonize number: 9026.20.8000 ECCN: EAR99 Country of Origin: United States IGP05S FUNCTION: Value Gauge Pressure Transmitter. Measures pressure and transmits a proport T ELECTRONIC VERSION AND OUTPUT SIGNAL: Intelligent; Digital HART & 4 To 20 mA 22 STRUCTURE CODE MATERIALS AND TYPE: 316L ss Process Connection, 316L ss Diaphragm, Silicone Fill Fluid, 1/2 NPT External & 1/4 NPT Internal Thread Connection Type C SPAN LIMITS: Direct Connect Span Limit: 1 and 30 psi / 6.9 and 207 kPa 1 CONDUIT CONNECTION & HOUSING MATERIAL: 1/2 NPT Conduit Connection, Both Sides, Aluminum Housing FM ELECTRICAL SAFETY: FM Multiple Certifications (includes FM Codes FA or FN) M2 OPTIONAL MODEL SUFFIX(ES) INCLUDED: 316 ss Bracket with Stainless Steel Bolts for use with 1/2 NPT
RLY4	Intelligent Positioner (Intrinsically Safe) Weight: 1.900 KG

SRD991-BDNS6EA4NY-V07	<p>Harmonize number: 9032.89 ECCN: EAR99 Country of Origin: France PSS Reference: EVE0105E SRD991 FUNCTION: Intelligent Positioner SRD991 certified Ex ia/ Intrinsically Safe or not with advanced diagnostics to operate pneumatic valve actuators. Input Signal 4-20 mA / HART / PROFIBUS-PA / FOUNDATION Fieldbus H1 according to FISCO B VERSION: Single Acting D INPUT/COMMUNICATION: Intelligent without Communication (4 - 20 mA) N ADDITIONAL INPUTS/OUTPUTS: Prepared for Additional in-/outputs S BUILT-IN LIMIT SWITCH: Without 6 CABLE ENTRY: 1/2-14 NPT (with adapter(s) M20 x 1.5 To 1/2-14 NPT) EA4 ELECTRICAL CERTIFICATION: II 2 G Ex ia IIC T4 Gb according to ATEX / IECEx N ATTACHMENT KIT: Order as auxiliary Y MANIFOLD: Pneumatic connection 1/4 - 18 NPT made of an additional manifold V07 OPTIONAL MODEL SUFFIX(ES) INCLUDED: LCD w/Menu-Language in English / German / Turkish</p>
IAP10S-T22D1FN-M2L1	<p>Advanced Absolute Pressure Transmitter. Weight: 9,000LB Customs tariff number : 9026.20.8000 ECCN: EAR99 Country of Origin: United States PSS reference: 2A-1S10A IAP10S FUNCTION: Advanced Absolute Pressure Transmitter. Measures Pressure and Transmits a Proportional Electrical Signal. Accuracy Expressed as a Percentage of Reading. T ELECTRONIC VERSION AND OUTPUT SIGNAL: Intelligent; Digital HART & 4 To 20mA 22 STRUCTURE CODE MATERIALS AND TYPE: 316L ss Process Connection, 316L ss Diaphragm, Silicone Fill Fluid, 1/2 NPT External & 1/4 NPT Internal Thread Connection Type D SPAN LIMITS: Direct Connect Span Limit: 0.5 and 200 psi / 3.4 & 1380 kPa / 0.035 and 14 1 CONDUIT CONNECTION & HOUSING MATERIAL: 1/2 NPT Conduit Connection, Aluminum Housing FN ELECTRICAL SAFETY: Classes I, II and III FM Div 2 non-incendive, Zone approved AEx nA IIC M2 OPTION(S) INCLUDED IN THE PRICE: SS Bracket with Stainless Steel Bolts for use with ½ NPT L1 OPTION(S) INCLUDED IN THE PRICE: Digital Indicator, Push Buttons, And Window Cover tags 1 instrument day - 1 Output Range 0 - 200 psia</p>
ELECTRONIC PRESSURE TRANSMITTERS	841 SERIES, PSS2A-1A14C, PL9118 COMPLETE ASSY., MODEL 841GM-EI1-M OR EQUAL MODEL: IGP10
IGP05S-T22D1ZZ-M1L1	Value Gauge Pressure Transmitter
RTT80-T1NNATKAA-L1	Temperature Transmitter Replaces RTT15S-T1SC1ATKAN-L2 (discontinued)
PRMTA-1TANS0080000	Configurable Sensor
TF-2CEA01408000	Flanged Thermowell
PH12-1P12Q-ZZ pH/ORP	Sensor with 12 mm Barrel Diameter
PH12-4P12Q-ZZ pH/ORP	Sensor with 12 mm Barrel Diameter
IMT33A-4104300110000	Magnetic Flow Converter
9532A-201C011100000000	Magnetic Flow Sensor
84CF120-TPEF1SNDTJYY-N I/A	Series Intelligent Vortex Flowmeter, Flanged

IMT33A-4104300110000	
9505A-201C011100000000	Magnetic Flow Sensor
IGP05S-T22D1ZZ-M1L1	Value Gauge Pressure Transmitter
84CF120-TPEF1SNDTJYY-N I/A	Series Intelligent Vortex Flowmeter, Flanged
IGP05S-T22D1ZZ-M1L1	Value Gauge Pressure Transmitter
951QA-201C011100000000	Magnetic Flow Sensor
IMT33A-4104300110000	Magnetic Flow Converter
IGP10S-T22D1FN	IGP10S FUNCTION: Advanced Gauge Pressure Transmitter. Measures Pressure and Transmits a Proportional Electrical Signal. Accuracy Expressed as a Percentage of Reading. {\par} T ELECTRONIC VERSION AND OUTPUT SIGNAL: Intelligent; Digital HART & 4 To 20 mA 22 STRUCTURE CODE MATERIALS AND TYPE: 316L ss Process Connection, 316L ss Diaphragm, Silicone Fill Fluid, 1/2 NPT External & 1/4 NPT Internal Thread Connection Type D SPAN LIMITS: Direct Connect Span Limit: 0.5 and 200 psi / 3.4 & 1380 kPa / 0.035 and 14 1 CONDUIT CONNECTION & HOUSING MATERIAL: 1/2 NPT Conduit Connection, Both Sides, Aluminum Housing FN ELECTRICAL SAFETY: Classes I, II and III FM Div 2 non-incendive, Zone approved AEx nA IIC Tags 1 Instrument Tag - 1 Output Range 0 - 13,79 barg
MODEL IdP10-AF1C01D-SOR4	
MAGNETİC FLOW TRANSMİTTER (FOXBORO IMT25 8000A)	
29340002 USB Alarm Keyboard	USB Annunciator/Numeric Keyboard Base Model: P0924WV Pss Reference: 41H-4USBKBD
CP270 Field Control Processor(P0917YZ)	
Old Model-Code P91PA-F9-PM -> New	Model-Code SRP981-CIDLS1NA + FESGFN + LEXG-NN Pneumatic Positioner PSS Reference: EVE0101A SRP981 FUNCTION:For Attachment To Final Control Signal For Operation Of Pneumatic Valve Actuators With Pneumatic Control Signal. (PTB Registered According To ATEX) C VERSION: Double Acting I INPUT: Signal Range 0.2 - 1 bar/3-15 psi/20-100 kPa; Split Range Up To 4 Fold Possible D MODE OF ACTION: Increasing Input Increases Output L GAUGES: Without Gauges S BUILT-IN LIMIT SWITCH/POSITION TRANSMITTER: Without 1 CABLE ENTRY:Without Cable Gland N ATTACHMENT KIT:Order As Auxiliary A MANIFOLD:Order As Auxiliary FESG-FN Spring FESG-FN FUNCTION: Spring range-springs (4pc.) (for SRP981, SRI983, SRI986, SMP981) LEXG-NN Manifold LEXG-NN FUNCTION: Manifold Connection 1/4-18NPT, with gauges for w, y1,y2, for Version double acting (for SRP981-C)
	Intelligent Positioner (Intrinsically Safe) Weight: 1.910 KG Harmonize number: 9032.89 ECCN: EAR99 Country of Origin: France PSS Reference: EVE0105E SRD991 FUNCTION:

SRD991-BDFS7EA4NY-V07	Intelligent Positioner SRD991 certified Ex ia/ Intrinsically Safe or not with advanced diagnostics to operate pneumatic valve actuators. Input Signal 4-20 mA / HART / PROFIBUS-PA / FOUNDATION Fieldbus H1 according to FISCO B VERSION: Single Acting D INPUT/COMMUNICATION: Intelligent without Communication (4 - 20 mA) F ADDITIONAL INPUTS/OUTPUTS: Position Feedback 4-20 mA and one Binary Output S BUILT-IN LIMIT SWITCH: Without 7 CABLE ENTRY: M20 x 1.5 with one plastic Cable Gland EA4 ELECTRICAL CERTIFICATION: II 2 G Ex ia IIC T4 Gb according to ATEX / IECEx N ATTACHMENT KIT: Order as auxiliary Y MANIFOLD: Pneumatic connection 1/4 - 18 NPT made of an additional manifold V07 OPTIONAL MODEL SUFFIX(ES) INCLUDED: LCD w/Menu-Language in English / German / Turkish
873RS-AIWFNZ-7	Resistivity Electrochemical Analyzer Harmonize number: 9032.89.6075 ECCN: EAR99 PSS Reference: 6-1C1 E 873RS FUNCTION: The Analyzer, In Conjunction With The 871CC Series Sensors, Provides Precision Measurement Of The Resistivity Of The Process. A SUPPLY VOLTAGE AND FREQUENCY: 120 V ac, 50/60 Hz I MEASUREMENT OUTPUT: 4 To 20 mA, Isolated W ENCLOSURE: Field Mounted (Metal) Panel Mount FNZ ELECTRICAL CERTIFICATION: Factory Mutual Certified Nonincendive For Class I, Division 2, Groups A,B,C, And D; And Suitable For Class II, Division 2, Groups F And G Hazardous Locations 7 OPTIONAL MODEL SUFFIX INCLUDED: Storm Door
QG EVE0105 B1-(int)	
SRD991-BHFS6EA4NR-V06	Intelligent Positioner (Intrinsically Safe) PSS Reference: EVE0105E SRD991 FUNCTION: Intelligent Positioner SRD991 certified Ex ia/ Intrinsically Safe or not with advanced diagnostics to operate pneumatic valve actuators. Input Signal 4-20 mA / HART / PROFIBUS-PA / FOUNDATION Fieldbus H1 according to FISCO B VERSION: Single Acting H INPUT/COMMUNICATION: HART Communication (4-20 mA) F ADDITIONAL INPUTS/OUTPUTS: Position Feedback 4-20 mA and one Binary Output S BUILT-IN LIMIT SWITCH: Without 6 CABLE ENTRY: 1/2-14 NPT (with adapter(s) M20 x 1.5 To 1/2-14 NPT) EA4 ELECTRICAL CERTIFICATION: II 2 G Ex ia IIC T4 Gb according to ATEX / IECEx N ATTACHMENT KIT: Order as auxiliary R MANIFOLD: Pneumatic connection G 1/4 V06 OPTIONAL MODEL SUFFIX(ES)
TRDP_0-3000PA,IDP10-TLLA03E-M3L+,	Electronic d/p transmitters Connection, process 1/2 in NPT Mat, sensor fill fluid SILICONE Connection, electrical 1/2 in NPT Signal, output 4 mA TO 20 mA Option, mounting INTEGRAL Span limits 1.2 mbar TO 75 mbar Range, calibrated diff press 0 TO 3000 Pa Manufacturer FOXBORO Model IDP10 Power supply 11.5 Vdc TO 42 Vdc Digital signal based HART protocol Casing material STAINLESS STEEL 316 TRDP = Transmitter, differential pressure Manufacturer FOXBORO Manufacturer Part Number IDP10-TLLA03E-M3L1B1A EQUIPMENT : Pressure transmitter, MODEL : IDP10
	Electronic d/p transmitters Connection, process 1/2 in NPT Classification, hazard areas ATEX FLAMEPROOF, II 2GD EEx dIIC, ZONE 1 Mat, electronics housing STAINLESS STEEL 316

IDP10TF1B03DL1	Communication protocol (smart) HART Signal, output 4 TO 20 mA Manufacturer FOXBORO Manufacturer Part Number IDP10-TF1B03D-L1
VALVE,PROPORTIONAL,SET,DN80	
VALVE,PROPORTIONAL,SET,DN40	
See list	
TXMTR LVL;IDP10-TS-ID01E-M2L1,CPLRY DP	TRANSMITTER, LEVEL; TYPE: CAPILLARY DP, MEASUREMENT RANGE: 1.33 AT 12 BAR, CONNECTION SIZE: 1 IN, CONNECTION TYPE: FLANGED, PRESSURE RATING: 300 X 600 LB, APPLICATION: COGEN GAS KNOCK OUT DRUM; FFT: LENGTH: 6 M, SEAL NO: PSFAR-A312SS15CS14D; MANUFACTURER: FOXBORO, MANUFACTURER PART NO: IDP10 -TS-ID01E-M2L1, REFERENCE NO: 09110199, EQUIPMENT TAG NO: 25-LIT-1902
43AP-FA42D/PB-AM	3-15 PSI CONTROLLER, PNEUMATIC; RANGE :0 TO 3000 KPA; OUTPUT: 3-15 PSI
D0162LQ	IT DISPLAY MOD
43AP-FA 42C	AUX.SPEC:IAS.AG/P.PB-BA ESP FUNCTION: CONTINUOUSLYINDICATES AND CONTROLS PRESSURE,VACUUM, TEMPERATURE AND FLOW USING DIRECTLY CONNECTED MEASURING ELEMENTS. MOUNTING:FIELD; FOR 2-INCH(50 MM) VERTICAL PIPE CONTROL: PROPORTIONAL4 TO 400%PLUS INTEGRAL (RESET)0.01 TO 50 MINUTESPER REPEAT OUTPUT SIGNAL AND GAUGE: 3 TO 15 PSI SIGNAL,30 PSI AUTOMATIC/MANUAL INTERNAL TRANSFER SWITCHING: BUMPLESS WITH 2-POSITIONSWITCH , BALANCE GAUGE , AND OPTIONAL FEATURE(S) INCULADED: AUX SPEC: IAS-AG/P-ADJUSTABLE REGULATOR AND GAUGE,/P INTEGRAL AIR SUPPLY SET WITH ADJUSTABLE PRESSURE REGULATOR AND GREEN BAND GAUGE AND WITH PLASTIC(IRRADIATED POLYOLEFIN) COVERED TUBING AUX SPEC: PB-BA -AISI TYPE 316 SS SPIRAL ELEMENT , AISI TYPE 316 STAINLESS STEEL SPIRAL AUX SPEC: ESP-EXTERNAL SET POINT RANGE :600 PSI
AIR FILTER REGULATOR	DIAPHRAGM: NEOPREN, FILTER: POROUS MAXIMUM AIR INPUT PRESSURE: 250 PSI OUTPUT PRESSURE: 0,5-60 PSI AIR FLOW RATE: 0,5 M3/H TEMPERATURE: 0-350 F (-187 +177 C) CONNECTION 1/4"
43API-FA42C/LAS.AG.PES.SB ESP	Ref #: 5402431 B Origin : 2A 8902 Range :0-6 bar Element : Spiral Tube Length : 15' (Spare part of foxboro pneumatic pressure indicating controller)"
SRD991-BHNS7EAANY-V01	SRD991 FUNCTION: Intelligent positioner SRD991 for controlling pneumatic actuators. Input signal 4-20 mA / HART / PROFIBUS-PA / FOUNDATION fieldbus H1 to FISCO B VERSION: single-acting H INPUT/COMMUNICATION: HART communication (4-20 mA) N ADDITIONAL INPUTS/OUTPUTS: Prepared for additional inputs/outputs S LIMIT VALUE SENSOR BUILT IN: without 7 CABLE INTRODUCTION: M20 x 1.5 with a plastic cable gland EAA EXPLOSION PROTECTION:

	II 2 G Ex ia IIC T6 Gb according to ATEX / IECEx N MOUNTING KIT: Order as an accessory Y CONNECTOR AND POWER AMPLIFIER: Pneumatic connection 1/4 - 18 NPT realized by additional connection block V01 OPTION(S) INCLUDED IN THE PRICE: LCD menu navigation English / German / French
8006A-WC1-PCGFGZ-A	Wagstaff Part # PNXKA-14 PNXKA-2-06, (28874, PN35B, 33279, PN470, parts needed for modifications)
FCP270	FIELD CONTROL PROCESOR
-PROPORTIONAL CONTROL CARD	\ TURBINE GOVERNOR VALVE CONTROL SYSTEM
P0916DC	ELECTRIC CABLE ASSEMBLY, TERMINAL. 26AWG WIRE LENGTHS AND TERMINATIONS: 3M WIRE TYPE: DIN CONNECTOR. COLOR: BLACK. OUTPUT CONNECTION: 3M OUTPUT TERMINAL: FOXBORO M588.
386-2891-01	MULTIPLEX INTERFACE VIDEO
P0900ga	
Rh914sq	
202s-05	
P0913ed	DISK DRIVE
K0119al	
P0960aw	PROCESSOR 30
Idp10-Ds1c01f-S01fdrjm111	
871ccm234	
D0134nc	
Sri986bids7eaan	
Cm400za	
2500mf-T040f00000	
Igp10-D20d1f	
P0911cl	
A2047vg	MEMORY BOARD
P0917ja	
P0971rl	
D0134aq	
P0911lm	
A2047ve	PC BOARD DPXI

P0918xe	
P0970pl	
P0911br	
P0903cw	
D0139nz	CONTROLLER COMMUNICATION MODULE SWING FRAME CCM/AI
Fws1-Vb-A1c19ae	I/O MODULE UNIVERSAL 120VAC 50/60HZ
2a0v2ifgb	
P0917ly	
A2045hk	
P0500se	
B0138yh	
A2048xy	
D0137hm	
760cna-Dw-2	
P0500gn	
P0911qg	
P0972qm-Oc	
C0140zv	
C3202vd	
P0911at	
P0920aj	
P0914jv	
2arps-A	POWER SUPPLY
Dm900jn	
A2047wab	
D0124xn	
2arps15-A	POWER SUPPLY 15AMP 15VDC 120VAC 47/63HZ 1150VA
C124ke	
B0154rf-B	PC BOARD PROCESSOR
B0132cl	

Cr003nq	
2at-Sbu	OUTPUT MODULE STANDBY 2PT FOR USE W/4-20MA
Rb-P0800db	
D0149pc	PC BOARD
L0117ah-D	
3f8-T2da6	
8000-Sa16-T	
P77440h3n000	
P0904bq	
D0128wh	
Cfs1002hafnn	
P0800dv-K	
No148tv	
P0900ff	
S30014ug	
P0903ze	I/A Series FieldBus Isolator REV-0G,
801ha-W cr-Pjgfgz	
P0903sa	
P0912ha	
Iap10-T22d5m-L1s2	
Sri990 - Bims7eaa-R	
Djr 343/64	
P0970pr	
910-Ed1	
Srd991-Chns6ea4ny	
Ms-1ax+dp11	
B0133tb-B	
D0141dd	
P0400yc-0v	
D0137gq	

D0130cf	
D0137av	PROCESSOR BOARD
Tt2cb203500	
2500mf-M0f00000	
C0162jm	
D0134af	+/-12V_-5V BD
B0158pt-B	
Imt20pa10fgz	
2ak-F010	
13fa1-Mk31a5	
9308a-Siba-Asjin-E	
P0914xs	FIELD BUS COMMUNICATION MODULE ISOLATED 8OUTPUT
Dm902ca	
P417-	
F0109as-A	
P0961bd	COMMUNICATIONS PROCESSOR 20 STYLE B
2026-04-Ssss	
No310bd	
62h4el	
P0916qd	
D0140ad	
873cc-Aiyfnz-Z	
D0137eb	
P0903qq	
C0162js	
P0911kn	
P0400qb	
P0970hx	
E69f-Ti2	SIGNAL CONVERTER CURRENT-PNEUMATIC 4-20MA
F0107kg-E	
P0911ck	

130k-N4-Llpf/Custom	CONSOTROL RANGE 0-100 SUP 20-22PSI OUT 3-15PSI
760rna-2a6t	IND RECORDER
D0149eq	PC BOARD
C0131ma	MANUAL UNIT ASSEMBLY 3-15PSI
230sf	CONTROL DISPLAY ANALOG STATION REMOTE LOCAL SET
62h-5e-0j	
63784	
G0114fl	
P0400yd	PROCESSOR MODULE RTD INPUT
8000-Sa10	FLOWMETER
P61400132251	
N0811rl	
P0917cj	
P61410266251	
P0400qu	
C0162jr	
A2049cb	
A2045hl	
C0140zu	
P0950bm	TRANSMITTER INTERFACE DUAL BAUD INTELLIGENT
2803-Saba-Tsa-G-G	
P0400qw	
C0162jv	
Mp9742vs	
At008mu	
Srxg-D	
P0916dd	
Dm700kp	
P0900ez	
E96p-Ia-Be	

Bs806an	BALL VALVE ASSEMBLY
P0911cn	
Ew424172023	
P0916mz	
L0111kz	PC BOARD MEMORY
P103rk	
M0147pb	
D0128wk	
43apfa42cpciasag	
B0152mc	
P0914xa	
873cc-Aipfgz	PROCESSOR CONTROL 120VAC 50-60HZ 10.2WATT 4-20MA
D0140ft	CONTROL PANEL
N0811rr	PC BOARD PWA DRVR RCVR
P0916py	
C0162jd	
Dm400yl	Input/Output Module
P0926eq	FBM202 CHANNEL ISOLATED 8 INPUT THERMOCOUPLE/MV(I/A PLANT)
Srxg-C	
P0914tg	FBM241 CH ISOLATED VMON DI + EXTERNAL SOURCE DO
C0136nd	
D0130bz	
P0918xg	
P0911gq	
Kg4nlrh20mn22s	820894 TYPE PRESS-EL
B0131be	
Qb119	
P0900wa	
2ax+dpb2	
L0121cm-Ea	

Srxg-E	
P0940dh	
Igp20-A22d21f-M1	
P0911bv	
E83fa-01s1sstn-A	
557	CONTROLLER EXTRACTOR SQUARE ROOT PNEUMATIC ANALOG
V726dn25	
Co123ax	
871ec-Reo	
P0400zg	
Srxg-J	
P0800hs-K	
B0142dr	UCM PWR CONV BD
B0184yw	
P0916xj	
Ad-7300	
Ms-3ax+bpx	
2anu-L2	
D0138gp	
Dm400yt	I/O MODULE FBM17 10VDC
D0130by	
99v	FREQ XMTR
871ec-Pp0-4/Ep436e	
P0800da-M	
3881853	
3f8-R2dpa1	PCB RTD/DIGITAL CONVERTER
If110i52h11e	
2nu-L2	RACK 10 SLOTS 2BUSSES OF 5
P0950bm-Fbm43	DUAL BAUD INTELLIGENT TRANSMITTER INTERFACE
2ax-Sqe	SQ ROOT MODULE

870itecayfnz	
83w-D03s1sstna	
C0136nj	
841gmei1	
66dc-Oh-1	
33001-T	
M21nrxb1ssns08	
Ai 2	Analog Input 2 channels AI2 ISS 5
3clcc-A	FOXNET CTRL STA
N-2ax-Avs-Cs-N/Src	
P0970pq	
P0911qd	
235sz	CONTROL STATION MODULE SPEC 200
D0137gy	
871cc-K4	
P0911lq	
761csa-2a	MICRO CONTROL
Srd991-Bhft7ea4nr-V07	
2b7741	
B0154ru	
Cm400yt	
63952	
A2048bk	
875ecj1f	
202s-10-Sssssnsnss	
1-1-82t4e4	
A2050uz-J	
130fk-N4-C-L	FLOW INDICATOR CONTROLLER RANGE 0-10 IN/OUT3-15PSI
M/63r-Oa-H	
235sm-V	LOADING STATION MANUAL ANALOG 2ND VARIABLE POINTER

Igp20-A22c21p-M1	
P0972pp	
230sm-S-A	OPERATOR INTERFACE ANALOG DISPLAY CONTROL STATION
Cm400yj	
101-4	
61872	
P0951cb	
D0140bd-B	
D0134mq	DISK PWR SUPPLY
K0143aa	PWA CONTROLLER
Ms-P2v	
870ec-Sp14a	CONDUCTIVITY TRANSMITTER
2anu-L3	CAGE/ANALOG NEST UNIT 10SLOT 1FORPOWER CHAINABLE
P0903qz	
B0134zt	
P0911bu	
B0132ue-G	
Idp10-D22b21f-M11c1	PRESSURE TRANSMITTER
2ax-Alm-Ar	
Dm902bq	
408133-3-Ak-02	
P62020161131	
P0900db	
C0136um	
821gm-Hs1sm1	
E69fbi2r	
L0123al	
760cna-Jt-2	
B0131bc	
N0308qc	
M0152kp	

If110-D52m11c-C1k	
3ax+lp1-M1	
33020-T	
P0400qa	
P0911vr	
D0128xa	
2cca-Sf	PC CONTROL BOARD
I-C130319	
P0911bz	
138sp-4-E	CONTROLLER PNEUMATIC
B0131xv	
G0113hx	
B0149ae	
202s-04-Ssss	RACK 4SLOT POWER SUPPLY
P0911bs	
P0926be	
P0918bm	
2cca-Dc	
P0917cc	
0303349-As	
Idp10df2c01cl1b2c1	
600-4132-02	
Pm400yk	
P0-22ae	
P0170nh	
83f-T3qs2dtte-N	
871cr-A3t1c1b1	SENSOR CONDUCTIVITY 3/4INCH NPT WITH CABLE
D0147ke	PC BOARD POWER SUPPLY ASSEMBLY FDC
75bca-Ffea	
202s-10-Kkkkkkkkkk	

P0971du	
A2040uq	
D0128xt	
202s-10-Sssfnsnssn	
P0916jy	
B0131at	
871st4e3b3r9vc	
P0500um	
P0917xv	
B0193nh	
C0136sa	
P0917mh	
871a-2f	
L0118ug	INTERFACE MODULE FOXNET
L0119sh	PC BOARD CONFIGURATION
6224nz1080	
P0400ye-0p	
743cb-Df	
P0400da-0h	
Psfllt-B3s0e51	
62462	
D0137tc	
2500ees-S2a	UW Modbus Module 2500E/S/UW/MODBUS
B4016gj	
P0900ev	
Dm902cf	
2ax-Dp1o	
C0140wk	
L0120la	PC BOARD PROCESSOR
8001a-Scr-Pjgfgz	

P0918xb	
Fox Boro Servo Card Fbmsvh	
P0800ed	
2ax-Rbf	
C0162jh	
61/006897-8-9	
823dp-D3m1mm2-A	PRESSURE TRANSMITTER 12.5-42VDC 3000 MAX PSI
C0130zr	
P0917gy	
D0128va	
P0911ve	
3a8-V2d1	
894raqcbn000	
P0400dl	
C0135mm	
P0400cl	
0-24mh2o	
E96x1a	
Imv30-T22be01f	
A7000fs	PC BOARD
P0900fm	
B0154re	
Mo132nc	
C0162jn	
P0400zd	
61870	
873rsa1wfnz	
83st02tja	
D0130cb	
B0133kw	
13ams2r	

J0200re	
D0137xy	
Igp20d221e01f	
Rdm10-P-Fdz	
83sa02tna	
Fx-130f-N4	CONTROLLER RANGE0-10 SUPPLY 20-22 IN/OUT 3-15PSI
P62400131161	
8120	
D0146aa	
2ax-A4	CONTROL BOARD
Uv1a3-Unknown	
C0162ja	
P461000000ff	
E27-Af-Sa+ea5	SPEC 200 CTRL
E96p-Ia-Bcs-E/Fn-A-Meter	
761csa-3a	
P0970bc	INTERFACE MODULE DUAL NODE BUS
43appa42cppc315	
Mo154wb	
C0149ee	
Q0104pe	
E83fa-1hs5stebb	
Srxg-A	
D-8230-S	
P0400cf	
761cna-Dt-2	
13a	
250pe-M2n-S	SPEC 200 D/S
P6140016d151	
B0133mc	

D0124vc	
808587	
P0122mb-N	
Pr-A5n2-Fe1-F-K	
D0130cj	
A2043ve	
D0140jj	
A3307ct	
P91pa	
P0300al	
Der56041	
Rtt20t1snefdl3m1	
P0916ag	
L0111le	PC BOARD ADD ON BOARD MODULE
Fx-135tg	CONTROLLER RANGE0-100 SUPPLY 20-22 IN/OUT 3-15PSI
C0149ea	
760cna-At	760 Series Single Station Micro Controller
D0128wg	
B0139cz	
B0131au	
760cna-Aw-1	MICRO CONTROL
C0162jk	
2ao-V3i-Fgb	SPEC 200 BOARD
V740	
8010a-Wcr-Pjgzzz-G	
C0140xg	
760cna-Ac	
873ph-Aipfgz	
Ebzg-Hn	
A2048wa	

898494	
43apfa42n	PNEUMATIC CONTROL 300PSI
B0131yb	
Dm900za	
Vkxg25-Gn	
Imt20-Pa13fgz	
Dm900hz	
K0147nz	
P0918xf	
43apa42c	
C0128cb	
205s-Sbu	
235sa	LOADING STATION AUTO-MANUAL ELECTRONIC ANALOG
P0918yp	
P0951bxb	
P0400ykfbm	
15a-Ls2-L	
P0971su.C	
760mna-A-Aa	
130fk-N4-C-L/Custom	FLOW INDICATOR CONTROLLER RANGE 0-10 IN/OUT3-15PSI
Sri986-Bids7eaana	Weight: 2,000 KG Customs Tariff Number: 9032.8100 Country of Origin: France SRI986 FUNCTION: For mounting on actuators, with electrical input signal B VERSION: single acting I INPUT: Input signal 0/4 - 20 mA D EFFECTIVENESS: Standard: Rising input - Rising output S BUILT-IN LIMIT VALUE: without 7 CABLE INTRODUCTION: M20x1.5 with a plastic cable gland, color black EAA EXPLOSION PROTECTION: II 2 G EEx ia IIC T6 according to ATEX N KIT: Order as accessory A CONNECTION BAR AND POWER AMPLIFIER: Order as an accessory
P0400ba	
B0193ax	
P0970lw	
863dp-M2d1ns	DIFFERENTIAL PRESSURE TRANSMITTER
P0970pk	

875ph-A1f	
D3001tc	
P0927aj	
D0128kt	
P0911pu	
P0911ql	
B0137vw	
A2048vz	
E17dm-Ikm31a	
D0143sk	PC BOARD
P0918xd	
Ew526034262	
P0912vp	
2anu-D	RACK ANALOG NEST UNIT MODULE 11SLOT
650739	
D0128jy	
823dp-I3	
P0904bp	
C0136tj	
N1207ae	
P0971su	
P0911ca	
P0176ru	
E69f-Bi2-Rs	CONVERTER CURRENT TO AIR 4-20MA 3-15PSI OUTPUT
P0970bp-C	
P0912sy	
235sm	LOADING STATION MANUAL ANALOG
Ms-I3v	
235sz-Ecep8591	
D3007xv	

C0140xd	
A2010se	
871ph1f1b4	
C0136kx	
Dm900jc	
130fb-N4-A	
P0903bx	
C0162jb	
Sr1986cidf7zzzna	
P0961bc	CONTROL PROCESSOR CP40B
761cna-Cw-2	
P0903cv (Uspp)	
P0970kg	
235sj-V	
Cf200bx	
C0162ka	
D0128cz	
D0137as	
A2050vp	
B0129bc	NITINOL CONTROL
A2048gy	
3cdic-A	DEVICE GATEWAY 120VAC FOXNET
740ra-A3000cq	CHART RECORDER CIRCULAR 12INCH 120VAC 50/60HZ
281h-Saba	
P0400yv	TRANSMITTER I/O INTELLIGENT FBM18
P0970xm-A	
C0136tr	
J0200rb	
3a2-V2d	
235sm-B	
P0917hx	

Cm400zd	
B0138ea	
135sg	
2500bf-B30f00000	
D0140jf-R	PC BOARD RACK
P0911bw	
A2046jm	
D0137kw	
D0140ja	PC BOARD MEM DC DC
Ms-220s-Green	
43ap-Fa42c/Ias-Fg	
821gm-Is1nl2	
B0133nr-U	PC BOARD PROCESS CONTROL
D3011se	
P0911km	
2893-Sbbb-Ppg-G	FLOW TUBE MAGNETIC PLATINUM ELECTRODE LIQUID
Igp10-A52d5d	
D0134pu	
P0400yl	PROCESSOR MODULE FBM10 120VAC
Rtt20i1bnqfnd1	
Igp20t22e21em2l1	
B4016gn	
B0133ta-B	PC BOARD
C0162bx	
L0113xx-B	PC BOARD PROCESS CONTROL
823dp-I3k1nl2-C	PRESSURE TRANSMITTER 3000PSI 12.5-65VDC
600-3492-01	
873rs-Aiwfnz	
D0128vk	
A2048dp	PC BOARD MEM SEC/SCN

144/244Id Obsolete	
119716	
D0134ps	
Idp10-D22a21f-M1c1	
D0124vd	
Imv30-22ac21d-M1v	
E99-Pain	
Dm500sg	
62hz-4ec-0h-L	
Dm902by	
255pk-M2n	DISPLAY STATION
P0400ye-0j	I/O PROCESSOR MODULE FMB04 0 TO 2MA
11dm-Cs2	
P0918xh	
Idp10-D20d11f	
3f8-D2ksa	PC BOARD DIGITAL TO AC CONVERTER DIGITAL OUTPUT
2ai-T2v-Fbg	PC BOARD PROCESSOR
P0911cw	
P0912cn	
Igp10-D22d1f-M11v1	
D0134uk	
3a2-R2dp	
135t	CONTROLLER COMPLETE 20-22PSI OUT 3-15PSI
D0140jf	PC BOARD
Bo197bb	
B0133lc	
43ap-Fa42c/Pb-Aa	PNEUMATIC CONTROLLER 0-1000PSIG
Idp10-Tf1c01f-S2r111t	
N0142nu	
B0131ap	

Dm700dr	
1-1/2-82f5e4	
Lcm-4	
2ai-F2v	
2ai-F2v-Fsc	
C0136yq	
D0134lj	
Rtt15f1snjnafm1k	
D0137pd	
N0811gkaa	
Cft50-B1eadbr-A	
Ai2-Dc	Shunt Module
B0137nr	
136-5-1	PNEUMATIC RELAY COMPUTING
N0308kk	
E69f-Bh2-Cs-E/Cna	
P0918wq	
B0133sq-C	
P17000000111	PROCESSOR 120V
4817512	
P0700ah	
2arps05-A6	POWER SUPPLY 120VAC 60HZ 24VDC AT 3A 15VDC AT 5A
Igp10-A20e1c-M1	
P0940nf.D	
Ew526034163	
Ebzg-An	
P0176rv	
C0141rx	
112	
D3001ed	
0-5000mmh2o	

P0904fh	
C0136yz	
U101cp	
C3203dm	
Em-Ia4207a	
C0140zt	
K0175bl	
P0918ym	
C0136nz	
L0121ch	
D0128wz	
C0131cf	
2ao-L2c-D	CONTACT SOLID STATE OUTPUT ISOLATOR SPEC200
V726dcvfb	
43ap-Fa42c/Esj10cu-Cs-E/Fn-A	
96.D.2053	
43ap-Pa25n	
B0135sg	
P0900eu	
823dp-I3knm2	
761cna-Dc-1	
2ax-Am	CONTROL BOARD
E11gm-Hsaa1	
Igp10-I23cif	
Rtt20-D1snqfd-L3m1	
A2047fs	
D0137jp	
22705	
250pm-M2n-S	
220s-Red	

S61c11111000	
83w-D04s1sstna	
P0800az-G	
2ax-Dpb2	MODULE POWER DISTRIBUTION DUAL LOOPS
Cft50-B1eaebr-B	
C0162kc	
875ec-A3f-A	
G0113cv	UCM PWR SUPPLY
Idp10d22b01fb121	
C0162kb	
P0911bt	
E83s-02ti	FLOW METER
D0128lb	
Dm700ks	
D0128wy	
N0143sy	
B0131xn	
43ap-Fa42c + Pb-Ba	
B0133td-F	PC BOARD RACK
2d8044	
D0134fs	
B0131ks	
P0911yg	
D0124va	
P0903qe	FIBER OPTIC FIELDBUS MODEM
N0811qv	
C0138zb	
X0201ly	
B0135lh	
P0400vs	

Igp10-T52e5p-l 1s2	
P0911hd	
B0134sv-K	
Lo117a1-C	
B0131ba	
Idp10-A22a11f-M1	
Dm900jm	
D0140ay	128K MEMORY BD
40pr-Rym3f	
C0153kf	
18594b	
C0149ed	
A2047uj-K	
240-Sd	DISPLAY STATION
P0170pc	
P0900gb	
612366	
Sri986-Bidf7eaana	
P0916jw	
43ap-Fa42c/Esa21an	
N0812aaad	
Imt25-Peatb10n-Ab	
43ap-Fa42c/Pb-Ba	
99180	
868840	
C0136nu	
C0162jp	
75rta-Pdefb	
P0176uc	
B0131wme	
P0500pe	

E96p	
D0137pw	
P0400vr	PROCESSOR MODULE CP10
P0911yt	
B0133sq-D	
66259	
D0130bm	
P0700hu	
Ptea-V	Totalizer- Model 75TUA 75TUA
Sri990-Bims7eaa-Y	
P0911bf	
D0128kl	
Ad-8843	
2axdp10eh	
D0137asa	
D0137ky	
130k-N5-Ecrb-LI-Pf	
119564	
760rna-2a6c	
B0300ap	
Po400yk	
P0917yz	FIELD CONTROL PROCESSOR MODULE FPC270
Ko143aa	PWA CONTROLLER
D0130bn	
863dp-H2d1ss-A	
B0132wj	PC BOARD
P0902yy	
C0149eb	
P0914tk	
C0162kf	

872-20ams-4	
P0912ce	
762csa-2a	MICRO CONTROL
3a2d31	
P0961ef	
B0133ln	
Dm902ce	
P0912dl	
710d39112	
99a-411	
D0130cq	
N0309le	
761cna-Ac-1	
111-A	INDICTAOR
G0103ts	
P0400ye-0l	
D0137py	
3a2-V3d	
N0810zb-Kf	
119575	
L0113cx	PC BOARD SECURITY
3clpba	
B0131az	
130fk-N5-C-L/Custom	
A2048we	
C0162jq	
230sm-G	
2ak-10	
8000-Sa24-G	
250pmvm2n5	
873phaiycgz	

D0139dh	
Pr-23ubs-006	
870itec-Awfnz	
Idp10-D22b21f	PRESSURE TRANSMITTER 12.5/42VDC 3625PSI
138lp-4-C	
P0970kj	
P0911he	
D0134an	
P0916ba	
87210amsb	
84su02tjrfn	
202s-10-Ssssfssfssss	
Di4 4 Dcon	DI4 Module
D3001bp	
871ec-Tf3-V	
M/63r-Ob-H	
898418	
P0970bm	
E96p-Ifnf-St.A	
84w-T03s1ssvje	
3as-I3i	MA/MA CONVERTER
E20s-I2fb6	STRIP RECORDER 2PEN 16DAY CHART 125V60HZ 4-20MA
M0156ag	
2ao-V3i	VOLT/CURR CONV
P0916rb	
Basm02	
D0146ap	
Imt25-Pdad10m-G	
760cna-Bt	MICRO CONTROL
821gm-Is1nh2	

P0970ej-Dnbx	INTERFACE EXTENDER MODULE DUAL NODEBUS
Ip24-Akdzzz / Ecepat0677 Obsolete/Replacement Ip26-1000	
D0134sd	
Fws-Su1	
B0142dq-B	POWER CONVERTER BOARD
G100nz	
P0917ll	
D0134sf	
P0500sc	
83f-T01s2dtte-N	
P0912gu	
B0133ug-D	
873rs-Aixfgz	
127s-3eb5	
Pr-23ubs-000	
33-13-036	
13fa-Ms315-0-100wc	
Srd991-Chft1ea4nr-V01g	
66bc-Oh	
827df-Is1nmsa1	
Dm700dz	
Ebzg-R	
2drps-A6	SPEC 200 P/S
P461000000rf	MOUNTING STRUCTURE 120V 50/60HZ 100MS HOLD UP TIME
P0901rh	
2ac-Sm	
2b8203	
D0137sgb	
Ew533462032	

D0126bt	
P0926ht	
P0970ps	
Sm1180e17	
871ph-1a1a	
P0917cl	
P0500sr	
63953	
1-82f5e4	
873ec-Aiwfnz-7	
Rtt20i1bnkfn3I3	
843dp-M2i1ns-M	
P0972bd	
P0970pm	
D0134aa	
Igp20d22e21fb1z1	
A2048vy	
136-4-1	RELAY COMPUTING 3-15PSI
2ak-Ff175	
D0137nw	
E94-Qxxs	
A2040ur	
Iap10-D22c1f-M2I1	
13t-S04	TRANSMITTER TARGET FLOW
500-Bg3-7	
P0922ua	
D0130cz	
F-A1hs3sdtmf-H	
P0500nz	
M0154xx	
P0917lv	

C0162je	
B0138ra	
P0911by	
C0136yj	
823dp-13k1nm1	
D3001ee	
G0114nk	
130f-N4	
Igp10-I22d1f-M2t	
Ph10-3n2a	
3a2-I3da	
3a4-D3i	
D0128kd	
761cna-Cc-2	
2drps25-A6	SPEC 200 P/S
875eca2f	
D0140vb	
Jo136ea	
P0911bq	
C0149ec	PROPORTIONAL INTEGRAL CONTROL UNIT
P0911cm	
P09011sb	
2ax-Int-L	MODULE INTERGRATER SQD ROOT NO301AL
L0117av	
2arps05-A6	
B0133kx	
2ah124-24fx	
3c4-D2cs	
No304ts	
P0918xs	

870itec-Axfnz-7	
C0136ncda	
A2047va	RACK BUS INTERFACE
U-102-Nz	
75tua-Ptsa	
Co124cs	
3a2-M2d	
D0143sl	PC BOARD
873rs-Aipfgz	
Igp10-A22d1c	HI PRESSURE TRANSMITTER 12.5-42.0VDC 300PSI
F0109bqc	
Fps400-24	POWER SUPPLY
Q0106kn	ION PROBE FLORIDE MODEL 94-09A
823dp-13s1sh2	
P0916db	
13a-Ms2	
Ao2 4 Dcon	AO4 Module
B0131bq	
62h-2e-0h	
D0134aa-Ca	
Idp10-A22a21d-M1v	
L0118wf	
Cm400ze	
B4017bx	
Ew502081242	
57630-445	
E96p-Ia-D	
Idp10-T22b21f-M111	DIFFERENTIAL PRESSURE TRANSMITTER 7.2PSI
P0400vp	COMMUNICATION PROCESSOR CMP10
P0151hd	

D0137js	
P0912tz	
P0900fc	
P0922qs	
D0137am	
P0913af	
Fbm241c	
760cna-At-1	MICRO CONTROL
B4017by	
L0119rt	
P91paf1	
Idp10-D12b21f-M1h	
D0137ec	
Srxg-K	
P0400qi	
P0970lw-G	
58p4w-Gafc	
C0136ny	
P0970mv	
B0154rr-E	
Ep402a2b2t1	
C0146ng	
P0917mf	
B0142ce	MEMORY PWA R/W PC BOARD ALARM
B0154rz	
2ax-Dpio	
P0903vj-C-A071	POWER MODULE
B0190ag	
P0924df	
Po400vr	

2ai-P2v-Fgb	R-V CONVERTER
760rnb-3ast	
K0143cg	
83	
P0922vu	FBM215, HART OUTPUT, 8 CHANNELS
62h-4e-0i-G	
P0960qw	
N0305xe	
P0400yr	EXPANDER INPUT OUTPUT 120VAC
J0200rf	
D0124uz	
P0911qb	
2b8318	
P0961aa	
V726	
Ad-8810	
Ebzg-Bn	
P0911bj	
Igp20d35e21fb1z1	
Igp10-T22d1f-K1t	PRESSURE TRANSMITTER 12.5-42VDC 0-300PSI
D0137jr	
C0162kg	
D0128ld	
Sri986	
P0800da-N	
2b7801	
3a2-F2d	
P0970pj	
871cr-A3t1c1a1	
2ax-Am-C	
873	

C0136nl	
3a2-Q2d	
3a2-D3ib	
N-2ai-P2v	
E96s-Ia-E	
P0176rw	
230sm	
P0912dk	
2ax-Ssl	MODULE SIGNAL SELECTOR HIGH/LOW
823dpd1p1cm7-Cm	
D0130bq	
13dmp-Msak31a	
2ap	
B0131bg	
D0137jv	
D0140xb	
Him-Hart3ao24dc0000din	
Dm900hy	
P0912ar	
Idp10-Ds1c01f-L1	
B0133ld	
873ecaiwfgz	
P0911wc	
760cnaatr	
N0304wb	
A2049hc-B	
D0126bn	
E69ft12jrcsefda	
P0970wb	
C0130yb	

Ew425196027	
D0124uc	
111	INDICATOR VARIABLE MANUAL SET POINT HIGH-LOW ALARM
D3001em	
P0500gm	
Fe2111sb	
75rta	
E20s-V2fb6	
C0162jz	
Ipm2-Po904ha	
K0143cu	
Idp10af1c01f	
L0113cp	PC BOARD
P0900hj	
Idp10af1c1fsorjl	
244lvp-Ss8b3nnh1c4-M	
67hae0h	
C100cx	
Do4 4 Dcon	DO4 Module
Lo113xs	
40pr-Rfm2f	
B0193dj	
Dm900jd	
Ew424851019	
Srd991-Chns6ea4ny-V06	
761cna-Jw-1	
D0137ef	
P0926qx	
P0700af	
B0132gu	

N-2cca-Sc	
33c-Ak-U	
Srxg-B	
P0970ej	
871a-3f	
10114kx	ASSEMBLY
D0128qj	
N0309sw	
841gm-D12	
40pr-Rfe2fk	CHART RECORDER FLUSH ELECT 2PEN FIBER ES EN EP
2as-I2i	
C0136ty	
82-51-2013-03	
2500mf-F0f00000	
P0170pd	
Ebzg-H	
Imt96seadb10kab	
P0911ln	
P0151rc	
3c4-D2vs	
821am-Ls1nh2	
2b8105	
P0972qm	
2ax-Rpg	
E69p-Bi1r	
E27-Af+ea5-St.A	PROCESS CONTROLLER/INDICATOR
C0162jf	
D0141da	
1210gl	ELECTRODLESS CONDUCTIVITY SENSOR
Mt13-Njis-012	
13dmphsbk31a	

P0918cd	
43ap-Fa42c-Ta1a	CONTROLLER PNEUMATIC INDICATING 0-250F
Di4	Digital Input Module 4 channels RLY4
C0136js	
P0916de	
P0971uz	
E83fa-01s3sgedec	
J0200ra	
P0951cn-Ipm26	
P92104560200	
870itcr-Awcnz	
G0108ld	
D0134nb	
C0162hx	
762-Cna-At	762 Controller
C0140zs	
870ec-Lb14d	CONDUCTIVITY TRANSMITTER
D0137ed	
P0970pn	
P0400zr	
2ai-I2v-S4w	
P0900ft	
P0119be	
F0100ak-B	
E13dm-1kam2	TRANSMITTER ELECTRONIC
C0162jq	
V738	
P0170ns	
D0128wf	
2ac-M2	

P0170ny	
P0916ta	OUTPUT MODULE FBM242 16POINT 2AMP 60VDC RELAY
C0149td-Ea	
B0134zz	
C100ee	
P0918ys	
62h-5e-0h	
P91v-3pdn	
P0917le	
Dm900ht	
P0911bp	
13a-MS1-OS-Fc-1	
2ak-F70	
43ap-Fa42c	CONTROLLER 43AMP TEMPERATURE IN 3-15 OUT 0-150
P0940br	
P0911an	
244ld-Si3r2rnnhd1c-L	
870ec-Sp18a	CONDUCTIVITY TRANSMITTER
P0900gc	
D0124vq	
595-2686-11	
Ip26-1000	
P0917ca	
2ax-A4-S	CONTROL BOARD
E45p-Pfni/Pb-Pf-St.A	
P0970mu	
43apfa42cpc00ias	
Q3d	
P0914sv	
Imt25seatb11n	
P55000112210-Wp51	

P0918bp	
P0901vk	HARD DRIVE 80MB W/AP20 SOFTWARE
Type V740 Dwvfb,Dn 1quot; Pn 300/ P/N:119560	
11gm-Bs2	
43apfa42ctsss1a1	
P0151js	
Sri 990-Cims7eaa	
A2048su	MODULE MPLX NEST
138sp-4	
2ax-Dp10-Fgb	
P0920aa	
Ah395791	
C0136lm	
N0999kp	
26526	
870itec-Awaaa	
P0911wj	
P0400vu	PROCESSOR MODULE WORKSTATION 20 WP20
P0911lp	
760csa-3a	SINGLE STATION MICRO Controller
202s-07-Sssfssesnf	
823dp-I3k1nm1-Y	TRANSMITTER PRESSURE DIFFERENTIAL
B0142dq	POWER CONV BD
57625-440	
D0148tg	PROCESSOR BOARD
Foxboro-Membrane-F3;R-Eckardt- Antrieb-6813-239-Istanbul-Turkiye	
P0902wl	
122-Fe	RECORDER 2PEN PNEUMATIC PROCESS SIGNALS 16DAY
Imt20-Pa23fgz	

2ax-Dpio-E	
244ld-Ks3r2rnhd1c-M	
P0912zv	
P0917ch	
Imt25ieatb10nab	
A2045ck-L	
E96s-Ia-B	
C0162hz	
3a2-T2dk1	
D0130fh	
P0912cf	
75tuaptea	
Sri990bims7eaay	
P0972sf	
D0128xv	
22592b153	
B4016gm	
8004a-W cr-Pjgfgz-A	
P0800ke	
A3307cm	
227s-2r6	
2ao-V2h	
8006a-W pr-Kjgcnz	
P0960aw-Of	
L0119tr	PC BOARD PROCESSOR
530046tx	
873ec-Aixcgz	
P0912dy	
Cm902wm	
870cc-14	
Cm400yk-Of	

A2049elh	
D0137kx	
75tua-Ptea	Totalizer
873ph-Aixfgz-7	ANALYZER PH ORP 120VAC DC OUT W/STORMDOOR
P0917ck	
D0134sc	
P0170pl	
Fbm241	
Imv30-D22be21f-M1c2	
D0130ax	POWER REGULATOR DC PWA
7530-1006	
12a-75-200c	
760csa-3a-1	
873d0-Aiyfgz-7	
C0136yb	
Srxg-F	
Cft10-Paenfns	MASS FLOW TRANSMITTER
P0970my	
C0136kr	
Idp10-D22c21e-L1	
Co138wm	
8000-Sa10-G	
B0131bh	
P0916jt	
130fd-N	CONTROL STATION W/SUBPANEL W/LOCAL SWITCH
J0200rc	
Dm700bc	
D0128ks	
Sh1-123-28-5	
2500ef-S3b1	

C0162ju	
L0111kw-A	PC BOARD
P0903ze-0d	
202s-06-Aisfs	
A2048jcd-1	
Srd991-Bhns6ea4ny-V06	
C0162jj	
53600-T-Each	
Fbm1	
Idp10-D22b21f-M1c1	
D0128qh	
P0918yz	
P0904hb	
Srd991-Cpns1eaanr-V06g	
2ax-T5	
Q0110am	
C0162hw	
693at-Ojd-6	
P0122mb	
D0128vd	
Cft15qaefnn	
760rnb-3a6t	
870cc-14-P	CONDUCTIVITY TRANSMITTER ELECTRONIC 0-100PERCENT
P0918xt	
C0162jw	
2ao-V2i-Ulb	
D0137ax	
Iap10-D22c1f-M1	PRESSURE TRANSMITTER ABSOLUTE
Type V740 Dwvfb.Dn 2quot; Pn 300	
E69f-Ti2-Rs	
Imt-25	

L0122ju
P0912as-Zap20
P0800kd
D0162uq
P0912cd
43ap-Fa45n/Ta-La
P0970kta
2ax-Vf
P0912cm
Cm400yk
D3001mx
Imt25pdadb11lab
P0918xc
2ax+tim
1700-003-J
P0912mp
43apfa42
220s-4r5
Dm700kl
F362-4919-Pt-1
C0162jt
Idp10-T26c26m-M2I1
D0134ql
D0134sb
138lp4b
C0162jy
910-Eb4
542846tx
Ebzg-On
33004t

Dm902cc	
A2040xb	
Ova-128	
2ax-Almb-R	
P0918xu	
Srxg-I	
D0137an	
761cna-Dt	
Ec-10216	
D0130eq	
A2040us	
130fb-N4	CONTROLLER INDICATING CONSOTROL
2anu-P	
P0972vl	
D0134se	
Djr 743/35	
P0800dg-K	
00128jb	
P0176vt	
B0136cg	
P0970lk	
P0960ah-Oc	
P0400cv	
P465000000hh	
Pr-13nbs-012	
Dm902cb	
C0136nt	
G0114aw	
P0914tn-Fbm211	FBM211 DIFFERENTIAL 16 INPUT 0-20 MA
P0912zb	
Ew414426011	

B0119zs	
Co136hz	
0-750mmh2o	
2ak-F100	
760cna-Cw-2	
P090ja	
A2047vs	
C0140xe	
170-Ncum-032	
L0117bs	
D0134ab	8K MEMORY BOARD
A2051gv	
P0926gj	
Idp10d22d21fb1z1	
L0119mt	
Imt25peatb10n	
Ld134-21e-Srs77711-Ag2	
220s-2f6	
Fp100an	
130m-N4	
896-Pa-A	
A2048jv	PC BOARD
Cm900wa	
A3307cl	
Dm400yr	FIELD BUS MODULE VACUUM EXPANSION IO
3ad-I3ia	
P0912cp	
C0140xa	
Sri990-Cims7eaa	
P0918yj	

P0961dh
P0911kw
N119xy
E96r-Ia-E
P0900hu-0d
828837
Ss600bk
P0912dj
83sa02tnamn
Sri986bids7eaana(Ex.6986520)
Automatic Control Section For Model 130 PL 004-560
B0132ug
P0400hh
761cnaadt
P0918yr
No309xf
C0146pd
P0912xt
D0130ck
130fd-N-Ecep
Himhart/3a0/24dc
2ax-A2
Pm400yp
P0800mw
P0911lh
84w-T1hs1srtjy-N
Pm400yr
C0162hy
P0940pa.D
E27amsaea4
P0912cg

D0128wj	
Idp10-Tf1b01f-S0r4l1	TRANSMITTER PROPORTIONAL FLOW
760csa-3a-3	MICRO CONTROL
P0903cw (Uspp)	
230sm-A	
841gm-Ci1	
823dp-I3s1nh1-Y	
C0136ts	
Igp10t22d1em1a1k	
Iapht008	
D0130cl	
B0133lb	
693at-Ohc-6	
P0923db	
D0128jw	
61h-4e	
C0146ut	
2ai-C2l	
P0911lg	
P0911vd	
L0119np	
Imt25-Seatb10m-B	
D0141av	PC MEMORY BOARD 3K MEMORY
1mt96seadb10kab	
823dp-I3s1nl2	
Fbm-4-Ai-A0	
11gm-A-S-2	
130pd-N	
Dm400yp	Expansion Input
P0970pt	

D0128kn	
75tua-Ptea-V	Totalizer 2A8607, 2A8840
C0146xn	
P0922vw	
C0136kw	
P0900fj	
C0162jx	
P0923lr	
871ecsposta	
N0812aa	
D0134qn	
P0915fu	
Fbm202	
P0971uy	
P0170sr	
Parts Set 244ld-.....-N Obsolete	
2ax-Sbf	
P0400da-0k	FIELD BUS MODULE
760cna-Cc-1	
760cna-Jt	
P91paf3ht	
Igp10d22d1fl1	
696a-2j01-Z0	
D0137ee	
Ms863dpa21ns	
Fe12050	
P0970kh	
D0137af	
V726 Dcvna(Ex. Jcedn100-Pn10-16)	
C0162jl	
A2046he	

2ax-DIs	
F362-4900-Pt	
D0128cy	
P0500uy	
2axb5	
Eu2500m-Rly4	Relay Module RLY4
E69f-Bi2	
Imt25-Sdadb11I-Ab	
863dp-M2d1ss-M	
Cr003nn-M	
A2045cm	
P0122qql	
P0916xl	
B0133la	
144fp-C11c0ssp11c4pm1h-A	
J0200rd	
D0128qa	
870itec-Axfaa-7	
760cna-Ew-2	
Ebzg-Gn	
P0917lh	
P0916ad	
P0176sa	
Ew424069075	
P0912cq	
2ax-Dpb3	
P0151ww	
E96p-Ibcs-E/Fn-A	
2001101	Filter Board
Frs923-1sk	

870cc-09-P
2ak-M20
P0400da
202s-10-Sssnsnsnsns
P0918yn
C0136jr
D0137tg
P0911yh
De-Bg
Ap011na
P0917ls
M40g
E96p-Ia-E
2803-Saba-Tsa-G
P0901rk
871ecsp0v
P0800av-L
P0911pv
P0917lp
E91-Rfn2i
P0920ah
316-Ss0-300
2893-Sbbb-Ppa-G
P0960ha-0s
D0137ad
P0726zy
E27-Af-Sa+ea4-St.A
P0911bx
C0136jp
740ra-A3333-N
238303

Igp10-D22e1f	
P0400yq	
130zw-N4	
875ph-B2c	
Alm-A	
P0120ml	
P0970mz	
Pr13bbs010	
Srxg-L	
D0137sk	
P0970wx.C	
Srd991-Bhns7ea4nr	
C0136yp	
P0400ve-F	
D0134fr	
595-3096-01	
D0128vc	
P0961ca	
75tca-Ptea	Panel Controller
D0128vb	
40u	
P0911ld	
P0923rq	
Dm902cd	
L0117ag	
C0143ah	
Dm700al	
8000-Pa15-G	
E27afsap	
N0308ly	

P0912kg	
P0917cb	
P0901xw	
D0114rb	
Ms-220s-Blue	
C0140wh	
A2048wb	
Ep485qtf0065mxx	
863dp-M2d1cc-C	
P0400ve-0h	
D0134ae	
P0400yg	I/O Module
A2047vsg	
C0136tz	
P0400zc	
Dm500sc	
Dm900wv	
870ectf33mp	
Aa-8212	
E69r-I2	
823dp-I3s1sm2-M	ELECTRONIC TRANSMITTER 12.5-65VDC
P0917gz	
G0114te	
800ha-W cr-Pjgfna-A	
G0114sw	
Pm400da	MODULE FIELD BUS 0-20MA OUTPUT
871cc-C2	
P0918ry	
L0122jw	
2ai-P2v-Pga	

Ai4/Ma	AI4 Module
Dm900ny-0a	
D0128lc	
Igp20-D22d01f-L1	
Dm902bw	
A2048wy	
C0136ns	
Idp10-T22d21g-M2l1b2	
D0140aa	
P0901rj	
861gm-Ad1	
A2045bh	
F0109ac-B	
Flat Seal/Stuffing Box Packing For Seat 42 Mm Kvs 40 M3/H	
A2054kr	