



Frako

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Frako Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Frako Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Lkt 3.33-440-Ep	230V 0,9kVAR-280V 1,4k MONOFAZE KONDANSATOR
Lkt 4.17-525-DI	400V 2,4kVAR-440V 2,9kVAR-525V 4,17k
Lkt 5.0-440-DI	400V 4,17kVAR-440V 5k
Lkt 7.6-440-DI	400V 6,25kVAR-440V 7,6k
Lkt 10-440-Dp	400V 8,33kVAR-440V 10k
Lkt 15-440-Dp	400V 12,4kVAR-440V 15k
Lkt 25-440-Dp	400V 20,7kVAR-440V 25k
Lkt 10-440-Db	31-10412
Lkt 12,5-440-Db	31-10379
Lkt 20-440-Db	31-10436
LKT 25-440-DB	Power capacitor, three-phase Nominal power: 20.7 kvar at 400 V. in an aluminum cup 85 x 278 mm Nominal capacity: 3 x 137.0 µF including factory-fitted Terminal block AKD 30/3
LKT 33,3-480-DP	Power capacitor, three-phase Nominal power: 23.1 kvar at 400 V. in an aluminum cup 85 x 320 mm

Ürün	Açıklama
	Nominal capacity: 3 x 153.4 µF including factory-fitted Terminal block AKD 30/3
LKT 30-440-DP	31-10509 LKT 30-440-DP POWER CAPACITOR including mounted connection part AKD dxh = 85 x 320 mm
K3-90K00230	Capacitor contactors up to 80 kvar with leading resistance contacts for damping charging current peaks Coil for 230 V / 50 Hz
K3-62K00230	Capacitor contactors up to 50 kvar with leading resistance contacts for damping charging current peaks Coil for 230 V / 50 Hz
K3-50K00230	Capacitor contactors up to 33.3 kvar with leading resistance contacts for damping charging current peaks Coil for 230 V / 50 Hz
LKT 25-400-DB-	31-10402 POWER CAPER including pre-assembled AKD connection part dxh = 85 x 278 mm
K3-115K00230	Capacitor contactors up to 100 kvar with leading resistance contacts for damping charging current peaks Coil for 230 V / 50 Hz
LKT 7,5-480-DD60	Power capacitor, three-phase Rated capacity: 7.5 kvar at 480 V. 5.25 kvar at 440V in an aluminum cup 85 x 163 mm Nominal capacity: 3 x 28.9 µF including factory-mounted Terminal block AKD 30/3
LKT 7,6-440-DL	Power capacitor, three-phase Rated capacity: 7.6 kvar at 440V 6.25 kvar at 400 V. in an aluminum cup 60 x 225 mm Nominal capacity: 3 x 41.7 µF including factory-mounted

Ürün	Açıklama
	Terminal block AKD 25/3
LKT 10-440-DP	Power capacitor, three-phase Rated capacity: 10 kvar at 400 V. 8.3 kvar at 400 V. in an aluminum cup 60 x 225 mm Nominal capacity: 3 x 54.8 µF including factory-mounted Terminal block AKD 25/3
LKT 28,7-525-DP	Leistungs-Kondensator, dreiphasig Nennleistung: 28,7 kvar bei 525 V 20,2 kvar bei 440 V im Aluminiumbecher 85 x 320 mm Nennkapazität: 3 x 110,5 µF inkl. werkseitig montiertem Anschlussklemmblock AKD 30/3
Kondensator 440v 12,5kvar	
Kondensator 440v 15kvar	
Kondensator 440v 20kvar	
Kondensator 440v 25kvar	
Kondensator 440v 30kvar	
85321000	Power capacitor, three-phase Nominal power: 23.3 kvar at 400 V. in an aluminum cup 85 x 320 mm Nominal capacity: 3 x 154.6 µF including factory-fitted Terminal block AKD 30/3
LKT 25-400-DB	POWER CAPACITOR including mounted connection part AKD d x h = 85 x 278 mm
K3-32K00230	
LKT 5.0-400-DB	5 KVAR
LKT 7.5-400-DB	
LKT 12.5-400-DB	
LKT 10-400-DB	3P 10kVAr 400V Condenser

Ürün	Açıklama
LKT 15-400-DB	3P 15kVAr 400V Condenser
LKT 20-400-DB	3P 20kVAr 400V Condenser
LKT 25-400-DB	3P 25kVAr 400V Condenser
LKT 3,6-400-DL	3P 2,5kVAr 400V Condenser
LKT 5,0-400-DB	3P 5kVAr 400V Condenser
800 V 30 KVAR CAPACITOR	
LKT 18-480-DP	Power capacitor, three-phase Nominal power: 12.5 kvar at 400 V. in an aluminum cup 70 x 265 mm Nominal capacity: 3 x 82.9 µF including factory-fitted Connection part AKD 25/3
LKT 33,3-480-DP	Power capacitor, three-phase Nominal power: 23.1 kvar at 400 V. in an aluminum cup 85 x 320 mm Nominal capacity: 3 x 153.4 µF including factory-fitted Terminal block AKD 30/3
FDKT 25-400-P7	Filter circuit reactor Nominal power: 25 kvar at 400 V. in a choked design Series resonance frequency: 189 Hz CU insert: 1.6 kg
31-10401	
31-10402	
31-10403	
31-10414	
31-10416	
31-10505	
31-10603	

Ürün	Açıklama
31-10604	
31-10616	
31-10617	
31-10694	
34-72108	
34-72109	
38-00400	
89-00286	
AKD 25/3 FUR D=60/70 3PH	
AKD 25/3 FUR D=60/70 3PH (Alternativ)	
AKD 30/3 for D=85 3PH	
EMR 1100 S /100-690V	
LKI5-440-D50-60	
LKT 10-400-DL	
LKT 12,5-400-DB _ K18-0511	
LKT 12,5-400-DL	
LKT 12,5-440-DP	
LKT 12.5-440-DB (31-10379)	
LKT 15.0-440-DB (31-10406)	
LKT 15.5-480-DP (31-10382)	
LKT 20 400 DB (31-10418)	
LKT 20.0-440-DB (31-10413)	
LKT 20-400-D52 K18-0137	
LKT 25.0-440-DP (31-10510)	
LKT 25-400-DB,85x278mm	
LKT 25-525-DB	

Ürün	Açıklama
LKT 28,2-440-DP K18-0646	
LKT 30.0-440-DB (31-10408)	
LKT 30-400-DB	
LKT 33.3-480-DP (31-10558)	
LKT 7,2-480-DL	
LKT 7.5-400-DB (31-10415)	
LKT11K70400DL50	
LKT12.1-440-D52	
LKT-30-440-DB-K18-0518	
PQC 12002401-0	
RM 9606 = PQC 0602401-0	
RM 1100S = PQC 1202401-0	
RM 2106	
RM 2112	
RM1100 = PQC 1202401-20	
LKT 15,5-480-DP	Power capacitor, three-phase Rated power: 10.8 kvar at 400 V in aluminum cup 70 x 265 mm Rated capacitance: 3 x 71.4 µF incl. factory-fitted Terminal block AKD 25/3
LKT 15,5-480-DP	Power capacitor, three-phase Rated power: 10.8 kvar at 400 V in aluminum cup 70 x 265 mm Rated capacitance: 3 x 71.4 µF incl. factory-fitted Terminal block AKD 25/3
LKT 28,2-440-DP	Power capacitor, three-phase Rated power: 23.3 kvar at 400 V in aluminum cup 85 x 320 mm Rated capacitance: 3 x 154.6 µF incl. factory-fitted Terminal block AKD 30/3

Ürün	Açıklama
LKT 30-440-DP	Power capacitor, three-phase Rated power: 24.8 kvar at 400 V in aluminum cup 85 x 320 mm Rated capacitance: 3 x 164.4 µF incl. factory-fitted Terminal block AKD 30/3
LKT 33,3-480-DP	Power capacitor, three-phase Rated power: 23.1 kvar at 400 V in aluminum cup 85 x 320 mm Rated capacitance: 3 x 153.4 µF incl. factory-fitted Terminal block AKD 30/3
LKT 12,5-400-DB	Power capacitor, three-phase Rated power: 12.5 kvar at 400 V in aluminum cup 70 x 225 mm Rated capacitance: 3 x 82.9 µF incl. factory-fitted Terminal block AKD 25/3
LKT 10-525-DP	Power capacitor, three-phase Rated power: 5.8 kvar at 400 V in aluminum cup 70 x 225 mm Rated capacitance: 3 x 38.5 µF incl. factory-fitted Terminal block AKD 25/3
LKT 28.2-440-DB	
31-10407	POWER CONDENSER incl. mounted connection part AKD d x h = 85 x 278 mm
LKT 2.4-480-EP	
LKT 3.6-480-EP	
LKT 6.0-480-EP	
LKT 1,0-400-DL	
LKT 1,5-400-DL	
LKT 3,6-480-DL	
LKT 5,0-400-DB	
LKT 7,5-400-DB	
LKT 10-400-DB	

Ürün	Açıklama
LKT 12,5-400-DB	
LKT 15-400-DB	
LKT 20-400-DB	
LKT 25-400-DB	
LKT 30-400-DB	
LKT 28.2-440-DP	POWER CAPACITOR 31-10535 incl. mounted connection part AKD d x h = 85 x 320 mm
CAPACITOR LKT-28,2 440 - DP FRAKO	
10 KVAR 525VAC 3-PHASE POWER CAPACITOR	
12.5 KVAR 525VAC 3-PHASE POWER CAPACITOR	
20 KVAR 525VAC 3-PHASE POWER CAPACITOR	
25 KVAR 525VAC 3 FAZLI GÜÇ KONDANSATÖRÜ	
LKT30-440DP	
25 KVAR 525V CONDENSATOR	
LKT-25-400-DB K18-0512	
31-10407-	LKT 25-440-DB POWER CAPACITOR including mounted connection part AKD dxh = 85 x 278 mm
31-10535	LKT 28.2-440-DP POWER CAPACITOR including mounted connection part AKD dxh = 85 x 320 mm
31-10437	LKT 28.2-440-DB POWER CAPACITOR including mounted connection part AKD dxh = 85 x 278 mm
LKT 25-440-DP	31-10510 POWER CAPACITOR

Ürün	Açıklama
	including mounted connection part AKD dxh = 85 x 278 mm
LKT 12.5-440-DP	31-10507 LEISTUNGS-KONDENSATOR inkl. montiertem Anschlussteil AKD d x h = 70 x 225 mm
31-10558	LKT 33.3-480-DP POWER CAPER including pre-assembled AKD connection part dxh = 85 x 320 mm
LKT 3.8-440-DP	Three-phase VN: 300 V...480 V, Capacitance: 3*20.8µF, Rated current at50 Hz: 5A, Dimensions(d x h): 60*150, Spring tension terminal: AKD 25/3 for 2 × 6 mm ² , Art.-No. 31-08000
31-10417 Lkt15-400-Db	
Fdkt 50-400-P1	FILTERKREISDROSSEL
Ltk 7.5-440-Db	
31-10510	
Lkt 33.3-480-Db	LEISTUNGS-KONDENSATOR inkl. montiertem Anschlussteil AKD d x h = 85 x 320 mm
Ltk 30-440-Db	
Ltk 25-440-Db	
Ltk 10-440-Db	
20 Kvar	
31-10694 Lkt 21,6-480-Hd60 (Price Is Valid Only For 100 Pcs.)	
31-10509 Lkt 30-440-Dp (Price Is Valid Only For 40 Pcs.)	
29-20100	
K3-32k00230 Fra 25kvar	
Lkt 9,1-440-DIs	
Kit10-400-7s	

Ürün	Açıklama
31-10689 Lkt 25-480-DI60 (Price Is Valid Only For 70 Pcs.)	
K3-62k00230 Fra (89-00276)	
Lpm7-230-11	
Ltk 5-440-Db	
Lkt 15-440-Dps	Power capacitor LKT 15-440-DPS - Technical data and dimensions see data sheet 31-10506 LKT 15-440 DPS POWER CAPACITOR incl. mounted connection part AKD d x h = 70 x 225 mm
30 Kvar	
K3-74a00230	SCHÜTZ K3-74A00230 60KVAR FRA SPULE 230V50HZ 240V60HZ B&J
Lkt 12,1-440-DI	
Lkt25?400-Db 25kvar	
Lkt 28,2-440-Dp	
31-10413 (Lkt 20-440-Db)	
29-20083	
Rm 9606	
31-10558 Lkt 33,3-480-Dp (Price Is Valid Only For 43 Pcs.)	
K3-18k10	
31-10416 Lkt 10 400 Db	
Fdkt 12,5-400-P1	FILTERKREISDROSSEL
31-10610	
31-10558	
Lkt 9,1-440-DI	
K3-62a00230	SCHÜTZ K3-62A00230 50KVAR FRA SPULE 230V50HZ 240V60HZ B&

Ürün	Açıklama
31-08003	
K3-32a00230	SCHÜTZ K3-32A00230 25KVAR FRA SPULE 230V50HZ 240V60HZ B&J
Ltk 15-440-Db	
25 Kvar	
Emr 1100 S U=230/400v - Obsolete , Repaced By 38-00400, Type Pqc 1202401-0	
31-10381	
Lkt 30-440-Dp	POWER CAPACITOR incl. mounted connection part AKD d x h = 85 x 320 mm
Lkt 18-480-Dp	LEISTUNGS-KONDENSATOR inkl. montiertem Anschlusssteil AKD d x h = 70 x 265 mm
Lkt 12,1-440-DI (31-10610)	
Pqc 1202401-0 100-240v R250v (38-00400)	
Ltk 20-440-Db	
Hb11	
Fdkt 25-400-P1	FILTERKREISDROSSEL
K3-18nd10230	SCHÜTZ K3-18ND10230 FRA 12,5KVR 230V50HZ 240V 60HZ B&J
Emr-1100	CONTROL RELAY POWER FACTOR W/12 CONTROL CONTACTS
Lkt 28.2-440-Dp	Power capacitor LKT 28,2-440-DP - Technical data and dimensions see data sheet 31-10535 LKT 28.2-440-DP POWER CAPACITOR incl. mounted connection part AKD d x h = 85 x 320 mm
31-08000	
Emz-1102	ENERGY MANAGEMENT SYSTEM V3.20 ROM

Ürün	Açıklama
31-10402 Lkt 25-400-Db	
K18-0814	
31-10612 Lkt 17,6-440-DI (Price Is Valid Only For 70 Pcs.)	
Lkt 30-440-Db	
Lkt 7,2 ? 480 ? DI	
Emr 1100 S	