



Frer

Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye ii kapı teslim fiyat ve teslim s¼resi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Frer Markası, tedarik s¼resi iin l¼tfen bizimle iletiŐime geiniz.

Firmamız Frer T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	Aıklama
X35DL3030R102	earth leakage relays 30mA - 30A Test reset input Aux. supply: 230V / 50-60Hz Hersteller: FRER Herkunft: ITALY Stat.Warennummer: 90303370 Gewicht: ca. 0,25 KG/Stk.
TOROID CURRENT TRANSFORMERS - TDC110	
MCOEAR (FTAR)	SPECIAL DESIGN Transmitter for not sinusoidal alternating current; real effective value (TRMS) (strongly distorted alternating current) Input: 0-2A AC Output: 0-10V DC Auxiliary voltage: 115 + 230V / 50Hz
MCOVS1250X42L	Transmitter for sinusoidal AC voltage Input: 0-250V AC Output: 4..20mA DC Auxiliary voltage: 20-60V AC / DC Weight: approx. 0.25 KG / pc. Manufacturer: FRER Origin: Italy Stat. Lot number: 90303370 No dangerous goods
F96YFC455XSQ	Double pointer frequency meter Voltage input: 2 x 57..440V Frequency range: 2 x 45..55Hz Weight: about 0.3KG Manufacturer: FRER Origin: ITALY Stat. Lot number: 90303370 SMALL dangerous goods
96E 5A 1xIn	
96F2	
CSEMIDMT830	
CSEMIDMT831	
D96EA5PROGO5H	
D96EAXXX5 (0-22 KV)	
D96EAXXX5 (0-800/2400 A)	

D96EV5PROGCOH
D98MS5PROG42
F72EAX1K0C05
F96EAX600X05
FRE TDC110
FRF48HXX565XD2
MC0FP1
MC2UP1005NCQH
MC2UP3005NCQL
MC2UP3PR0GXXH
MC2UP4005XCQH
MCILAN485G32L
MCILAN485I32H
MCILAN485I32L
MCOEAQ
MCOEVR
MCOUP1005NCQH
MCOUP1005XCQH
MCOUP2005NCQL
MCOUP2005XCQH
MCOUP3005NCQH
MCOUP3005XCQH
MCOUP4005XCQH
MCOVC160MX42H
Q96B4W005ICQH
Q96B4W005ICQS
Q96U4H005ICQHF
Q96U4H005ICQLF
Q96U4H005ICQLU
Q96U4H005ICQS
Q96U4H005ICQSF

Q96U4H005ICQSU	
Q96U4L005ICQH	
Q96U4L005ICQS	
SEP45468	
SSHMAX1K0XC5	
TAT0812K0Y05	
TAT0812K5X05	
TAT1013K0X05	
TAT1014K0X05	
TAT127 4000/5A (TAT1274K0L05)	
TAT1272K5L05	
TAT1272K5X05	
TAT1273K0X05	
TAT1284K5X01	
TAT1285K0L05	
TDC177	
TDC321	
TDP010200X05	
X110DL3030R102	
X35DL3030B102	
X48DSX025X10H	
X52DS	
X60DL3030R102	
X98FPXXXXH	
R TDC110	110mm
D94MSBCPCV42V	Bar LED gauge 96x24mm with 30 LEDs Input: 4..20mA DC Display: 0..100% VERTICAL Auxiliary voltage: 12..24V DC (3W) (old designation B94MAXXXB) Weight: approx. 0.1 kg/pc. Manufacturer: FRER Origin: Italy Stat. Commodity number: 90303370
D94MSBCPCO42V	Bar LED gauge 96x24mm with 30 LEDs Input: 4..20mA DC Display: 0..100% HORIZONTAL Auxiliary voltage: 12..24V DC (3W) (old designation B94MAXXXB) Weight: approx. 0.1

	kg/pc. Manufacturer: FRER Origin: Italy Stat. Commodity number: 90303370
FRER X35DL3030R10H	Earth leakage relays 2mod.DIN auxiliary 80-260V AC/DC (Price not discountable) Weight: about 0.22KG Stat. goods number: 90303370 Origin: Italy
FRER TDC110	transformers for earth leakage relays (Price not discountable) Weight: about 0.5KG Stat. goods number: 85043129 Origin: Italy NO dangerous goods, NO dual use
FRER TDC035	transformers for earth leakage relays (Price not discountable) Weight: about 0.2KG Stat. goods number: 85043129 Origin: Italy NO dangerous goods, NO dual use
FRER TDC080	transformers for earth leakage relays (Price not discountable) Weight: about 0.4KG Stat. goods number: 85043129 Origin: Italy NO dangerous goods, NO dual use
X35DL3030R102	ELR TypeF 2m T.R.In.,230V Compact Earth Leakage Relays with Multicolour LCD. Type F / A / AC 2 Mod DIN - Test Reset Input Aux. 230Vac
TDP102	Adapter transformers for differential currents Reading/setting on relay: DIRECT 200/5A Reading/setting on relay: x10 2000/5A
Accessory	Terminal Cover for CT 9SBMCTA
R TAA1624K0X05	TAA162 series 4000/5A Dimension Type Sep. Current Tr. Inner Dimension: 80.5x161mm.
TDA110	ground fault protection transformer divisible version for cable outer diameter up to 110mm
TDA160	ground fault protection transformer divisible version for cable outer diameter up to 160mm
009-99999-0000 Special offer item Frer	Bar Graph Indicator, 24VDC, Input :4-20mA, Scale: 0-100% D94MSBCPC?42V D94MSB (B94MAXXXXB = old article number) Bargraph display 96 x 24 mm Input: 4-20 mA DC Scale: 0-100 % Installation position: Please specify whether vertical (V replaces ? in above article number) or horizontal (O replaces ? in above article number) Supply voltage: 12-24V DC - 3W
1X96MIC	INSULATION METER 96X96
TDP10... Series	Adapter transformers for differential currents Suitable for CT's: a) 300/5A Reading/setting on relay: DIRECT b) 3000/5A Reading/setting on relay: x10 TDP103
X52DS Series	Earth Leakage Relay External Reset Aux. Supply Voltage: 115-230Vac ($\pm 10\%$, 47÷63Hz, 3VA) X52DSX025X20S
RX52DS LEAKAGE CURRENT PROTECTION RELAY 115/230VAC RAIL TYPE	
TDC160 TOROID CURRENT TA TYPE	

INNER DIAMETER:160mm	
TDC321 TOROID CURRENT TA TYPE	
INNER DIAMETER:321mm	
TASC102P5X05	
MCOFP154CX42S	MEASURING TRANSDUCERS 1-0,5 ACCURACY Frequency 45÷55Hz Input 320-480V Out 4-20mA Aux115-230V
R 9SBMCTA	Terminal cover 9SBMCTA
9SBMCTA	Terminal cover
TDB0903CM	Sensors for earth leakage relays Type B Size Ø 90 mm Current 300mA Range I? 30mA÷1,5Aac
TDP103	Adapter transformers for differential currents Reading/setting on relay: DIRECT 300/5A Reading/setting on relay: x10 3000/5A
X35DB34DCR102	Type B Earth Leakage Relay, 2 DIN rail modules Frequenz: DC & 50-60Hz Aux: 230Vac (±10% 47÷63Hz) 3VA
E243-01AG - 60mV	E243-01AG Moving-coil lamp meter on shunt resistor Size 72 x 72 mm, 90° scale Input: 0-60 mV DC Scale: 0-100A Scale division A = Amp. A NOTICE: Should a different scale division be required, then Please let us know. DUAL USE: N
TDC160	Transformers for earth leakage relays Ø 160mm
TDC210	Transformers for earth leakage relays Ø 210mm
TDP103	Adapter transformers for differential currents Reading/setting on relay: DIRECT 300/5A Reading/setting on relay: x10 3000/5A
X52DSX025X20S	Earth leakage relay External Reset AUX 115-230Vac (±10%, 47÷63Hz, 3VA)
Tac40 200/5a (Tac040200x05)	
Tat63 1600/5a (Tat0631k6x05)	
Q96u4h005ecqsf	
Q96u4l005ecql	
1f96ea	
Csemidmt831	
Tat081800-05	
Q96b4w005ecql	
Tat1273k0k05 Old Code,Tat127 3000/5a (Tat1273k0l05) New Code	
Mcofpxxxxa	

Ttv100100xco	
Q96u4h005ecqsu	
Q96b4w005gcqs	
C70qtl	
Q96b4w005ecqh	
Ttv010100xco	
Tar200x05	
Ftwd	
Q96b4w005ecqs	
Tv6 (Ttv006)(= Ttv006500co)	
Q96u4h005mcqhf	
Tat0812k0x05	
Tat0811k0-05	
Q96b4w005gcql	
Q52p3h 005 M C Qlo	
Q96u4h005icqlf	
Mciusb485	
Q96u4l005mcqh	
Q96u4l005icql	
D98ev-3 V Ac	Digital built-in instruments 96x48mm; 3 digits for AC voltage Measuring range: 0..400V AC Display: 0..400V Auxiliary voltage: 115 + 230V / 50Hz Customs tariff number: 90303380 Origin: EU / Italy no dangerous goods
Q96u4h005icqhu	
1q96d4h Frf , No	
Tat1274k0-05	
Tdc110	
Q96u4l005icqh	
Tan1203k0p01o	
Mcup0h 005 M C Q 2 O	
Tat127 3000/5a (Tat1273k0l05)	
Q96u4h005mcqs	

Mcoup1005ncql	
Mcilan485i32l	
F96mvx010-800v-T	
Tac032250x05	
Ttv020600vco	
Tat101 3000/5a (Tat1013k0-05)	
Q52d3h 063m 4c H O	
96e 5a 5xin (= F96eax250c05)	
Mcup0h 005 M C Q L O	
Q96b4w005gcqhu	
Mcomv	
Mcoup3005xcql	
Q96u4h005icqsf	
Q96u4h005ecql	
Q96u4h005icqlu	
Mcoeq Wandler	
Q96u4h005gcqh	
Tar250x05	
Q96b4w005ecqlu	
48e-1200/2400/5a	
Mcoe?Q Wandler20 21 230v Ac,13-14 4-20ma750ohm, 1-30-5a, 45-65 Hz	
Tac32 150/5a (Tac032150x05)	
F96gs	
Q96b4w005mcql	
Mcout4	TRANSDUCER
Tat81 2000/5a (Tat0812k0x05)	Power converter including secondary terminal cover tropicalized version (.....- T) Manufacturer FRER / ITALY Stat.Value: 85043129 Weight: approx. 0.75 KG / piece
Tan0852k0p01o	
Q72p3h 005 Mcq2o	
Q52d3h 125m 4c 2 O	

Tat1285k0x05 (Tat128 5000/5a)	
96u4h005mcqsu	
Tat1263k0x05 (Tat126 3000/5a)	
Q96u4l005gcql	
Q96u4h005gcqlf	
72e 250v(=f72evx250)	
Q96b4w005icqh	
Ttv050100xco	
Q96b4w005icqs	
Q96b4w005ecqsu	
Mcoeaq005x42s	
Tdp010500x05	Measuring transducers for earth leakage relays 500..5000 / 5A
Ttv020380vco	
D96eaxxx3 (Ex D96em3)	
Q52d3h 125m 4c L O	
Pwm Gi.Pe. Da_Mr_029	REACTOR 1300/1750A PWM GI.PE. DA_MR_029
Q96u4h005ecqlf	
Q96b4w005mcqsu	
Q96u4h005ecqhf	
Tac005005k01	
Tat0812k0-05	
F96evx180xco	
Mcomv / E: 0-60mv Dc / A: 4-20ma Dc	
Mcilan485g32h	
Tac17	
Q96u4h005mcqhu	
Mcilan485i32h	
Mc2up2005xcql	
Q96u4l005gcqs	
Tar150x05	

Tdc035
Mc2up1005xcql
Mcilan485g32l
X35dl3030r1l2
Q96u4h005mcqsf
Mcoup4005xcql
Q96u4h005icqsu
Ttv126720xco
F96e
Tan0851k6p01o
Q96u4l005mcqs
Q96u4h005icqs
Tdc210
Q72p3h 005 Mcqho
Mcowd(Ex.Ftwd)
Q96b4w005mcqh
Ttv157720xco
Tac40 250/5a (Tac040250x05)
Q52p3h 005 M C Q2o
Q96u4l005gcqh
Ttv020
Q72p3h 005 Mcqlo
Mcomv / E: 0-60v Dc / A: 4-20ma Dc
Ttv0201k0xco-T
Mc2up4005ncqh
Q96u4h005gcqs
Tagcc1
Mcoup1005xcql
Q96u4h005mcqh
Q96b4w005icql
Ttv020800vco

Q96u4h005ecqh	
Q96u4h005icqh	
Q96u4l005ecqs	
Tan1203k2p01o	
Q96b4w005gcqsu	
Tda110	
Mc2up3005xcql	
Q96u4h005gcqlu	
Code: 9sbmcta	SEKHA Terminal covers (VGB4) for current transformers
D98-3	
Mcoup4005ncqh	
B94m-B	
Q96u4h005mcqlf	
Mcoevq Wandler	
Q96b4w005mcqs	
Ttv006100xco	
Mcoear (Ftar)	
Q96u4h005ecqlu	
Tdc032	
C14wt	
Csemidmt830	
Tat022050x05	
Mcorq3 5a/4-20ma	
Tac032100x05	
Tan0851k6p01o_1	
Q96b4w005gcqh	
Q96u4h005gcqsf	
Tac005 1/0,1a 5va Cl 0,5	
X96mcc	
Tdp010300x05	Measuring transducers for earth leakage relays 300..3000 / 5A

Q96u4h005mcql	
C15upl	
Mcup0h 005 M C Q H O	
X72dl3030r112	earth leakage relays current setting range: 30mA...30A operating frequency: 2,5..2500Hz Aux. supply: 230V / 50- 60Hz Hersteller: FRER Herkunft: ITALY Stat.Warennummer: 90303380
F96ev	
96m 80a/60mv	
48e-150/300/5a	
Q96b4w005ecqhu	
Tdc060	
Ttv007100xco	
Mcomv / E: 0-300v Dc / A: 4-20ma Dc	
Mcoevq	
Tdc022	
Tac022150x05 (Tac22 150/5a)	
Q52d3h 125m 4c H O	
Q96b4w005icqlu	
Tdc080	
Tac017100-05	
Mcuu8	
Q96u4h005gcql	
Q96u4h005mcqlu	
Q96u4h005icql	
Q96d4	
Q96b4w005mcqhu	
Q96u4h005ecqhu	
Tdc160	
Tac0531k2x05	
Mcoup2005xcql	
48e-200/400/5a	

Q96u4h005ecqs	
Ttv020400vco	
Q52d3h 063m 4c L O	
Q96u4h005gcqhu	
Q96b4w005gcqlu	
Q96u4l005mcql	
Q96u4l005ecqh	
Q96b4w005mcqlu	
Q96b4w005icqhu	
F96eax5k0x05	
X48ds	
Mc2up4005xcql	
Tv20 (Ttv020)	TV20 (TTV020) (Code: TTV0201K0XCO-T) Low-voltage transformer including terminal cover Primary voltage: 1000V Secondary voltage: 100V tropicalized version (.....- T) Manufacturer FRER / ITALY Stat.Value: 85043121 Weight: approx. 4,1KG / pc.
Q52p3h 005 M C Qho	
Tac022150x05	
X72dl3 030 A11 2 C	
Q52d3h 063m 4c 2 O	
Q96u4h005gcqsu	
Q96b4w005icqsu	
F96evx500 (96e 500v)	
Q96u4h005icqhf	
1300/1750a Pwm Gi.Pe. Da Mr 029	REACTOR
Tat0822k5k05	
Tac033500k05	
Q96u4l005icqs	
150/5aac22	
Tdp010100x05	Special position Measuring transducers for earth leakage relays 100..1000 / 5A

[Tda160](#)

[Mcoeaq005](#)

[76009398](#)

[Q96u4h005gcqhf](#)