

## Frese

Garanti: 12 ay  
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.  
**Frese** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

*Firmamız Frese T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.*



¼r¼n	A¼ıklama
<a href="#">48-5525</a>	Open/Close 24V NC with adapter M30x1.5 2,5mm Hub
<a href="#">53-1364</a>	Frese Optima Compact controller DM IG/IG DN 15 High Flow rate 100-575 l/h 2.5 mm
<a href="#">58-8900</a>	Actuator 24V AD/DC 4-20 mA DC, IP54 1m halogen-free cable and Wieland plug
<a href="#">Actuator motor for AHU LBM BOH 5 / CC system,</a>	Model No 53-1296 - 1
<a href="#">modulating type valve DN 50 / PN 25 C AHU</a>	LBM BOH 5 / CC system, Model No 53-1376 - 1
<a href="#">Valve Driver / Actuator motor for AHU LBM Main</a>	Kitchen 1 / CC system, Model No 53-1297 - 1
<a href="#">modulating type valve DN 50 / PN 25 C AHU LBM Main</a>	Kitchen 1 / CC system, Model No 53-1376 - 1
<a href="#">Valve Driver / Actuator motor for AHU LBZ BOH 1 /</a>	CC + HC system, Model No 53-1296 - 2

<a href="#">Valve Driver / Actuator motor for AHU LBZ laundry</a>	1 / CC + HC system, Model No 53-1297 - 2
<a href="#">Valve Driver / Actuator motor for AHU LGZ Con</a>	Center 3 / HC system, Model No 53-1297 - 1
<a href="#">Valve Driver / Actuator motor for AHU LGZ Con</a>	Center 4 / CC system, Model No 53-1297 - 1
<a href="#">Valve Driver / Actuator motor for AHU LRF GR 11 /</a>	CC + HC system, Model No 53-1296 - 2
<a href="#">modulating type valve DN 50 / PN 25 C AHU LRF GR</a>	11 / CC + HC system, Model No 53-1376 - 2
<a href="#">modulating type valve DN 50 / PN 25 C AHU LRF GR</a>	7 / CC + HC system, Model No 53-1376 - 2
<a href="#">Valve Driver / Actuator motor for AHU LRF GR 8 /</a>	/ CC system, Model No 53-1297 - 1
<a href="#">modulating type valve DN 40 / PN 25 C AHU LGZ</a>	Business center 1 / CC + HC system, Model No 53-1375 - 2
<a href="#">Valve Driver / Actuator motor for AHU LBZ BOH 3 /</a>	/ CC system, Model No 53-1297 - 1
<a href="#">modulating type valve DN 50 / PN 25 C, AHU LGZ</a>	Con Center 1 / CC system, Model No 53-1376 - 1
<a href="#">modulating type valve DN 50 / PN 25 C, AHU LGZ</a>	Meeting Room 1 / CC + HC system, Model No 53-1376 - 2
<a href="#">modulating type valve DN 50 / PN 25 C, AHU LGZ</a>	Pre function 2 / HC system, Model No 53-1376 - 1
<a href="#">modulating type valve DN 50 / PN 25 C, AHU LBM</a>	Gym 1 / HC system, Model No 53-1376 - 1
<a href="#">modulating type valve DN 50 / PN 25 C, AHU LBM</a>	Gym 2 / HC system, Model No 53-1376 - 1
<a href="#">53-1296</a>	24 V AC/ DC actuator Modulating 0-10 v/35s for Optima Compact DN40 - 50
<a href="#">Alpha 49-911 du 150 Pn 16</a>	
<a href="#">53-1297 -</a>	24 V AC/DC actuator DN50-DN125 for Optima flange DN 50-DN125
<a href="#">53-1352</a>	Frese Optima Compact DN20 High Hub 2.5 IG/IG
<a href="#">53-1183</a>	Actuator 0-10V 24V STROKE 2.5mm for OPTIMA Compact HUB 2.5 mm
<a href="#">53-1352 with 53-1183</a>	Frese Optima Compact DN20 High Hub 2,5 IG/IG with Actuator 0-10V 24V STROKE 2.5mm
<a href="#">53-1296-</a>	24 V AC/DC actuator DN 40-50 for Optima Compact DN40 - 50

<a href="#">53-1297-</a>	24 V AC/DC actuator DN50-DN125 for Optima flange DN 50-DN125
<a href="#">53-1180</a>	Actuator 0-10V 24V stroke 5.0 - 5.5 mm for OPTIMA Compact HUB 5.0 and 5.5 mm
<a href="#">53-1201-02</a>	Optima controller DN65 LF PN16 including actuator Volume flow 4.4-25.0 m <sup>3</sup> /h
<a href="#">53-1375</a>	Frese Optima Compact regulator DM DN40 hub 15.0 IG/IG Flow rate 1370-9500 l/h, stroke 15.0 mm
<a href="#">53-1376</a>	Frese Optima Compact regulator DM DN50 hub 15.0 IG/IG Flow rate 1400-11500 l/h Stroke 15.0 mm
<a href="#">53-1202-02</a>	Optima regulator DN80 LFPN16 incl. actuator with actuator volume flow 5.3-34.0 m <sup>3</sup> /h
<a href="#">53-1374</a>	Frese Optima Compact DM DN32 Hub 5.5 IG/IG Flow rate 550-4000 l/h 5.5 mm
<a href="#">53-1353</a>	
<a href="#">53-1354</a>	
<a href="#">Type-01 53-1296</a>	
<a href="#">53-2202</a>	Frese Sigma regulator DM DN 20 Low IG/IG
<a href="#">53-2208</a>	Frese Sigma regulator DM DN 25 Low IG/IG with 2 pressure measuring nipples - Volume range: 95-2,000 l/h
<a href="#">53-1302</a>	Frese Optima Compact DN15 Low Hub 2.5 AG/AG Flow rate 30-200 l/h 2.5 mm
<a href="#">53-1308</a>	Frese Optima Compact DN20 High Hub 5.0 AG/AG Volume flow rate 220-1300 l/h 5.0 mm
<a href="#">53-1317</a>	Frese Optima Compact DN25 Low Hub 5.5 AG/AG Volume flow rate 280-1800 l/h 5.5 mm
<a href="#">53-1304</a>	Frese Optima Compact DN15 High Hub 2.5 AG/AG Flow rate 100-575 l/h 2.5 mm
<a href="#">48-5528</a>	230V actuator Stroke 2.5 mm, power consumption 2W
<a href="#">48-5526</a>	230V actuator Stroke 2.5 mm
<a href="#">Combined Balance Valve</a>	
<a href="#">02-53-1297 24v 50hz 6va 800n 60-30s Balancing</a>	
<a href="#">Dn80 -29.7m3 / H 3 Way Motor Vehicle Valves</a>	
<a href="#">53-1297</a>	24 V AC/DC actuator DN50-DN125 for Optima flange DN 50-DN125
	24V AC / DC actuator Modulating 0-10V / 35s for Optima DN

[Art Nr. 53-1297](#)

50, 65 u. 80 Lot number 90329000 Weight: 1.9000 kg /  
1.9000 kg

[Dn65 -29.7m3 / H 2headed Motor](#)