Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Frigel

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Frigel Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Frigel Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Rcd 40/12 Sp	
3HL 1450 HT TC	
PMR6G	
Ecodrygel 3DK 102P EC	
KFC1200	
(RCD60/12SP - RCD80/12SP)	
Zeichnung	
RTK22002F	ESA TOUCH SCREEN RETROFIT KIT FOR RC40 60 80 WITH ESA CODE EW107BD4SP000FR
RTK22003F	ESA TOUCH SCREEN RETROFIT KIT FOR RC100 130 170L WITH ESA CODE EW107BD4SP000FR
A3G800-AB01-03	
RCD 350/48 SP	NRCD3501H0S Microgel = RCD Digital Model: RCD 350/48 SP Power supply: 400V / 50Hz ±10% Compact high-performance refrigeration machine with two temperature zones Water condensed with temperature control function Operating temperature: -5/+90°C (glycol required below 9°C) High performance process pump Highly efficient scroll compressor Motor-driven proportional valve on the process side
NRCZKSD030	Optional Microgel = accessories

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Model: Tool Drain Kit RCD 300/350/450 Not usable with pressurized systems
FOR 3DK32D MODEL COOLING UNIT; . EDK CELLULOSIC FI	
FOR EDK31D MODEL COOLING UNIT; . EDK CELLULOSIC FI	
2FCP40003	SANYIO-PANASONIC SCROLL COMPRESSOR C-SCN753 H8H/K 380/415V-50Hz 440/460V-60Hz
DSD 180/24	It has 2 separate water outlets, a total heating capacity of 12 kW + 12 kW = 24 kW, and features dual heat control (dual water outlet), allowing water up to +90°C to be drawn from each outlet separately. Therefore, water at different temperatures can be supplied to the fixed and movable sides of the mold. *Since each water outlet has its own circulation pump, water can be obtained from each outlet at DIFFERENT FLOW RATES and DIFFERENT PRESSURE. * Temperature control is achieved with a 3-way proportional motorized valve. Therefore, the temperature accuracy is +/- 0.3°C. Water flow rate is 2 x (4.8-15.0 m3/hour) (min - max). * It has a DIRECT COOLING system. This means it can DIRECTLY feed water from the main cooling unit into the MOLD. Therefore, this unit can be connected to a THERMOCONVECTOR unit instead of a CHILLER. This results in both lower energy consumption and a reduced heat load on the chiller. *The model device's 7" TOUCHSCREEN displays values such as WATER FLOW RATE PASSING THROUGH THE MOLD, MOLD INLET PRESSURE, MOLD OUTLET PRESSURE, AND PRESSURE LOSS IN THE MOLD, etc. * The resistors used are made of STAINLESS STEEL. *The device has an OPC-UA interface for Euromap 82.1 connection. Thanks to the INTELLIGENT OPERATING SYSTEM, it is possible to achieve much more efficient and higher quality production by controlling the operating parameters and guiding the operator regarding cycle time and product quality.
RBM210/12SP	110~400V Max water temp: 90°C max 1°C/min

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
RBM40/6SP	110~400V max water temperature: 90°C
Nrbm210nh0	Turbogel = RBM Model: RBM 210/0 HP Power supply: 400V / 50Hz ± 10% Temperature control unit with a temperature zone Heating power: 0 kW / without heating element Motor-driven proportional valve for temperature control Direct cooling
Nzzziskclp4	INTERFACE IS-CL (CURRENT LOOP) WITH 4 CABLES EQUIPMENT
Kfc1200	3 Way Valve
3hl 1150 Ht Tc	Industrial Chiller
3gh950 Tm	Pump Station
Art Nr. 2tva80088	PRE ASSEMBLED EBM EC AXIAL FAN HYBRID BLADES A3G8000AY2701 (TILTED BLADES) + GRILL G080048-02-01 +WALLRING 800/7813A FEZN15/10 POL9006/1L COD.EBM 106AW0587
Pmr6g Modbus	Control panel
Nrbd130rs0	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.