



Georg Fischer

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Georg Fischer Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Georg Fischer Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
0032X1	
159.001.273	
159.001.274	
159.001.695	
159.001.699	
159000744	
159001546	
159001557	
161 624 015	
161017083	
161017084	
161017086	
161017105	
161017106	

161017108
161017109
161017110
161017111
161017127
161017128
161050213
161305486
161305487
161305539
161355006
161486376
161486377
161486378
161514015
161514017
161546061
161546062
161546063
161546064
161546065
161546066
161546067
161546073
161561002
161561003
161561006
161562004
161562005
161562007
161562044
161567024
161567044
161567046
161567047
161567048

161624016	
161624017	
167061038	
167480711	
167514002	
167546403	
167561012	
167567007	
169624014	
169644014	
175.483.062	
175.546.435	
192017084	
192017088	
192305450	
192305500	
193103208	
193103209	
193103211	
193131057	
193133067	
193133097	
193280184	
193280185	
193280360	
198.801.661	
198.844.010	
198335009	
198335011	
198335041	
199.335.045	X671142MR 67114200001 GF PVC flow meter
198335049	
198801621	
198801622	
199042211	

199160367
199166012
199180131
199231668
199335028
285870170
399001P
3R-659.32-P
721100106
721100107
721100108
721100109
721100111
721100113
721150107
721150108
721150109
721150111
721200011
721200106
721200110
721200111
721200113
721200117
721200138
721200142
721200147
721200152
721200161
721200170
721200174
721200178
721310011
721500106
721500107
721500108

721500109
721510107
721510108
721510109
721510111
721513107
721513111
721540207
721540208
721540209
721700011
721700012
721700013
721700014
721700513
721790111
721790112
721790113
721790114
721790116
721790117
721790120
721900358
721900360
721900364
721900376
721900390
721900391
721900398
721910106
721910108
721910109
721910111
721910112
721910117

[721910206](#)

[721910208](#)

[721910209](#)

[721910210](#)

[721910211](#)

[721910346](#)

[721910352](#)

[721910437](#)

[721910558](#)

[721910708](#)

[721910709](#)

[721910711](#)

[721910713](#)

[721916204](#)

[727200108](#)

[727700211](#)

[727700413](#)

[727700416](#)

[727700417](#)

[727700420](#)

[727910206](#)

[727910342](#)

[748410007](#)

[748410008](#)

[748410009](#)

[748440711](#)

[748440712](#)

[748440713](#)

[748440716](#)

[748440717](#)

[748440719](#)

[748500012](#)

[753911611](#)

[761065264](#)

[761065265](#)

761066627	
761066667	
761069206	
790060228	
799271357	
799271392	
P51530-P0	
SDR 11 - 32 x 3,0	
SDR 11 - 63 x 5,8	
SDR11 0032 MM	
SDR11 0063 MM	
770300202	KAP300GF8VZ GF vz.Caps No.300 1/4,,
770095208	WVS95GF40VZ GF vz.W screwing No. 95 11/2 flat sealing o. dense.
D25DN20 PN16DN20 FLANGED	
D20DN15 PN16DN10/15 FLANGED	
D32DN25 PN16DN25 FLANGED	
D40DN32 PN16DN32 FLANGED	
198801495	P525-2_Flow Sen SS316 1.25-12"
159001695	3-9900-1P_Transmitter 1Ch Panel Type
GF Ph Sensoren 159.001.545	
198.801.897	X671142MR 67114200001 GF PVC flow meter
DSR500-1	DSR 500-1: Assembly to pneumatic valves for strokes from 3 to 28mm (DN15 - DN50). Nominal Stroke: 3 - 28 mm ; 24 Vdc Power feeding
DSR 500-1	X671142D 67114200000 GF positioner to Diastar
¼" 770.300.202	End cap
770134107	TST134GF32SW GF sw.T-piece No.134 11/4,
COND SEN SS316 0.01 NPT 3-2819-1 198844010	
MODULE DIRECT COND/RES 3-9900.394 159001699	
TRANSMİTTER 1CH PANE TYPE 3-9900-P 159001695	
Type 2350	Temperature Sensors, Operating Temperature Range: 10-85
Smart Pro Transmitter 9950	Water Quality Transmitters, Operating Temperature: 10-60°C, Enclosure Rating: IP65, Update Rate: 1s, 4-20mA
Signet 2724	PH Sensor, Operating Range: 0-14, Operating Temperature: -10-85°C
Signet 2726	ORP Sensor, Operating Range: ±2000mV, Operating Temperature: -10-85°C
	DISSOLVED OXYGEN SENSOR, Operating Range: 0-20mg/L, Operating

Signet 2610	Temperature: 0-50°C, Rating: IP67
Signet 2819	Salinity Meter, Operating Range: 0,55 to 100µS, Material: Titanium, Operating Temperature: 0-50°C
Signet 4150 Turbidimeter	Turbidity Meter, Operating Range: 0-1000NTU, Flow Rate: 0,01L/m, Operating Temperature: 0-50°C, Rating: IP66
2270 PP	Level Sensors, Ultrasonic Type
748.400.323	
748.440.730	
748.400.012	
VSB330GF25VZ	770330206 GF vz.Versch. No.330 1,, flat sealing without seal.
DNI280GF25VZ	770280206 GF vz.double nipple No.280 1,,
Double Nipple 280 N8 G1 GJMW/DIN EN 10242	
PVC-U pipe D 20 mm	
PVC-U angle D 20 mm 45°	
PVC-U angle D 20 mm 90°	
PVC-U elbow D 20 mm 90°	
PVC-U tee D 20 mm 45°	
PVC-U tee D 20 mm	
PVC-U sleeve D 20 mm	
PVC-U nipple D 20 mm	
PVC-U screw connection D 20 mm	
PVC-U transition sleeve D 20 mm	
PVC-U transition nipple D 20 mm	
370 pvc	
X671142D	6711420000 pH sensor, flat glass, PT1000 temp element, 3/4 in. MNPT 159.001.545
770.526.134	Black TG extension 1" x 80 mm
X671142MR	6711420001 Type 2450 pressure sensor NPT 1/2 inch external thread MFR 3-2450-7U GF: 159,000,906
770.526.234	Galvanized TG extension 1! X 80mm
X671197	6711970000 Squeezing device Ø 20-63mm, 799.350.107
X671197	6711970000 Squeezing device Ø 63-180mm, 799.350.108
+DN250,PP-H FKM	CODE:167 484 293,WITH PROFILE SEAL,FOR REPAIRING BUTTERFLY VALVE TYPE 567 AND 578
+DN250,FKM	CODE:161 486 986,FKM,FOR REPAIRING BUTTERFLY VALVE TYPE 567 AND 578
FS 3582-1 G-10 3-15 PSI:	POZISIONER:FS 3582 G 10, 3-15 psI:
159 001 841	
159 001 545	

198 844 001	
159 001 804	
199165022	165 pvc-u EPDM d20 Dn15
3-2450-7U)For Acid Tank Level (0-7Bar,4-2	
753518606	
753518607	
753518608	
Bto 111 033	
X671142MR--67114200001	PTFE conductivity electrode type 2819-1 GF-198844010
159001699 MODULE DIRECT COND/RES	
MFR 3-9900-1	X671142MR 67114200001 9900 SmartPro® Transmitter MFR 3-9900-1 GF-159001696
GF-159000184	X671142MR 67114200001 9900 Transmitter Accessories and Spare Parts universal mounting set GF-159000184
GF-159001701	X671142MR 67114200001 9900 Transmitter Accessories and Spare Parts Angle adapter set (for field mounting) GF-159001701
GFEM280	753911622 socket d 280 mm
GFEM125	753911615 Muffe E+ PE100 SDR11 PN16 d125 Elgef
GFEM90	753911613 Muffe E+ PE100 SDR11 PN16 d90 Elgef
MFR 3-9900.394	X671142MR 67114200001 9900 Transmitter Accessories and Spare Parts MFR 3-9900.394 GF-159001699
X671142MR -	67114200001 Type 2724 - 2726 DryLoc pH/ORP electrodes universal application MFR 3-2724-00 pH GF-159.001.545
X671142MR-	67114200001 2850 sensor electronics with EasyCal PBT / thread / 3/4 inch / 3-2850-52 / 3/4 inch FNPT / 1x 4-20 mA, 1 input GF-159001399
X671142MR--	67114200001 2850 sensor electronics with EasyCal PBT / 3-2850-62 / Universal mounting / 1x 4-20 mA, 1 input GF-159001401
Ø630*225 MM P.E TEE SDR11 PN16(INJECTION)	
GFEM225	753911620 Sleeve E+ PE100 SDR11 PN16 d225 Elgef
T-piece no. 130 3 "x 3 "x 2"	130V808050 galvanized 13005AA8 23013110
Screw connection no. 331 i/a 3"	331V80 flat-sealing galvanized 3310500A 241
Reduction sleeve no. 240 1" x 3/8"	240V2510 galvanized 240-24G
Cap no. 300 1/2"	300V15 galvanized 30005003 30025003
Plug no. 291 1"	291V25 galvanized 29105005 2301C120
Plug no. 291 1/2"	291V15 galvanized 29105003 240
Socket no. 271 R/L-thread 1"	271V25 galvanized 27105005 290
3-2726-HF-00	pH Curved, HF resistant PT1000 ¼ in. NPT, thread Article number 159001549
67114200001	X671142MR Metalex Type 525 (for installation with Metalex Weld-On Mini-Tap, Weld-On Socket Mini Tap) P525-2S GF-159000964

67114200001-	X671142MR PVDF conductivity electrodes type 2839-1V(D) up to 2842-1V(D) 3-2839-1V GF-159001810
1839.001_350590502	
GF_9950_Modbus_Module	
De1602vdyyb90k00d0128	
159001695	
Er52-1	
753.211.612	
562-444-090	
422160_P5251_Dn_1525_198801494	
Ef_Pe100_Sdr11_D40	
721_100_116	
753901831	
753911612	
3-2724-00	67114200001 X671142MR GF PH Sensor 3-2724-00 159.001.545
D40_Pvc-U+gf+721_600_109	
Dn25 / D-Tet_7575t	
Er_Sk11_1001000_L/H_D32_Epdm	
Elgef + Pe100 Tee 90 D110 Sdr11 Electrofusion 753201814	
Ebo8fs2_F07/V12	
753_001_027_Pe100_Bogen_90;_D500	
Dn25.	
562097780	
568235021	
568490060	
753_001_025	
790.041.020	
790.042.021	
790.041.035	
199190383	
515/2536	
510582 (Qa Cl 30)	
595173963	
727.200.113	
F.0004.5706 + F.0004.5707	

161481026	
Ef Pe100 Sdr11 Pn16 D125	
568490014	
568282109	
F.0007.5701	
5950247571	
161315421	
790.042.015	
790.042.016	
595016040	
2536-P0	
Gf-Nr.753.911.613	
510654 (Qa Cl 24	
595-016-324	
159001545	PH Sensor 3-2724-00 PT1000, flat
595176176	
595173953	
161481022	
Dn25 Pn40	
167317040	
790_042_061	
2189	
753800011	
167514037	
Ef Pe100 Sdr11 Pn16 D32	
790.042.048	
Gf Epdm Membrane 314-319 D20 161481022	
Dn 20 Pn 40	
Er53-1	
159000920	
175-317-537	
Ef Pe100 Sdr11 D90	
75-175.567.003 Gf-Pvdf-Absperrklappe 567/Fpm	
770241220	
161684014	
Ef Pe100 Sdr11 Pn16 D63	

568282057	
Gf Dn25	
159001804	(159.000.744 = discontinued article, is no longer produced) PH Sensor 3-2751-1 Connection: DryLoc
Gf Dn50	
198-825-002	FLOW MONITOR SIGNET 5500 12-24VAC/DC
159001354	3-2850-52-42D COND ELECS 4-20MA 2842 (3-2850-52-42D)
198335128	
753101608	
P525-2 Sensor	
Dn 25 Pn 16	
568490088	
735.992.041	LATERAL VALVE 50X50MM SYGEF
415089 193155267	
159001754	(3-2610-41) OPTICAL DISSOLVED OXYGEN SENSOR WITH S3L, 4 TO 20 MA AND MODBUS RS485
161 624 064	DiaphragmValve 10FC PVC/FPM d32DN25 Das zu verwendende Material sollte für bis zu 60 Grad und H2SO4 geeignet sein.
588413047	
727.700.413	
567-731-150	
159000051	3-8550-3 FLOW TRANSMITTER FIELD 2 OUTPUT (3-8550-3)
727.100.113	
Dn80 Pn40	
199190306	
161315418	
159001435	2573 MAGMETER FLOW SENSOR, 3-2551-P0-21 MAG DISPL REL PP/SS 4 FREQ (3-2551-P2-21)
198844003	3-2823-1 20.0 COND. SESOR FOR 9050 (3-2823-1)
770245222	
159001483	3-2250-21L-1 HYDRO PRESSURE SENSOR 4-20 3.4BAR 1/2 (3-2250-21L-1)
735.992.026	LATERAL VALVE 25X20MM SYGEF
Dichtungssset Epdm 161.482.885	
Gf 3-8512-Po	
161315417	
753911608	
F.0007.5706	

D40-Rp 1 1/4quot; Pvc-U+gf+721 510 209	
735.992.029	LATERAL VALVE 32X20MM SYGEF
Elgef+pe100 Winkel 90 D110 Sdr11 Electrofusion 753101814	
790 042 058	
159001522	2552 MAGMETER FLOW SENSOR, 3-2552-34-A-11 MAGMETER ISO 1 1/4 FREQ (3-2552-34-A-11)
159001277	2607 MAGMETER FLOW SENSOR, 3-2551-W0-22 MAG DSP REL PVDF/SS 4 4-20 (3-2551-W0-22)
Ef Pe100 Sdr11 D63	
790.042.049	
Dn015 / 167 346 082	
8050 Installation Kit	
753211611	
159001247	3-2250-21L-1 HYDRO PRESSURE SENSOR 4-20 3.4BAR 1/2 (3-2250-21L)
721 200 116	
595-016-325	
790.042.160	
P52509-2	
Pt15001500g1	
3-2750-1	67114200001 X671142MR GF PH sensor 3-2750-1 159000744 ** Discontinued Model
159000046	3-8450-3P PRESSURE TRANSM PANEL 2 OUTP (3-8450-3P)
F.0005.0393	
562090940	
159001528	2552 MAGMETER FLOW SENSOR, 3-2552-34-B-12 MAGMETER ISO 1 1/4 4-20 (3-2552-34-B-12)
D40 Pvc-U+gf+721 690 009	
159001273	2561 MAGMETER FLOW SENSOR, 3-2551-P0-22 MAG DISPL REL PP/SS 4 4.20 (3-2551-P0-22)
568490064	
735.992.039	LATERAL VALVE 50X32MM SYGEF
1022398335006(Ex.198803293)	
Elgef + Pe100 Muffe D110 Sdr11 Electrofusion 753911614	
800000603	
Ef Pe100 Sdr11 Pn16 D140á;	
159001479	3-2250-11L-1 HYDRO PRESSURE SENSOR S3L 3.4BAR 1/2 (3-2250-11L-1)
735.992.060	LATERAL VALVE 90X32MM SYGEF

159001259	2592 MAGMETER FLOW SENSOR, 3-2551-V0-12 MAGMETER PP/HC UPTO 4 4-20 (3-2551-V0-12)
G2517I	
159000084	2823 CONDUCTIVITY / RESISTIVITY ELECTRODES, 3-2819-T2C CR SAN CERT 0.01 CELL TI 2 (3-2819-T2C)
735.992.043	LATERAL VALVE 63X20MM SYGEF
Ef Pe100 Sdr11 D32	
159001352	3-2850-52-40D COND ELECS 4-20MA 2840 (3-2850-52-40D)
159000906	
159001524	2552 MAGMETER FLOW SENSOR, 3-2552-34-B-11 MAGMETER ISO 1 1/4 FREQ (3-2552-34-B-11)
735.992.028	LATERAL VALVE 32X25MM SYGEF
Gf Pe100 Stub Long D110 Sdr11 Ribbed/Flat Ir 753800014	
159000627	2823 CONDUCTIVITY / RESISTIVITY ELECTRODES, 3-2821-T2 SANI, 1.0 S/CM, TITANIUM, 2 (3-2821-T2)
159000969	8900 MULTI INPUT CONTROLLER, 3-8900.401-10 6 INPUT 2 PASSIVE 4-20 OUT (3-8900.401-10)
735.992.071f	LATERAL VALVE 110X63MM SYGEF
159001109	2583 MAGMETER FLOW SENSOR, 3-2551-TO-11 MAGMTR PVDF/IT UPTO 8 FREQ (3-2551-T1-11)
Gf 3/4	
753101611	
735.992.044	LATERAL VALVE 63X25MM SYGEF
770245217	
159001503	2540 STAINLESS STEEL HIGH PERFORMANCE PADDLEWHEEL FLOW SENSOR, 3-2540-3S SIGNET HOT TAP METAL FLOW SENS (3-2540-3S)