

Ghibson

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in **info@yursat.com.tr** e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Ghibson Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Ghibson T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
BVHD DN200 PN10-25	Ghibson butterfly valve DN200 PN10-25 type BVHD body WCB seat inconel 625 disc CF8M bare stem
GB-015	check valve Type GB015 metal sealing Nominal diameter: DN15 Flange connection: PN6 - 40 Case: A316 Disc: A316 Gasket: A316 Spring: A316
GB015	check valve Type GB015 metal sealing Nominal diameter: DN32 Flange connection: PN6 - 40 Case: A316 Disc: A316 Gasket: A316 Spring: A316
GB015	check valve Type GB015 metal sealing Nominal diameter: DN40 Flange connection: PN6 - 40 Case: A316 Disk: A316 Gasket: A316 Jump: A316
GB015	check valve Type GB015 metal sealing Nominal width: DN50 Flange connection: PN6 - 40 Case: A316 Disc: A316 Gasket: A316 Spring: A316
GA015 DN25 PN6-40	
GA015 DN80 PN6-40	

GA015 DN100 PN10-40	
DA991 DN50	Non-return valve DN50 PN6/40 - A150/A300 VA/VA/PTFE Flange connection according to EN1092 PN6/40 - A150/A300 Nominal diameter: DN50 Housing: EN 1.4408 (A351 CF8M) Disc: EN 1.4404 (A316L) Seat ring: PTFE Spring: EN 1.4401 (A316) Installation length: EN558-1 series 49 Maximum operating pressure: 52 bar Maximum operating temperature 130°C
DA991 DN65	Non-return valve DN65 PN6/40 - A150/A300 VA/VA/PTFE Flange connection according to EN1092 PN6/40 - A150/A300 Nominal diameter: DN65 Housing: EN 1.4408 (A351 CF8M) Disc: EN 1.4404 (A316L) Seat ring: PTFE Spring: EN 1.4401 (A316) Installation length: EN558-1 series 49 Maximum operating pressure: 52 bar Maximum operating temperature 190°C
BLKI DN350 A150	BLKI DN 350 PN A150 BODY GJS400 DISC B 148 EPDM NO B13- 11415 Valve Gasket
DN50 PN10/16	VALVE RUBBER
DN65 PN10/16	VALVE RUBBER
DN80 PN10/16	VALVE RUBBER
DN100 PN10/16	VALVE RUBBER
DN150 PN10/16	VALVE RUBBER
DN200 PN10/16	VALVE RUBBER
DN300 PN10/16	VALVE RUBBER
DN350 PN10/16	VALVE RUBBER
DN400 PN10/16	VALVE RUBBER
DN500 PN10/16	VALVE RUBBER
Libu-100-E	
Gb015 Dn80	
Bv28 Dn28 P/N Cpa-251-01-01c3	
Mt35-0aea13	
Guarniz.Bvki Dn250	
Dn100 Ansi150ã Lug Type	
Dn 150 P/N:16/A150	
Bvki Dn80 Pn10/16	
Bvki Dn40 Pn10/16	
Bvtt	

Bvki X 4in
Bvki-Gs.Aa.Bu.Xx.050 ??50, Pn16
Gb023
Ut17
Gb015 Dn20
16a150 12?
Spare Body Seat For Dn100
Bvpd050wgacio ??50, Pn6
Dn100
Dn 200 P/N:16
Bvtk
1k07416
Dn40 Pn16
Mt25-0dad13
Mbn60 Aa202
16a150 10?
Dn65 Pn16
Mt40-0eae13
Dn50 Class 150ã
Bvki/3in
Blki - Epdm
Dn 80 P/N:16
Bvki
Gh 015
10000 (Epdm Body Seat Dn150)
Bvki Dn 125
Gb-015
Blka Dn100
Blki
Epdm Dn200