

Green Pin

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Green Pin Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Green Pin T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunulmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
69-03299014-000000-000	Dolezych shackle; Green Pin standard, curved, with bolt, nut and split pin, DIN EN 13889; Load capacity: 4,750 kg Nominal bolt diameter: 22mm; Unit weight: 1.180kg;
69-03299094-000000-000	Dolezych shackle; Green Pin standard, curved, with eyebolt, DIN EN 13889; Load capacity: 25,000 kg Nominal bolt diameter: 50mm; Unit weight: 12.840kg;
P-6036	150 Tonnen
62-09907236-000000-000	Dolezych eye nut, grade 8, painted red; M36; load capacity: 16,000 kg; inner eye diameter: 70 mm Coating: painted; Eyebolt type S, with key: No; Unit weight: 2.650 kg; Load capacity 45°-60° tilt angle: 4,000,000kg;
GPEL30	GPEL30
69-03219125-000000-000	Dolezych shackle; Green Pin Wide Body; Load capacity: 125,000 kg Nominal bolt diameter: 80mm; Safety factor: 5; Unit weight: 92,000kg;
69-03299086-000000-000	Dolezych shackle; Green Pin standard, curved, with bolt, nut and split pin, DIN EN 13889; Load capacity: 85,000 kg

	Nominal bolt diameter: 83mm; Unit weight: 62,000kg;
69-03299057-000000-000	Dolezych shackle; Green Pin standard, curved, with bolt, nut and split pin, DIN EN 13889; Load capacity: 55,000 kg Nominal bolt diameter: 70mm; Unit weight: 39.590kg
69-03299042-000000-000	Dolezych shackle; Green Pin standard, curved, with bolt, nut and split pin, DIN EN 13889; Load capacity: 42,500 kg Nominal bolt diameter: 65mm; Unit weight: 28.330kg;
69-03299035-000000-000	Dolezych shackle; Green Pin standard, curved, with bolt, nut and split pin, DIN EN 13889; Load capacity: 35,000 kg Nominal bolt diameter: 57mm; Unit weight: 19.530kg;
69-03299025-000000-000	Dolezych shackle; Green Pin standard, curved, with bolt, nut and split pin, DIN EN 13889; Load capacity: 25,000 kg Nominal bolt diameter: 50mm; Unit weight: 14.220kg;
69-03299117-000000-000	Dolezych shackle; Green Pin standard, curved, with bolt, nut and split pin, DIN EN 13889; Load capacity: 17,000 kg Nominal bolt diameter: 42mm; Safety factor: 5; Unit weight: 8.190kg;
69-03299413-000000-000	Dolezych shackle; Green Pin standard, curved, with bolt, nut and split pin, DIN EN 13889; Load capacity: 13,500 kg Nominal bolt diameter: 38mm; Unit weight: 6.540kg;
69-03299412-000000-000	Dolezych shackle; high-strength; Green Pin Standard, curved, with bolt and nut and cotter pin, DIN EN 13889; Load capacity: 12,000 kg Nominal bolt diameter: 35mm; Unit weight: 4.910kg;
69-03299008-000000-000	Dolezych shackle; Green Pin standard, curved, with bolt, nut and split pin, DIN EN 13889; Load capacity: 9,500 kg Nominal bolt diameter: 32mm; Unit weight: 3.660kg;
69-03299090-000000-000	Dolezych shackle; Green Pin standard, curved, with bolt, nut and split pin, DIN EN 13889; Load capacity: 8,500 kg Nominal bolt diameter: 28mm; Unit weight: 2.580kg;
69-03299039-000000-000	Dolezych shackle; Green Pin standard, curved, with bolt, nut and split pin, DIN EN 13889; Load capacity: 6,500 kg Nominal bolt diameter: 25mm; Unit weight: 1.770kg;
69-03299033-000000-000	Dolezych shackle; Green Pin standard, curved, with bolt, nut and split pin, DIN EN 13889; Load capacity: 3,250 kg Nominal bolt diameter: 19mm; Unit weight: 0.740kg;
69-03299020-000000-000	Dolezych shackle; Green Pin standard, curved, with bolt, nut and split pin, DIN EN 13889; Load capacity: 2,000 kg Nominal bolt diameter: 16mm; Unit weight: 0.420kg;
69-03299002-000000-000	Dolezych shackle; Green Pin standard, curved, with bolt, nut and split pin, DIN EN 13889; Load capacity: 1,500 kg Nominal bolt diameter: 13mm; Unit weight: 0.220kg;
69-03299011-000000-000	Dolezych shackle; Green Pin standard, curved, with bolt, nut and split pin, DIN EN 13889; Load capacity: 1,000 kg Nominal bolt diameter: 11mm; Unit weight: 0.160kg;

69-03299089-000000-000	Dolezych shackle; Green Pin standard, curved, with bolt, nut and split pin, DIN EN 13889; Load capacity: 750 kg Nominal bolt diameter: 10mm; Unit weight: 0.110kg;
69-03299088-000000-000	Dolezych shackle; Green Pin standard, curved, with bolt, nut and split pin, DIN EN 13889; Load capacity: 500 kg Nominal bolt diameter: 8mm; Unit weight: 0.060kg
GPMS80	
TRIANGLE PLATE WITH HOISTING EYE	
SHACKLE, "GREEN PIN" HEAVY DUTY SHACKLE, TYPE P6036	
Green Pin® Flip-Block Type 601T	*** WLL = 4 to.
69-03299014-000000-000-	Dolezych shackle; Green Pin standard, curved, with bolt, nut and cotter pin, DIN EN 13889; Load capacity: 4,750 kg Nominal bolt diameter: 22mm; Unit weight: 1,180kg; Nominal bolt diameter: 22mm; Unit weight: 1.180kg;
G-4153 19mm 3/4quot;	
5660g120	
3-3/4quot; G-5263	
Sling Shackle Wll 125 T , Mbl= 5xwll	
5660g032	
G-7713 19mm 3/4quot;	
G-5263 19mm 3/4quot;	
03299007	equipment Super Green Pin shackle, 7,000 kg, 22 mm Bolzenø, with nut & split pin
03299009	equipment Super Green Pin shackle, 9,500 kg, 25 mm bolt diameter
G-5263 - 7 T	
G-4163 / 55 T	
3quot; G-4163	
2quot; G-4163	
Grade 8 - 150 T	
G-5263 16mm 5/8quot;	
2-1/2? G-4163	
G-4163 - 6.5 T	
Green Pin Power Sling Shackle Grade 8 - 150 T	



Yursat DıŐ Tic. M¼nendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
+90 224 2400304
info@yursat.com.tr
www.yursat.com.tr
