

Gvision Touch Monitors

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Gvision Touch Monitors Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Gvision Touch Monitors Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Gpos15-A23b-42r	1MB
Gpos15-F23a-42p	3MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
Gpos15-D23a-42p	2MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
Gpos15-D23b-42p	2MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
K17bh-Fb-0670p	GVISIONK17BHMONTOR17 LCD MONITOROPEN FRAMETOUCH SCREENSAW TOUCH SCREENUSBSXGAVGADVI INPUT
Gpos15-F23d-42p	3MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
Ds42ad-Oo-45lg	GVISION, 42IN LARGE FORMAT TOUCH SCN, SURFACE LIGHT WAVE 6-POINT TOUCH, LED, TEMPERED GLASS, FULL HD 1920 X 1080, 400 NITS, 4000:1 CONTRAST, VGA, DVI,
Gpos15-C13d-42p	1MB, DDR2 1GB, 320GB HDD, 10/100/1000, RJ11 CASH
Ma19bh-Ae-1220	GVISION, 19IN, LCD TOUCH MONITOR, W/ ELO 5-WIRE RESISTIVE TOUCH SCREEN, MEDICAL-UL60601, SXGA 1280X1024, SERIAL, 15-PIN VGA/DVI/COMPOSITE-RCA/S-VIDEO,
K32ac-CI-4970	GVISIONK32ACMONITOR32 LCD MONITORTOUCH SCREENALL METALGTOUCH SCREEN SAW USBWXGA 1366X768FREIGHT QUOTE REQUIRED
Cp19bh-Ap-42rg2	GVISION, PCOIP ZERO CLIENT CLOUD, 19 IN LCD TOUCH SCREEN, SXGA 1280X1024, 400 NITS, ALUMINUM L-STAND, BLACK, 5-WIRE RESISTIVE TOUCH, ETHERNET, 4 USB P

Ürün	Açıklama
S29af-Ob-400g	GVISION, 28.9IN SUPER WIDE LCD DISPLAY, TFT ACTIVE MATRIX WITH SUPER MVA, LED, 1920 X 592, 500 NITS, 6000:1 CONTRAST, VGA + DVI INPUT, SLIM BEZEL, BLA
Cp19bh-Ap-12rg3	GVISION, 19IN PCOIP ZERO CLIENT TOUCH SCN, ETHERNET, SXGA 1280X1024, 400 NITS, WHITE, 5-WIRE RESISTIVE TOUCH, 4 USB PORTS, DVI OUT (2ND DISPLAY) UP TO
Cp19bh-Ap-42rg3	GVISION, 19IN PCOIP ZERO CLIENT TOUCH SCN, ETHERNET, SXGA 1280X1024, 400 NITS, BLACK, 5-WIRE RESISTIVE TOUCH, 4 USB PORTS, DVI OUT (2ND DISPLAY) UP TO
Ds55ad-Oo-45lg	GVISION, 55IN LARGE FORMAT TOUCH SCREEN, SURFACE LIGHT WAVE 10-POINT TOUCH, LED, TEMPERED GLASS, FULL HD 1920X1080, 380 NITS, 4000:1 CONTRAST, VGA, DV
Gpos15-E23a-42p	3MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
Cp15bx-Ap-42rg	GVISION, PCOIP ZERO CLIENT CLOUD, 15 IN LCD TOUCH SCREEN, XGA 1024X768, 225 NITS, ALUMINUM L-STAND, BLACK, 5-WIRE RESISTIVE TOUCH,SPEAKERS
Cp19bh-Ap-400g2	GVISION, PCOIP ZERO CLIENT CLOUD, 19 IN LCD MONITOR, SXGA 1280X1024, 400 NITS, ALUMINUM L-STAND, BLACK,ETHERNET, 4 USB PORTS, SPEAKERS
Gmed15-C13n-12p	1MB, DDR2 1GB, 320GB HDD, 10/100/1000, 4
S38ae-Ob-400g	GVISION, 38IN SUPER WIDE LCD DISPLAY, TFT ACTIVE MATRIX WITH SUPER MVA, LED, 1920 X 540, 800 NITS, 5000:1 CONTRAST, VGA + DVI INPUT, SLIM BEZEL, BLACK
I32zd-Ov-K5p0	GVISION, 32IN LCD TOUCH SCN, PCAP 10 POINT TOUCH (USB), INTERACTIVE DIGITAL SIGNAGE, LED, VGA+DVI+HDMI, FULL HD 1920X1080, 350 NITS, 3000:1 CONTRAST,
Ds70ad-Oo-45lg	GVISION, 70IN LARGE FORMAT TOUCH SCN, SURFACE LIGHT WAVE 6-POINT TOUCH, LED, TEMPERED GLASS, FULL HD 1920 X 1080, 350 NITS, 4000:1 CONTRAST, VGA, DVI,
I42zd-Ov-K000	GVISION, 42IN LCD DISPLAY, LED, VGA+DVI+HDMI, FULL HD 1920X1080, 350 NITS, 3000:1 CONTRAST, 75 100MM VESA, SILVER/BLACK
S5hx-Ta-0140	GVISIONS5HXMONITOR15 LCD MONITORPANEL MOUNTTOUCH SCREEN3M CAPACITIVESERIAL
Cp19bh-Ap-100g2	GVISION, PCOIP ZERO CLIENT CLOUD, 19 IN LCD MONITOR, SXGA 1280X1024, 400 NITS, ALUMINUM L-STAND, MEDICAL

Ürün	Açıklama
	WHITE, ETHERNET, 4 USB PORTS, SPEAKERS
Gmed15-C13c-12p	1MB, DDR2 1GB, 320GB HDD, 10/100/1000, 4
Ds46ad-Oo-45lgw	GVISION, 46IN TOUCH SCREEN W/ WIRELESS PRESENTATION GATEWAY, SURFACE LIGHT WAVE 6-POINT TOUCH, LED, 1920 X 1080, 400 NITS, 4000:1 CONTRAST, VGAX1, DVI
Ds65ad-Oo-45lg	GVISION, 65IN LARGE FORMAT TOUCH SCN, SLW 6-POINT TOUCH, LED, TEMPERED GLASS, FULL HD 1920 X 1080, 360 NITS, 4000:1 CONTRAST, VGA, DVI, HDMIX2, USBX2,
K26ac-CI-4970	GVISIONK26ACMONITOR26 LCD MONITORTOUCH SCREENALL METALGTOUCH SCREEN SAW USBWXGA 1366X768FREIGHT QUOTE REQUIRED
Bdl-Gvision-Pos	QUICK START POS STARTER KIT, INCLUDES GVISION 17 TOUCH MONITOR, BEMATECH SB9100 PC, STAR PRINTER, ID TECH MSR, APG CASH REGISTER, PCAMERICA CASH REGI
Ds70ad-Oo-45lgw	GVISION, 70IN TOUCH SCREEN W/ WIRELESS PRESENTATION GATEWAY, SURFACE LIGHT WAVE 6-POINT TOUCH, LED, 1920 X 1080, 350 NITS, 4000:1 CONTRAST, VGAX1, DVI
W5zx-Te-S220	GVISION, 15 TFT LCD MONITOR, OPEN FRAME, TOUCH SCREEN, 5-WIRE RESISTIVE, SERIAL, XGA 1024X768, 15-PIN LCD MONITOR, VGA, 250 NITS, 100MM VESA, CHROME,
Gpos15-F23n-42p	3MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
I42zd-Ov-K5p0	GVISION, 42IN LCD TOUCH SCN, PCAP 10 POINT TOUCH (USB), INTERACTIVE DIGITAL SIGNAGE, LED, VGA+DVI+HDMI, FULL HD 1920X1080, 350 NITS, 3000:1 CONTRAST,
Gpos15-F23c-42p	3MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
Gpos15-D23n-42p	2MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
Cp19bh-Ap-12rg2	GVISION, PCOIP ZERO CLIENT CLOUD, 19 IN LCD TOUCH SCREEN, SXGA 1280X1024, 400 NITS, ALUMINUM L-STAND, MEDICAL WHITE, 5-WIRE RESISTIVE TOUCH, ETHERNET,
Ds70ad-Oo-45lgm	GVISION, 70IN LARGE FORMAT TOUCH SCREEN, SURFACE LIGHT WAVE 4-POINT TOUCH, LED, FULL HD 1920 X 1080, 350 NITS, 4000:1 CONTRAST, VGAX1, DVIX1, HDMIX2,
Gpos15-A23a-42r	1MB CAC

Ürün	Açıklama
Ds46ad-Oo-45lg	GVISION, 46IN INTERACTIVE DIGITAL SIGNAGE DISPLAY, SURFACE LIGHT WAVE 6-POINT TOUCH, LED, FULL HD 1920 X 1080, 400 NITS, 4000:1 CONTRAST, VGAX1 + DVIX
Gpos15-E23d-42p	3MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
S28ag-Ob-400g	GVISION, 28IN SUPER WIDE LCD DISPLAY, TFT ACTIVE MATRIX WITH SUPER MVA, LED, 1920 X 360, 500 NITS, 6000:1 CONTRAST, VGA + DVI INPUT, SLIM BEZEL, BLACK
Gpos15-E23b-42p	3MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
Gpos15-C13b-42p	1MB, DDR2 1GB, 320GB HDD, 10/100/1000, RJ11 CASH
I46zd-Ov-K5p0	GVISION, 46IN LCD TOUCH SCREEN, PCAP 10 POINT TOUCH (USB), INTERACTIVE DIGITAL SIGNAGE, LED, VGA+DVI+HDMI, HD 1920X1080, 500 NITS, 4000:1 CONTRAST, SP
Gpos15-C13c-42p	1MB, DDR2 1GB, 320GB HDD, 10/100/1000, RJ11 CASH
Ds-Mts-Wmk-Mot	GVISION, ACCESSORY, MOBILE TABLE STAND + WALL MOUNT KIT FOR DS SERIES LARGE FORMAT TOUCH SCREENS, DURABLE METAL, 4 WHEELS (2 W/ BRAKES), UP TO 150KGS,
Gpos15-E23c-42p	3MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
Ds55ad-Oo-45lgw	GVISION, 55IN TOUCH SCREEN W/ WIRELESS PRESENTATION GATEWAY, SURFACE LIGHT WAVE 6-POINT TOUCH, LED, 1920 X 1080, 380 NITS, 4000:1 CONTRAST, VGAX1, DVI
Ds42ad-Oo-45lgw	GVISION, 42IN TOUCH SCREEN W/ WIRELESS PRESENTATION GATEWAY, SURFACE LIGHT WAVE 2-POINT TOUCH, LED, 1920 X 1080, 400 NITS, 4000:1 CONTRAST, VGAX1, DVI
Gpos15-D23d-42p	2MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
Gpos15-A23d-42r	1MB CACH
S38ae-Ob-45ig	GVISION, 38IN SUPER WIDE TOUCH SCREEN DISPLAY, TFT ACTIVE MATRIX WITH SUPER MVA, OPTICAL TOUCH SCREEN, LED, 1920 X 540, 800 NITS, 5000:1 CONTRAST, VGA
I55zd-Ov-K5p0	GVISION, 55IN LCD TOUCH SCREEN, PCAP 10 POINT TOUCH (USB), INTERACTIVE DIGITAL SIGNAGE, LED, VGA+DVI+HDMI, HD 1920X1080, 500 NITS, 4000:1 CONTRAST, SP

Ürün	Açıklama
Ma19bh-Ae-1230	GVISION, 19IN, LCD TOUCH MONITOR, W/ ELO 5-WIRE RESISTIVE TOUCH SCREEN, MEDICAL-UL60601, SXGA 1280X1024, USB, 15-PIN VGA/DVI/COMPOSITE-RCA/S-VIDEO, 30
Gmed15-C13d-12p	1MB, DDR2 1GB, 320GB HDD, 10/100/1000, 4
I32zd-Ov-K000	GVISION, 32IN LCD DISPLAY, LED, VGA+DVI+HDMI, FULL HD 1920X1080, 350 NITS, 3000:1 CONTRAST, 75 100MM VESA, SILVER/BLACK
Gpos15-C13n-42p	1MB, DDR2 1GB, 320GB HDD, 10/100/1000, RJ11 CASH
Ds65ad-Oo-45lgw	GVISION, 65IN TOUCH SCREEN W/ WIRELESS PRESENTATION GATEWAY, SURFACE LIGHT WAVE 6-POINT TOUCH, LED, 1920 X 1080, 360 NITS, 4000:1 CONTRAST, VGAX1, DVI
Gpos15-D23c-42p	2MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
Cp17bh-Ap-42rg	GVISION, PCOIP ZERO CLIENT CLOUD, 17 IN LCD TOUCH SCREEN, SXGA 1280X1024, 350 NITS, ALUMINUM L-STAND, BLACK, 5-WIRE RESISTIVE TOUCH, SPEAKERS
Ds84ai-Oo-45lgw	GVISION, 84IN TOUCH SCREEN W/ WIRELESS PRESENTATION GATEWAY, SURFACE LIGHT WAVE 4-POINT TOUCH, LED, 1920 X 1080, 350 NITS, 1600:1 CONTRAST, VGAX1, DVI
K26ac-CI-4000	GVISIONDISPLAYLDC NON-TOUCH26 ALL METALOPEN FRAMEWXGA 1366 X 76815-PINVGA/DVI FREIGHT QUOTE REQUIRED
Ds32ad-Oo-45lg	GVISION, 32IN LARGE FORMAT TOUCH SCN, SURFACE LIGHT WAVE 6-POINT TOUCH, LED, TEMPERED GLASS, FULL HD 1920 X 1080, 400 NITS, 3000:1 CONTRAST, VGA, DVI,
K42ac-CI-4970	GVISIONK42ACMONITOR42 LCD MONITORTOUCH SCREENALL METALGTOUCH SCREENSAWUSBWXGA 1366X768FREIGHT QUOTE REQUIRED
S7fh-Ta-0260	INTELLITOUCH 17INCH OPEN FRAME
Gpos15-F23b-42p	3MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH DRAWER, 4 USB
Ds70ad-Oo-45lg-Openbox	GVISION, 70IN INTERACTIVE DIGITAL SIGNAGE DISPLAY, SURFACE LIGHT WAVE 6-POINT TOUCH, LED, FULL HD 1920 X 1080, 350 NITS, 4000:1 CONTRAST, VGA + DVI +
Gpos15-E23n-42p	3MB, DDR3 2GB, 320GB HDD, 10/100/1000, RJ11 CASH

Ürün	Açıklama
	DRAWER, 4 USB
Gpos15-C13a-42p	1MB, DDR2 1GB, 320GB HDD, 10/100/1000, RJ11 CASH
Ds84ai-Oo-45lg	GVISION, 84IN LARGE FORMAT TOUCH SCN, SURFACE LIGHT WAVE 6-POINT TOUCH, LED, ULTRA HD 3840 X 2160, 350 NITS, 1600:1 CONTRAST, VGA, DVI, HDMIX2 (HD), H
S5hx-Ta-0260	GVISIONS5HXMONITOR5 TFT LCD MONITORTOUCH SCREENOPEN FRAMESAW TOUCH SCREEN-SERIALXGA 1024X76815-PIN LCD MONITORVGA250 NITS600:1 CONTRASTINTERNAL POWER