



Gw Instek

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Gw Instek Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Gw Instek Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Gw-Gpe-4323	
Psb 1800m Dc Power Supply	
GPT-9603	Dielectric strength tester 2000 MOhm 50V
GCT-9040	AC earth connection tester
GPT-9903A	Country of origin Taiwan (TW) Manufacturer GW Instek Gross weight (including packaging) 26300.0 grams Dimensions (incl.packaging) 620 x 300 x 470 MM Customs number 9030390000 UNSPSC (v5.03) 41113630
GPT-9904	Dielectric strength tester 50000 MOhm 50 Country of origin Taiwan (TW) Manufacturer GW Instek Gross weight (including packaging) 44200.0 grams Dimensions (incl.packaging) 710 x 460 x 300 MM Customs number 9030390000 UNSPSC (v5.03) 41113630
SPS-606	Laboratory power supply 1 ch. 360 W
PSH-3630A	DC-Netzteil + Ethernet-Anschluss
10A, 32-36	DC Netzteil + Ethernet-Anschluss
ASR-2050-EURO	ACDC Power Source 500VA Euro socket opt2
GPS-4303	30 V/3 AX2 \ 3-6V/1AX1 \ 8-15V/1AX1
Gw Instek	
Gw Instek	

Ürün	Açıklama
GPT-9603	Dielectric strength tester 2000 MOhm 50V 300-88-362
GPT-9903A	300-88-366 Dielectric strength tester 50000 MOhm 50
PCS-1000i precision current shunt	
GDS-11028	
SFG-1003	
GPS-3303	
GHT9904	
GHT9804	
GHT118	
GPT-9804	Dielectric strength tester 9500 MOhm 50V
GOM-804	Milliohmmeter/1 µOhm-5 MOhm 5 MOhm
GPT9803	
LCR916 LCR	
LCR-6200	300-88-375 Precision LCR meter 100 Ohm 1 F 100
GPD-3303S	
GW-9804	
GPT-9803	
MFG-2120 ma	
DAQ-9600	
DAQ-900	
DAQ-909	
Gct-9040	40A Ground Bond Test(must use GPT-98 or 99)
Gom-805	DC MilliOhm Meter w/Handler RS-232C/USB Device/GPIB
Gds-3154	(PRICE/EA) 150MHZ, 4 CH, VISUAL PERSISTENCE DSO [SPECIAL

Ürün	Açıklama
	ORDER -CONTACT GWI FOR DETAILS]
Gw-Lcr-829	
Gpc-3060d	
Psw30-108	(PRICE/EA) POWER SUPPLY, ADJ, 1 O/P, 108A, 30V, 1.08KW, POWER SUPPLY OUTPUT TYPE:PROGRAMMABLE, NO. OF OUTPUTS:1 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT
Gsp-830opt.07	AM/FM DEMODULATOR 10KHZ, 100KHZ RBW
Psw 30-36	Multi-Range DC Power Supply
Gds-2074a	(PRICE/EA) DIGITAL STORAGE OSCILLOSCOPE, 4CH, 70MHZ, 2GSPS, PRODUCT RANGE:GDS-2000A SERIES, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:70MHZ, SAMPLING RATE:
Psw160-14.4	(PRICE/EA) POWER SUPPLY, ADJ, 1 O/P, 14.4A, 160V, 720W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT VO
Gpd-4303s	Programmable Linear D.C. Power Supply
Gom-802gprs	(PRICE/EA) TESTER, RESISTIVITY, 4-WIRE, 0.03-3M OHM, WIRE CONNECTION:4-WIRE, RESISTANCE MEASUREMENT RANGE: 0.030OHM, 0.3OHM, 3OHM, 30OHM, 300OHM, 3KOHM
Gds-1102-U	
Gds-2202a	(PRICE/EA) DIGITAL STORAGE OSCILLOSCOPE, 2CH, 200MHZ, 2GSPS, PRODUCT RANGE:GDS-2000A SERIES, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:200MHZ, SAMPLING RAT
Gds-1052-U	
Gpi625	
Gpr-30h10d	300W DC Linear Power Supply 0-300V, 0-1A
Gds-820s	Digital Oscilloscope, 150 MHz, Mono
Psw 80-13.5	Multi-Range DC Power Supply 360W/0-80V/0-13.5A
Grf-1300 2-Rf	
Gds-310	Compact Digital Oscilloscope 100MHz, 2-Channel, Touch Screen
Gkt-008	EMI Near Field Probe Set [GSP-730/830/9300/9330]

Ürün	Açıklama
Gmp-8212	
Plr 36-20	Hybrid Linear, Low Noise 0-36V/0-20A, 720W
Gds-2104a	(PRICE/EA) DIGITAL STORAGE OSCILLOSCOPE, 4CH, 100MHZ, 2GSPS, PRODUCT RANGE:GDS-2000A SERIES, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:100MHZ, SAMPLING RAT
Gds-3354	350MHZ, 4 CH, VISUAL PERSISTENCE DSO
Gds-806c	OSCILLOSCOPE DIGITAL 60MHZ
Pel-2020	DUAL CHANNEL MODULE (180V, 20A, 100W) X 2
Psm-3004	Programmable Power Supply
Gut-6000b	(PRICE/EA) DIGITAL IC TESTER, 28PIN SOCKET, DESK TOP, IC TESTER TYPE:DIGITAL, SUPPLY VOLTAGE MIN:100V, SUPPLY VOLTAGE MAX:240V, INPUT SIGNAL FREQUENCY
Pst-3201gp	(PRICE/EA) WITH GPIB, ROHS COMPLIANT: NA
Exc-1553pcmcia/Px Excalibur Pcmcia 1553 Module	
Gpt-9802	(PRICE/EA) SAFETY TESTER, AC/DC, PRODUCT RANGE:GPT-9800 SERIES, TESTER FUNCTIONS:AC/DC WITHSTANDING VOLTAGE, AC WITHSTANDING VOLTAGE: 0.1KV TO 5KV, DC
Lm200-300 Gds	
Gw-Gag-810	
Gpr-7550dcaldu	TEST AND MEASUREMENT
Gsp-730	(PRICE/EA) SPECTRUM ANALYZER, 150KHZ TO 3GHZ, SPECTRUM ANALYZER TYPE:BENCH, TEST FREQUENCY RANGE:150KHZ TO 3GHZ, SENSITIVITY DBM:-, EXTERNAL HEIGHT:10
Psm-6003	(PRICE/EA) 0+30V/6A, 0+60V/3.3A, ROHS COMPLIANT: NA
Gds-2102a	(PRICE/EA) DIGITAL STORAGE OSCILLOSCOPE, 2CH, 100MHZ, 2GSPS, PRODUCT RANGE:GDS-2000A SERIES, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:100MHZ, SAMPLING RAT
Gpc-3030d	DC Digital Power Supply, Triple Output

Ürün	Açıklama
Pst-3201	(PRICE/EA) POWER SUPPLY, 3CH, 32V, 1A, PROGRAMMABLE O/P, POWER SUPPLY OUTPUT TYPE:PROGRAMMABLE, NO. OF OUTPUTS:3 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT
Gpt-9803	(PRICE/EA) SAFETY TESTER, AC/DC/IR, PRODUCT RANGE:GPT-9800 SERIES, TESTER FUNCTIONS:AC/DC WITHSTANDING VOLTAGE, INSULATION RESISTANCE, AC WITHSTANDING
Gos-635g	35MHz, 2-Channel Oscilloscope
Gds-2304a	(PRICE/EA) DIGITAL STORAGE OSCILLOSCOPE, 4CH, 300MHZ, 2GSPS, PRODUCT RANGE:GDS-2000A SERIES, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:300MHZ, SAMPLING RAT
Mfg-2260mra	60MHz Arbitrary Generator Dual Channel with Pulse Gen
Gla-1032	PC BASED LOGIC ANALYZER 32 CH 4MBITS/128KBITS
Mfg-2230m	30MHz Arbitrary Generator with Pulse Gen, Dual Channel
Gw-Aps-1102a	
Gpd-3303d	
Gpi-826	100VA, Electrical Safety Tester AC + IR
Gw-Gfg-8020h	
Pws-06	USB Power Sensor
Aps-7100	1000VA Output, AC Power Source
Gpt-9602	Value Hi-Pot Tester, AC/DC 100VA
Gds-840scaldu	DIGITAL STORAGE OSCILLOSCOPE
Gw-Gdm-8245	
Lcr-821	(PRICE/EA) LCR METER, BENCH, 322X149X433MM, 5.5KG, LCR TYPE:HAND HELD, TEST FREQUENCY MAX:200KHZ, INDUCTANCE MEASURE MAX:65H, CAPACITANCE MEASURE MAX:
Gcm-403	
Gkt-006a	EMI PROBE KIT SET FOR GSP-810, 830 AND 930 MODELS
Gpr-11h30d	

Ürün	Açıklama
Pel-300	(PRICE/EA) DC ELECTRONICS LOAD, 60A, 60V, 300W, PRODUCT RANGE:PEL-300 SERIES, POWER RATING:300W, DC LOAD TYPE:PROGRAMMABLE, OPERATING VOLTAGE MIN:3V
Gdm 452	
Gos-6103c	(PRICE/EA) OSCILLOSCOPE, BENCH, 2CH, 100MHZ, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:100MHZ, CALCULATED RISE TIME:3.5NS, SCOPE DISPLAY TYPE:CRT, WARRANTY
Gps-3303	
Ds2-16la	(PRICE/EA) LOGIC ANALYZER, 16 CHANNEL, GDS-2000A SERIES DSO, ACCESSORY TYPE:LOGIC ANALYZER MODULE, FOR USE WITH:GDS-2000A SERIES DIGITAL STORAGE OSCIL
Lcr-8101g	(PRICE/EA) LCR METER, BENCH, 330X170X340MM, 5KG, LCR TYPE:BENCH, TEST FREQUENCY MAX:1MHZ, INDUCTANCE MEASURE MAX:100KH, CAPACITANCE MEASURE MAX:1F, RE
Gpt-9902a	Performance Hi-Pot Tester AC/DC
Gds-2202e	200MHz Digital Oscilloscope 1GS/s, 2 Ch, 10Mpts, USB/LAN, VPO
Pfr-100l	Multi-Range DC Power Supply (0~50V/0~10A/100W) Fanless
Gsp-830	(PRICE/EA) SPECTRUM ANALYZER, BENCH, 9KHZ-3GHZ, SPECTRUM ANALYZER TYPE:BENCH, TEST FREQUENCY RANGE:9KHZ TO 3GHZ, SENSITIVITY DBM:-, EXTERNAL HEIGHT:17
Gtl-108a	
Gsp-9330tg	Spectrum Analyzer 3.25 GHz with Tracking Generator, (factory)
Gpr-6030d	
Gpr30h10d	
Gw-Afg-2125	
Gds-2102e	Oscilloscope, 100MHz, Color 2-Channel
Gds-2204a	(PRICE/EA) DIGITAL STORAGE OSCILLOSCOPE, 4CH, 200MHZ, 2GSPS, PRODUCT RANGE:GDS-2000A SERIES, SCOPE CHANNELS:4 ANALOGUE, BANDWIDTH:200MHZ, SAMPLING RAT
Gpr-0830hd	(PRICE/EA) POWER SUPPLY, 1CH, 8V, 30A, ADJ O/P, POWER

Ürün	Açıklama
	SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT VOLTAGE MA
Lcr-817	(PRICE/EA) LCR METER, BENCH, 322X149X433MM, 5.5KG, LCR TYPE:HAND HELD, TEST FREQUENCY MAX:10KHZ, INDUCTANCE MEASURE MAX:65H, CAPACITANCE MEASURE MAX:6
Gds-2302a	(PRICE/EA) DIGITAL STORAGE OSCILLOSCOPE, 2CH, 300MHZ, 2GSPS, PRODUCT RANGE:GDS-2000A SERIES, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:300MHZ, SAMPLING RAT
Glc-9000	(PRICE/EA) LEAKAGE CURRENT TESTER
Psw30-72	(PRICE/EA) POWER SUPPLY, ADJ, 1 O/P, 72A, 30V, 720W, POWER SUPPLY OUTPUT TYPE:PROGRAMMABLE, NO. OF OUTPUTS:1 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT VOL
Gds-2104e	100MHz Digital Oscilloscope 1GS/s, 4 Ch, 10Mpts, USB/LAN, VPO
Lcr-8110g	(PRICE/EA) LCR METER, BENCH, 330X170X340MM, 5KG, LCR TYPE:BENCH, TEST FREQUENCY MAX:10MHZ, INDUCTANCE MEASURE MAX:100KH, CAPACITANCE MEASURE MAX:1F, R
Gpi-735a	
Gos-6103	(PRICE/EA) OSCILLOSCOPE, BENCH, 2CH, 100MHZ, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:100MHZ, CALCULATED RISE TIME:3.5NS, SCOPE DISPLAY TYPE:CRT, WARRANTY
Front Cover For Gi-745a	
Gsp-9330	Spectrum Analyzer 3.25 GHz
Gsp-930opt.01	TRACKING GENERATOR FOR GSP-930 [FACTORY INSTALLED ONLY]
Aps-003	
Gpt-9801	(PRICE/EA) SAFETY TESTER, AC, PRODUCT RANGE:GPT-9800 SERIES, TESTER FUNCTIONS:AC WITHSTANDING VOLTAGE, AC WITHSTANDING VOLTAGE:0.1KV TO 5KV, DC WITHST
Pel-2030	DUAL CHANNEL MODULE (180V, 5A, 30W) + (180V, 40A, 250W)
Gds-207	Compact Digital Oscilloscope 70MHz, 2-Channel, Touch Screen
Psw160-21.6	(PRICE/EA) POWER SUPPLY, ADJ, 1 O/P, 21.6A, 160V, 1.08KW,

Ürün	Açıklama
	POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT
Gpd-3303s	
Gw-Lcr-6100	
Gsp-930	(PRICE/EA) SPECTRUM ANALYZER, BENCH, 3GHZ, SPECTRUM ANALYZER TYPE:BENCH, TEST FREQUENCY RANGE:9KHZ TO 3GHZ, SENSITIVITY DBM:20DBM, EXTERNAL HEIGHT:100
Grs-6052a	50MHZ, 100MS/S (ANALOG/DIGITAL)
Gps-4303	
Gcp-206p	POWER SUPPLY FOR CURRENT PROBE (2 INPUT CHANNEL)
Afg-3051	(PRICE/EA) SIGNAL GENERATOR, ARB/FUNCTION, 50MHZ, PRODUCT RANGE:AFG3000 SERIES, NO. OF CHANNELS:2 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, FUNCTION
Gsp-810-Rent1	150 kHz to 1 GHz Spectrum Analyzer FLV \$2375
Gpt-9903	(PRICE/EA) SAFETY TESTER, AC/DC/IR, PRODUCT RANGE:GPT-9900 SERIES, TESTER FUNCTIONS:AC/DC WITHSTANDING VOLTAGE, INSULATION RESISTANCE, AC WITHSTANDING
Gds-2072a	(PRICE/EA) DIGITAL STORAGE OSCILLOSCOPE, 2CH, 70MHZ, 2GSPS, PRODUCT RANGE:GDS-2000A SERIES, SCOPE CHANNELS:2 ANALOGUE, BANDWIDTH:70MHZ, SAMPLING RATE:
Gds-840scal	DIGITAL STORAGE OSCILLOSCOPE
Gw-Gps-4303	
Lcr-8105g	(PRICE/EA) LCR METER, BENCH, 330X170X340MM, 5KG, LCR TYPE:BENCH, TEST FREQUENCY MAX:5MHZ, INDUCTANCE MEASURE MAX:100KH, CAPACITANCE MEASURE MAX:1F, RE
Gps-3030dd	
Sps-1820	Switching Power Supply, 18V/20A NC/NR
Gpt-9904	(PRICE/EA) SAFETY TESTER, AC/DC/IR/GB, PRODUCT RANGE:GPT-9900 SERIES, TESTER FUNCTIONS:AC/DC WITHSTANDING VOLTAGE, INSULATION RESISTANCE, GROUND BOND
Gds-3352	(PRICE/EA) 350MHZ, 2 CH, VISUAL PERSISTENCE DSO

Ürün	Açıklama
Gpr-6015hd	
Pel-2004	4-SLOT MAINFRAME
Afg-3081	(PRICE/EA) SIGNAL GENERATOR, ARB/FUNCTION, 80MHZ, PRODUCT RANGE:AFG3000 SERIES, NO. OF CHANNELS:2 CHANNEL, SIGNAL GENERATOR TYPE:ARBITRARY, FUNCTION
Gpt-9804	(PRICE/EA) SAFETY TESTER, AC/DC/IR/GB, PRODUCT RANGE:GPT-9800 SERIES, TESTER FUNCTIONS:AC/DC WITHSTANDING VOLTAGE, INSULATION RESISTANCE, GROUND BOND
Mso-2104ea	Digital Storage Oscilloscope 100MHz, 4-channel, 16-channel
Gdm-8351	Digital Bench Multimeter RS-232, USB
Gdm-825	
Psw80-40,5	Power supply, multi-range, 1080W
Psh-3620a	
Gpr-7550dcal	TEST AND MEASUREMENT
Psw30-36	(PRICE/EA) POWER SUPPLY, ADJ, 1 O/P, 36A, 30V, 360W, POWER SUPPLY OUTPUT TYPE:PROGRAMMABLE, NO. OF OUTPUTS:1 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT VOL
Gos-653g	Analog Oscilloscope, 50MHz
Gds-3254	(PRICE/EA) 250MHZ, 4 CH, VISUAL PERSISTENCE DSO [SPECIAL ORDER -CONTACT GWI FOR DETAILS]
Gsp-830tg	(PRICE/EA) DWO SPECTRUM ANALYZER 3GHZWITH TRACKING GENERATOR
Gpi-745a	
Gw-Gpt-9903a	
Psm-2010	(PRICE/EA) 0+8V/20A, 0+20V/10A
Gw-Afg-2025	
SPD-3606	Laboratory Power Supply, 30V, 3A, 375W, Adjustable, GW Instek
Gw-Gds-2074a	
Mso-2204ea	Digital Storage Oscilloscope 200MHz, 4-Channel

Ürün	Açıklama
Gds-220	
Psw80-13.5	Power supply, multi-range, 360W
Pst-3202	(PRICE/EA) POWER SUPPLY, 3CH, 32V, 2A, PROGRAMMABLE O/P, POWER SUPPLY OUTPUT TYPE:PROGRAMMABLE, NO. OF OUTPUTS:3 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT
Psw80-27	(PRICE/EA) POWER SUPPLY, ADJ, 1 O/P, 27A, 80V, 720W, POWER SUPPLY OUTPUT TYPE:PROGRAMMABLE, NO. OF OUTPUTS:1 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT VOL
Mdo-2102ex	100MHz Spectrum Analyzer 2-channel, DSO, power supply
Gcp-1030	100MHZ/30A CURRENT PROBE
Gfg-3015	FUNCTION GENERATOR 15MHZ
Pel3031e	Programmable Electronic Load 0-150V, 300W
Gw-Gdm-8342	
Gom-802	DC Milli-Ohmmeter
Mfg-2160mr	60MHz Arbitrary Generator Single Channel with Pulse Gen
Pel-2041	SINGLE CHANNEL MODULE (2.5500V, 10A, 350W)
Gom-804	DC MilliOhm Meter w/Handler RS-232C/USB Device
Mdo-2072ex	70MHz Spectrum Analyzer 2-channel, DSO, power supply
Gpt-9903a	Performance Hi-Pot Tester AC/DC/IR
Gfg-1015g	
Lcr-6100	Precision LCR, 10Hz to 100kHz
Gom-802gp	(PRICE/EA) CONNECTOR
Gtl 1o8a - Ew Instek Gtl 1o8a Kelvin Iclips - Test Leads & Cable	
Aps-9501	
Lcr-816	(PRICE/EA) LCR METER, BENCH, 322X149X433MM, 5.5KG, LCR TYPE:HAND HELD, TEST FREQUENCY MAX:2KHZ, INDUCTANCE MEASURE MAX:65H, CAPACITANCE MEASURE MAX:64
Pcs-1000i	High Precision Current Shunt DC/AC Current w/Isolated Output

Ürün	Açıklama
Gpr-3510hd	0-35V
Gds-2062-Obsolete!! Replaced By Quot;Gw-Gds-2072aquot; Or Quot;Gw- Gds-2074quot;	
Gpc-6030d	(PRICE/EA) POWER SUPPLY, BENCH, ADJ, 3O/P, 60V, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, FIXED, NO. OF OUTPUTS: 3 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT VOL
Gdm-8342gp	Dual Measurement Multimeter
Gla-1132	PC BASED LOGIC ANALYZER 32 CH 32MBITS/1MBITS
Psw160-7.2	(PRICE/EA) POWER SUPPLY, ADJ, 1 O/P, 7.2A, 160V, 360W, POWER SUPPLY OUTPUT TYPE:ADJUSTABLE, NO. OF OUTPUTS:1 OUTPUT, OUTPUT VOLTAGE MIN:0V, OUTPUT VOL
Pph-1503	Dual Range DC Power Supply (0-15V/0-3A or 0-9/0-5A)
Gds-1000-U	
Pfr-100m	Multi-Range DC Power Supply (0~250V/0~2A/100W) Fanless
Psu 300-5	Programmable 300VCD-5A 1U High 1500W
Aps-7050	Programmable AC Power Source 500VA
Gos-620fg	20MHz Oscilloscope
Pel-3111	1050W Programable Electronic Load
Gds-2204e	200MHz Digital Oscilloscope 1GS/s, 4 Ch, 10Mpts, USB/LAN, VPO
Pel-2002	2-SLOT MAINFRAME
Pel-2040	SINGLE CHANNEL MODULE (180V, 70A, 350W)
Gw-Lcr-819	
Sps-606	DC Power Supply, 60V/6A
Gpd-2303s	
Gpib	
Gcp-530	(PRICE/EA) 50MHZ/30A CURRENT PROBE
Gds-122	HANDHELD DSO, 20MHZ, 100MS/S WITH USB

Ürün	Açıklama
Gds-1072a-U	
Gw-Glc-9000	
Ght-113	
Gw-Gds-2072a	
Gsp-810tg	SPECTRUM ANALYZER 150KHZ-1GHZ WITH TRACKING GENERATOR