Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr



Halstrup-Walcher

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Halstrup-Walcher Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Halstrup-Walcher Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
9423.0005	Positioning system PSE232-8-CAO-W-0 Gearbox type: PSE232-8 Output torque: 2 Nm Output speed: 40 rpm Measuring range: 0 Supply voltage: 24VDC Interface: CA Software: 2074C / V168 PCB: V7474 Address switch: O Output shaft: W
PSE232-8/So-CA-O-W-0 14924	9423.0007 Positioning system country of origin: Germany Features: Gearbox type: PSE232-8 Drawing: 7300.010933 Output torque: 2 Nm Output speed: 40 rpm Measuring range: 0 Supply voltage: 24VDC Interface: CA Software: 2074C / V168 PCB: V7474 Address switch: O Output shaft: W set to: Adr 120, 1 MBd Version: Orange RAL2010
9612.0595	Differential pressure transmitter P26 Measuring range: +/- 15 Pa Measurement uncertainty: ± 0.5% FS/FS Output signal: 4 - 20mA Operating voltage: 24V AC/DC

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Switching outputs: 0 Execution: hw Display: 0 Time constant: 15 s Interface: 0 Pressure connection: laboratory nozzle Language: German Test certificate: - Weight per unit: 0.9 kg Net weight: 1.8 kg Customs tariff number: 90262020 country of origin: Germany
9614.0068	Differential pressure transmitter P29 natural gas Measuring range: 0 - 1kPa Measurement uncertainty: ± 0.5% FS/FS Output signal: 4 - 20mA Supply voltage: 24 VDC +/-10% Execution: hw Display: 0 Time constant: 25 ms Pressure connection: laboratory nozzle Language: German Test certificate: - Optional to the offered devices we offer you the following: - Factory calibration certificate according to ISO9001, with 10 measuring points, item no. 9601.0002 Price at € 73.60 - Calibration certificate according to DKD-R 6-1 with 11 measuring points, item no. 9601.0003
9002.	
9003.0114	
9003.0757	
9030.1916	
9031.	
9031.0045	
9031.0074	
9031.0175	
9031.0238	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
9031.0287	
9071.1091	
9071.1237	
9071.3205	
9431.0119	
9431.0210	
9462.0058	
9505.0001	
9612.0010	
9612.0012	
9612.0014	
9612.0031	
9612.0050	
9612.0108	
9613.0311	
9614,0002	
9614.0002	
9615.0003	
AD1000	
PSE433C	
Delta-P	PU/PI 4-20 ma 220v ac 0-100 mbar
P26.0.230.0-10mB.S.000	
9612.0164	Differenzdruck-Messumformer P26-4-24ACDC-+/-50Pa-S-0-0-0-0 Measuring range: +/- 50 Pa Measurement accuracy: ± 0.5% FS/FS Output: 4-20mA

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Supply: 24V AC/DC Switch contacts: 0 Execution: hw Display: 0 Step response time: 25 ms Interface: 0 Pressure connections: laboratory nozzle Language: German Calibration certificate: -
Factory calibration certificate according to	ISO9001, with 10 measuring points, item no. 9601.0002 Optional to the offered devices
Calibration certificate according to DKD-R 6-1	with 11 measuring points, item no. 9601.0003 Optional to the offered devices
9031.0612	differential pressure transmitter PIZ-+/-5mbar-1-PIZ-1-0-0 Measuring range: +/- 5 mbar Output: 4-20mA Supply: 10 - 32 V Step response time: 1 s Calibration certificate: - Case: 80x120 Measurement accuracy: +/- 1%
9002.0310	Measuring range: 0 - 500 Pa Output: 0 - 10V Measurement accuracy: +/- 1.0% Supply: 24 VDC Case: 80x120
9030.1752	Druckaufnehmer PI-Sensor Measuring range: 0 - 25 mbar Output: 4-20mA Measurement accuracy: +/- 1% Supply: 24 VDC Display: 3 1/2 digits Case: 120x122
9030.3216	Differential pressure transmitter PI4-+/-1mbar-1-24D-0-0-0 Measuring range: +/- 1 mbar Output: 4-20mA Measurement accuracy: +/- 1% Supply: 24 VDC

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Case: 80x120 Calibration certificate: -
P29-1-24DC-0...5kPa-S-0-0-0	9614.0100 Differential pressure transmitter Measuring range: 0 - 5kPa Measurement accuracy: ± 0.5% FS/FS Output: 0 - 10V Supply: 24 VDC +/-10% Execution: hw Display: 0 Step response time: 25 ms Pressure connections: laboratory nozzle Language: German Calibration certificate: -
PSE312-8-IO-0-0-0-54	9431.0411 Positioner System Transmission type: PSE312-8 Output torque: 2 Nm Output speed: 115 rpm Setting range: 256 rev. Supply: 24VDC Interface: OK option. Connections: 0 Brake: 0 Certification: 0 Degree of protection: IP54
HMGP-303M	
SE335-14/So-DP-0-0-0 24Volt DC	
PSW335-14-DP-0-0-0 Servo	
PSW335-14-DP-0-0-0	Positioner
9431.0224	Positioniersystem PSE312-8-DP-T-0-0-54 Gear type: PSE312-8 Output torque: 2 Nm Output speed: 115 rpm Adjusting range: 256 revolutions Supply: 24VDC Interface: DP option. Connections: T Brake: 0 Certification: 0 Protection class: IP54

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
9030.3204	Differenzdruck-Messumformer PI-4-+/-1mbar-1-230-10-0-0 Measuring range: +/- 1 mbar Output: 4 - 20 mA Measuring accuracy: +/- 1% Supply: 230 VAC Step response time: 10 s Housing: 80 x 120 Calibration certificate: -
9030.2950	Pressure sensor PI sensor Measuring range: 0 - 1000 Pa Output: 4 - 20 mA Measuring accuracy: +/- 0.5% Supply: 230 VAC Step response time: 5 s Display: 3 1/2 digits Housing: 120 x 122
9612.0805	differential pressure transmitter P26-4-24ACDC-0...2.5kPa-S-0-0-0-S-0 Output: 4 - 20 mA Supply: 24 V AC/DC Measuring range: 0 - 2.5 kPa Measurement accuracy: ± 0.5% FS Display: 0 Switch contacts: 0 Interface: 0 Pressure connections: S Calibration certificate: without Version: hw Step response time: 25 ms Language: German
9030.2878	pressure sensor PI sensor Measuring range: 0 - 250 Pa Output: 4 - 20 mA Measurement accuracy: +/- 0.5% Supply: 230 VAC Step response time: 5 s Display: 3 1/2 digits Housing: 120 x 122
9612.0164- differential pressure transmitter	P26-4-24ACDC-+/-50Pa-S-0-0-0-L-0 Output: 4 - 20 mA Supply: 24 V AC/DC Measuring range: +/- 50 Pa Measurement accuracy: ± 0.5% FS Display: 0 Switch contacts: 0 Interface: 0

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Pressure connections: laboratory nozzle Calibration certificate: without Version: hw Step response time: 25 ms Language: German
PSE312-8-SE-So-0	
9031.0612-	Differential pressure transmitter PIZ-+/-5mbar-1-PIZ-1-0-0 Measuring range: +/- 5 mbar Output: 4 - 20 mA Supply: 10 - 32 V Step response time: 1 s Calibration certificate: without Housing: 80 x 120 Measurement accuracy: +/- 1% Weight per unit: 0.6 kg Net weight: 0.6 kg
PSE312-8V-IO-0-0-0	
9623.0025	Differential pressure transmitter PS17-1-AC/DC-0..500Pa-0-0-025-16-0 Output: 0 to 10 V Power supply: 24 VAC/DC ±10% 50/60 Hz Measuring range: 0 - 500 Pa Switching contacts: 0 Display: no display Step response time: 25 ms Electrical connection: 2* M16 Calibration certificate: none Weight per unit: 0.28 kg Net weight: 0.28 kg
PSR338-14/SO-PN-0-0N	Torque 7/8 NM, SPEED 30 rpm, Pos range 256 rev, Voltage 24vdc
Ps10-230v	
9003.0068	
9030	
Pu (0-25)mbar 1 230 0 0	
Pse232-8/So-Ca-O-W-0 14924	country of origin: Germany Characteristics: Gearbox type: PSE232-8 Drawing: 7300.010933 Output torque: 2 Nm

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Output speed: 40 rpm Measuring range: 0 Supply voltage: 24VDC Interface: CA Software: 2534B / V199 PCB: V7474 Address switch: Auto-Id Output shaft: W Version: Orange RAL2010 Weight net: 0.8 kg Customs tariff number: 85011099 Weight per unit: 0.8 kg
Ps27	Differential pressure transmitter 9613.0109 country of origin: Germany Characteristics: Output signal: 0 - 10 V Supply voltage: 24 V AC / DC Switching outputs: 0 Execution: hw Time constant: 20 msec Display: 0 Measuring range: 0 - 2.5 kPa Test certificate: -
9003.0071	
9003.0070 (Ex.9003.0037)	
Pu 10mbar 1 230 0 0	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.