

Ham-Let

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapılabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Ham-Let Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Ham-Let Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
H-99s-10-Ss-Psw-V-1/4	3209266 Country of Origin: Israel, Weight Kg: 1 Zolltarifnummer 84818059
H-99s-10-Ss-Psw-V-3/8-G	3208696 ID-Nr./Artikel: Country of Origin: Israel, Weight Kg: 0.549 Zolltarifnummer 84818059
H-300U-SS-L-R-8MM-RS	Shut-off and regulating valve, series H-300U, stainless steel Connections: 8mm double clamping ring on both sides Country of Origin: Israel, Weight Kg: 0.16
H-300U-SS-L-R-10MM-RS	Shut-off and regulating valve, series H-300U, stainless steel Connections: 10mm double clamping ring on both sides Country of Origin: Israel, Weight Kg: 0.34
774L SS 1/4	Bulkhead screw connection, stainless steel, 2x clamping ring connection Art. Nr. 3002424
** H-710-SS-N-1/4-T-LD	Two-piece ball valve, series H700, stainless steel, 1/4 "NPT internal thread, max.pressure: 137bar, max.temp .: 204 ° C Art. Nr. 3202569
H-500-SS-L-6MM-A1	

H-99S-10SS-N-V-3/8	
7121L SS 1/8	Blind plug, stainless steel ID No./Article: Country of Origin: Israel, Weight Kg: 0.007 Customs tariff number: 73072910
768LG SS 1/2 X 3/8	Straight screwdriver, stainless steel, 1/2 "pipe screw connection 3/8 "parallel ISO-G thread (form A) ID No./Article: Country of Origin: Israel, Weight Kg: 0.13 Customs tariff number: 73181900
H6800SSL1/4PSS	2/2 way ball valve stainless steel 1/4 "pipe screw connection; Max pressure 205bar ID No./Article: Country of Origin: Israel, Weight Kg: 0.25
3000038	
3000092	
3000177	
3000292	
3000295	
3000311	
3000355	
3000365	
3000443	
3000557	
3000560	
3000574	
3000578	
3000635	
3000637	
3000706	
3001218	
3001348	
3001355	
3001383	
3001544	
3001608	
3001798	
3001811	
3001813	

[3001814](#)[3001961](#)[3001996](#)[3002004](#)[3002010](#)[3002012](#)[3002013](#)[3002021](#)[3100241](#)[3200381](#)[3200437](#)[3200798](#)[3201730](#)[3201944](#)[3201986](#)[3202415](#)[3202435](#)[3206647](#)[3206660](#)[3208168](#)[3209772](#)[3210520](#)[3211005](#)[3500021](#)[3500023](#)[3500042](#)[3500043](#)[3500123](#)[3500143](#)[7102L SS 6MM](#)[7108L SS 1/2](#)[7121L SS 6MM](#)

760LS SS 1/2	
762L SS 1/2	
762L SS 8 mm	
763L SS 12MMX6 MM	
763L SS 12MMX8 MM	
763L SS 8MMx6MM	
764L SS 1/2	
764L SS 6MM	
765L SS 1/2	
768L SS 12MMX 1/2	
768L SS 12MMX 1/4	
768L SS 6MMX 1/2	
768L SS 6MMX 1/4	
768L SS 6MMX 1/8	
768L SS 8MMX 1/4	
768L SS 8MMX 1/8	
769L SS 6MM X 1/8	
774HFLN SS 1/2	
9900018	
H-300U-SS-L-R-12MM-RAB	
H-300U-SS-L-R-6MM-RAB-A	
H-6800-SS-L-1/2 ASA	
H-6800-SS-L-1/4 ASA	
H-6800-SS-L-3/4 ASA	
H6800SSL6MMPBS	
M-50T-15-8NF-SS-T-T	
VA 10X1	
VA 6X1	
7121L SS 3 MM	Blind plug, stainless steel ID No./Item: Country of Origin: Israel, Weight Kg: 0.01
760LS SS 3MM SET=10PCS	Set of front and rear clamp rings (10 pcs each), stainless steel
H-400-SS-L-12MM-1/3	PSI / ES check valve PN206 Ø12mm compression ring, 1/3 PSI cracking pressure, Gasket FKM

3000899	774LFR SS 1/4 X 1/4 / ES bulkhead fitting Ø1/4"compression ring / 1/4"(IT) conical internal thread (BSPT)
H-99S-00-SS-L-V-1/4	ES needle valve Ø1/4" compression ring
768LG SS 8 MMX 1/4	Straight screw-in connector, stainless steel, compression ring on parallel ISO-G thread
764L SS 8 MM	Tee fitting stainless steel 8mm tube fitting
772L SS 8 MMX 1/4	
766LG SS 8 MMX 1/2	Screw on, stainless steel, 8MM ferrule to 1/2" parallel ISO-G thread
762L SS 8 MM	Straight screw connection, stainless steel, 2x clamping ring screw connection
768L SS 8 MMX 1/4	Male fitting, stainless steel, 8 mm pipe fitting - 1/4 inch male NPT thread
123H SS 1/2 X 1/4	Reducing nipple 1/2"NPT male thread to 1/4" NPT male thread SS
768 L - 8 X 1/4	8Mm- Erkek 1/4 Npt
List of products	
768LG	
H385USSNR1	INTEGRAL-BONNET NEEDLE VALVES VALVE TYPE: R STEM TİP MAT: SS316 1/4" MALE NPT/FEMALE NPT REFERANS1: SWAGELOK SS-20KM4-F4 REFERANS2:
760LNS SS 1	3501031
STOP COLLAR 1" - ST.ST.	3500415
H-810M-SS-N-1/4	2/2-way ball valve stainless steel 1/4"-NPT(IT) CV0.9
3001899 / 767LT SS 1/2 X 3/4	
3001890 / 767LT SS 1/2 X 1	
4300667 / 760LB 254 1/2	
4300666 / 760LF 254 1/2	
3500136 / 760LF SS 1/2	
3500119 / 760LB SS 1/2	
2000746	High Flow Long Gland Body Material: SS 316L Var or Vim/Var Face Seal Size: 1/4" Tube Size: 3/8" Weigth kg: 0.01
3901117	High Flow Female Nut Body Material: SS 316 / SS 316L Face Seal Size: 1/4" Weigth kg: 0.03
1/8' stainless steel ferrule set: 760LS SS 1/8	
1/8' stainless steel nut: 761L SS 1/8	

3203115	H-800M-SS-L-8MM / ES ball valve Ø8mm clamping ring (206 bar)
3200607	H-900-HP-SS-L-1/4-D / ES high-pressure overflow valve Ø1/4" pipe fitting Nominal opening pressure: 103-155 bar / 1500-2250 psig
768LR SS 3 MM X 1/4	ES compression fitting Ø3mm / 1/4" BSPT thread ES compression fitting Ø3mm / conical ISO external thread 1/4"
768L SS 3 MM X 1/4	ES compression fitting, Ø3mm /1/4"-NPT(m)
762L SS 16MM / ES connector straight Ø16mm	
768LG SS 1/2 X 3/8 / ES Ferrule Screwdriver	Ø1/2" / G3/8"(AG) 3001971 Straight screw-in, stainless steel. 1/2" tube fitting to 3/8" parallel ISO G thread (Form A)
LET-LOK TUBE FITTINGS WITH HAM-LET HEAD 304L/316L	762L 8MM
LET-LOK TUBE FITTINGS HAM-LET FOAM 304L/316L	768LN 8MMX1/4" MALE PIPE WELDED CONNECTION
LET-LOK TUBE FITTINGS WITH HAM-LET FOAM 304L/316L	768LG 8MMX1/4" MALE BSPP THREAD
LET-LOK TUBE FITTINGS HAM-LET FOAM 304L/316L	768LN 10MMX1/2" MALE PIPE WELDED CONNECTION
LET-LOK TUBE FITTINGS WITH HAM-LET FOAM 304L/316L	768L 10MMX1/8" MALE NPT THREAD
LET-LOK TUBE FITTINGS WITH HAM-LET FOAM 304L/316L	768L 10MMX1/2" MALE NPT THREAD
LET-LOK TUBE FITTINGS WITH HAM-LET FOAM 304L/316L	768LR 10MMX1/2" MALE BSPP THREAD
LET-LOK TUBE FITTINGS WITH HAM-LET FOAM 304L/316L	768L 8MMX1/4" MALE NPT THREAD
7102L 1/4	
767LP 1/4	
SS-GA-LG-1/8-FKM	
768LG 1/4 X 1/8	
739LMG 1/4 X 1/8	
768L 1/4 X 1/4	
739LMG 1/2 X 1/4	
767LM 1/2 X 1/4	
772LF 1/4 X 1/4	
768LG 1/2 X 1/4	
THT04-LK1/4-LK1/4-70C	

766LG 1/4 X 1/2	
FLN NPS 1/2 X 1/4 LL-150-RF	
766L 1/4 X 1/2	
THT04-LK1/4-LK1/4-30C	
THT04-LK1/4-LK1/4-50C	
768LG 1/2 X 1/2	
H-710-SS-N-1/2-T-LD	Ball valve, stainless steel, two-piece, 1/2" NPT female thread, CV: 9.25 PTFE packing; handle lock; bore 9mm
H-99S-00-SS-L-V-3/8	
768LR SS 3/8 X 1/2	Straight screw connection, stainless steel, Connections: 3/8" clamping ring to 1/2" tapered ISO-R thread
764LR SS 3/8 X 3/8X 1/4	764LR SS 3/8 X 3/8 T-reducing screw connection, stainless steel, Connections: 2 x 3/8" clamping ring, branch 1/4" clamping ring
H-985-HP-SS-N-1/4CKZ870PS	
THT06-TS3/8TS3/8-150C	
762L SS 3/8	Straight screw connection, stainless steel, Connections: 2 x 3/8" clamping ring
H-300U-SS-L-R-8MM-RS /	ES regulating/shut-off valve Ø8mm clamping ring (345bar) 3204836
1/2" THREADED NIPPLE NPT 2000LB	THREADED HP HEX NIPPLE HIGH PRESSURE HEX CORNER
1" - 1/2" THREADED REDUCTION NPT 2000LB	THREADED HP HEX HEAD BUSHING
3/4" - 1/2" THREADED REDUCTION NPT 2000LB	THREADED HP HEX HEAD BUSHING
1/4" 10 MM INTERNAL THREAD FLAT CONNECTOR	766L FEMALE CONNECTOR 766L_10 X 1/4"
1/4" 10 MM INTERNAL THREAD 90' ELBOW CONNECTOR	770L FEMALE NPT ELBOW 770L_10x1/4"
1/2" - 1/4" THREADED REDUCTION NPT 2000LB	THREADED HP HEX HEAD BUSHING
1/2" THREADED TE 2000LB	101 H TEE 101H_1/2"
1/2" 10MM EXTERNAL THREAD CONNECTOR	768L MALE CONNECTOR 768L_10x1/2"
1/2" 12MM EXTERNAL THREAD CONNECTOR	768L MALE CONNECTOR 768L_12x1/2"
1/2" 90' ELBOW WITH 12MM EXTERNAL THREAD	769L MALE ELBOW 769L_12 X 1/2"
1/2" 12mm INTERNAL THREAD 90' CONNECTOR	770L FEMALE ELBOW 770L_12 X 1/2"

1/2" THREADED 90' ELBOW NPT 2000LB (FEMALE)	THREADED 90' ELBOW HIGH PRESSURE
1/2" THREADED NIPPLE NPT 2000LB	THREADED HP HEX NIPPLE HIGH PRESSURE HEX CORNER
1/2" THREADED TE NPT 2000LB (FEMALE)	THREADED TEE 1/2" HIGH PRESSURE
1/2" - 12 MM FLAT CONNECTOR	766L FEMALE CONNECTOR 766L_12 X 1/2"
760LNS-SS-08	
119H-SS-1/2-3/8	
122HR-SS-3/8X3/8 PH 1282810-06-06	
119H-SS-3/8X1/4	
103HG-SS-1/4	
122HR-SS-1/4 PH 1282810-04-04	
123H-SS-3/8X1/4 PH 1282810-06-04	
748HF-SS-3/8X3/8 PH 1252810-06-06	
749HF-SS-1/4X1/4 PH 1252517-04-04	
762L-SS-1/4 PH GV-CFT-1/4	
768L-SS-8MMX1/4 PH CFT-08-1/4"NPT	
769L-SS-8MMX1/4 PH CFT-WE-08-1/4-NPT	
L-748HF-SS-1/4X1/4-X PH 1252810-04-04	
3207032	H-99S-10-SS-TSW-V-12MM-G
H-310U-SS-N-V-1/2-RS-A	3207294
768L SS 14MMX 1/2	3000578 Straight screw-in screwdriver, stainless steel, clamping ring on NPT external thread
765L SS 14MM LF	3009780
764L SS 14MM	3000296 T-piece, stainless steel, 3x clamping ring screw connection
103H SS 1/2	3001015 Hexagon socket, stainless steel, 2x NPT internal thread
768L SS 14MMX 1/4	3000576 Straight screw-in screwdriver, stainless steel, clamping ring on NPT external thread
103H SS 1/4	3001013 Hexagon socket, stainless steel, 2x NPT internal thread
120HGN SS 1/2 X 1/2	3003625 Adapter, stainless steel, parallel ISO-G female to NPT male thread
774L SS 14MM	3000883 Bulkhead fitting, stainless steel, 2x clamping ring connection
101HM SS 1/2	T-piece 3x 1/2"NPT AG

H-410HP-SS-N-1/2-1 PSI	3202014
762L SS 14MM	3000231 Straight screw connection, stainless steel, 2x clamping ring screw connection
120HNG SS 1/4	3001168 Adapter, stainless steel, NPT female to ISO G male thread
768LG SS 10MMX 1/4	3000520 Straight screwdriver, stainless steel, clamping ring on parallel ISO-G thread
768L SS 10MMX 1/2	3000569 Straight screw-in connector, stainless steel, clamping ring on NPT external thread
768LG SS 14MMX 3/8	3000529
H-480-SS-N-3/8-10 PSI	3202196
3000632	** 768LN SS 10MMX 3/8 Butt weld screw connection, stainless steel, clamping ring on butt weld connection
H-99XL-10-SS-N-V-1	3207024
3000749 769LR SS 8 MMX 1/4	Angle screw-in connector, stainless steel, clamping ring on conical ISO-R thread
768LG 1/2x1/2	
SS316	Double ferrule OD6 3-way needle valve 6000 PSI
24Y00261MJ/AC-7503-002	107HSS 1/8
H900HPSSL1/4A	
766LGSS1/4X1/8	PSZCL AD 1/4 TB X 1/8
Blocking ball valve	1/2" NPTF HAMLET / Blocking ball valve 1/2" NPTF HAMLET
Male connector	1/2" OD x1/2" NPTM 768LSS HAMLET/ Male connector 1/2" OD x1/2" NPTM 768LSS HAMLET
Female connector	1/2" OD x1/2" NPTM 768LSS HAMLET / Female connector 1/2" OD x1/2" NPTM 768LSS HAMLET
Clutch 1/2 NPT / Clutch 1/2 NPT	
Fitting 1/2 x1/2" NPT/ Fitting 1/2x1/2" NPT	
Plug 1/2" NPTM BR/ Plug 1/2" NPTM BR	
768LG-6MM(T)X1/8"	6 MM BSPP MALE FITTINGS
760 LF16	FRONT FERRULE 16MM
760LB 16	BACK FERRULE 16MM
3000PSI, 316 SS, FNPT	BALL VALVE, 1/2"
3000PSI, 316 SS, FNPT	CHECK VALVE, 1/2"
3000PSI,316 SS, FNPT	BALL VALVE,1/4"
3000PSI, 316 SS, FNPT	CHECK VALVE, 1/4"

768L-1/16"x1/16" AISI 316	TUBE FITTING - NPT MALE CONNECTOR KTJ 1750
3002010 Connector Male Connector 1/2"x1/4"-Npt-M Stainless Steel 316	
3204203, H-99m-10-Ss-N-V-1/4	
1038 / 768lr Ss 10mmx1/2	
768lr Ss 10mmx1/4	
762l Ss 8mm	
760li Ss 3/16x1/8 Rohreinsatz	
768lr Ss 12mmx1/4	
3002013 Connector Male Connector 1/2"x3/4"-Npt-M Stainless Steel 316	
76800 Ss L 12mm Ass Kugelhahn	
760lb B 3/8	
3002012 Connector Male Connector 1/2"x1/2"-Npt-M Stainless Steel 316	
1045 / 768lr Ss 12mmx3/8	
762l Ss 8mm Gerader Verbinder "lok"rohr 6mm Adedelstahl 316klemmring	
P/N: 3000230 Type: 762l Ss 12mm (Pack X5)	
3001214	
3001348 Adapter 1/2"x1/4"-Npt-F Stainless Steel 316	
H710ssg1/2tld	
768l B 12mmx 1/2	
M-50t-15-8nf-Ss-T-T Ventilblock 5-Fach	
3500123 760lb Ss 1hinterer Klemmring, Edelstahl	
763l Ss 8mmx6mm Kupplung	
3500042 760lf Ss 12mmvorderer Klemmring, Edelstahl	
2071 / 769lr Ss 10mmx3/8	
761l B 3/8	
Let Lok 768l 10x 1/2 / Mm 10	
Letlok 120h 3/8 X 1/4	

766lss8mmx1/4
H580-Ss-Tbw-1-Oc
3001383 Adapter Rohr Adapter, 3/4"x3/4"- Npt-M Stainless Steel 316
763l Ss 5/8x1/2
3000292 764l Ss 6 Mmt-Stueck, Edelstahl, 3x Klemmring-Verschraubung
772lf Ss 10mmx1/4
H-710-Ss-N-1/4-T-Ld
763l Ss 8mmx1/2
3001218 7121l Ss 3/8 Blindstopfen, Edelstahl
3001608 Der Connector Union Connector 3/8" Stainless Steel 316
3001798 Connector Female Connector 3/8"x3/8"-Npt-F Stainless Steel 316
H500ssh11/2
883, 768l Ss 6 Mmx1/4
3203012 - H - 700 - Ss - L - 25mm-T-Ld
3000560 Connector
Letlok 110h 1/2 X 3/8
1041 / 768lr Ss 10mmx3/8
3001241, 122hcn Ss 1/4
3002003
3500143 760lf Ss 1vorderer Klemmring, Edelstahl
1043 / 768lr Ss 12mmx1/4
7121l Ss 8mm Blindstopfen Ss 316, 8mm
774l Ss 12mm
1897, 765l Ss 1/8
? 400 Ss L 12mm 1 Psi Rueckschlagventil
3001811 Connector Female Connector 3/4"x3/4"-Npt-F Stainless Steel 316
3000038 7102l Ss 6 Mmkreuzstueck, Edelstahl, 4x Klemmring-Verschraubung 6mm

Letlok 120h 1/4 X 1/8
Letlok 120h 1/2 X 3/8
H-710-Ss-N-1/2-T-Ld
3001355 Adapter Rohr Adapter, 3/4"x3/4"- Npt-F Stainless Steel 316
H6800ssl6mmpbs Kugelhahn
763l Ss 1x1/2
Let Lok 7121l 8/A Mm 8
Letlok 110h 1/2 X 1/4
2524, 7121l Ss 1/8
762l Ss 10mm Gerade Verschraubung Ss 316, 10mm
766lgb12mmx3/8
3002004 Connector Male Connector 3/8"x1/4"-Npt-M Stainless Steel 316
H-400-Ss-L-1
3000359 - 766l Ss 10mmx1/4
772lf 8 X A188; Edelstahl
768lg Ss 8mmx1/4
2430, 760li Ss 6mmx4mm
7108l Ss 8mm Rohrverschlusskappe Ss 316, 8mm
3001996 Connector Male Connector 1/4"x1/4"-Npt-M Stainless Steel 316
768l Ss 12mmx 1/4 Gerade Einschraubverschraubung "lok"npt1/4"a - Rohr 12mmedelstahl 316,Klemmring
3500023 760lb Ss 14mmhinterer Klemmring, Edelstahl
762l Ss 8 Mm Gerader Verbinder "lok"rohr 8mm Adedelstahl 316klemmring
768l Ss 5/8 X1/2
3001813 Verbinder Mit Innengewinde Female Connector 1"x3/4"-Npt-F Stainless Steel 316
768l Ss 12mmx 1/2
3500043 760lf Ss 14mmvorderer Klemmring, Edelstahl

1039 / 768lr Ss 10mmx1/4
7108l Ss 10mm Rohrverschluß223;Kappe Ss 316, 10mm
760lb Ss 12mm
3001387
762l Ss 1-1/4
3001366
1631, 764l Ss 1/8
H600rssl1/27
2068 / 769lr Ss 10mmx1/2
3000557 Connector
3000706 769l Ss 6 Mmx 1/8winkel-Einschrauber, Edelstahl, Klemmring Auf Npt-Aussengewinde
766lss12mmx1/2
768l Ss 6mmx 1/4 Gerade Einschraubverschraubung "lok"npt1/4"a - Rohr 6mmedelstahl 316,Klemmring
7108l Ss 12mm Rohrverschluß223;Kappe Ss 316, 12mm
Let Lok 7108l 12
3000092 Rohr
767lp Ss 12mm Einlage Binde
2069 / 769lr Ss 10mmx1/4
3002006
Letlok 120h 1/2 X 1/4
3201768, H-410hp-Ss-N-1/4-1/3psi
774lf Ss 12mmx1/2
3500021 760lb Ss 12mmhinterer Klemmring, Edelstahl
H795ssnhl1/2tld
3001814 Verbinder Mit Innengewinde Female Connector 1"x1"-Npt-F Stainless Steel 316
769l Ss 10mmx1/2 Winkeleinschraubverschraubung Ss 316, 10mm X 1/2quot;

760lf Ss 12mm
7108l Ss 6mm Rohrverschluã223;Kappe Ss 316, 6mm
2482, 7108l Ss 1/8
763l Ss 12mmx6 Mm Gerader Reduzier-Verbinder "lok"rohr 12mm Ad - Rohr 6mm Adedelstahl 316,Klemmring
H710ssr1td
3002021 Connector Male Connector 3/4"x3/4"-Npt-M Stainless Steel 316
H-710-Ss-N-1-T-Ld
760lf B 3/8
5964, 122h Ss 1/4
768lr Ss 8mmx1/4
763l Ss 12mmx8 Mm Gerader Reduzier-Verbinder "lok"rohr 12mm Ad - Rohr 8mm Adedelstahl 316,Klemmring
768ln Ss 12mmx1/2 Weldon Einstech-Connector
769l Ss 8mmx1/2 Winkeleinschraubverschraubung Ss 316, 8mm X 1/2quot;
H6800ssl6mmcss
H710ssn1/2td
769l Ss 10mmx1/2 Winkeleinschraubverschraubung
774l Ss 10mm
762l Ss 8mm Gerade Verschraubung Ss 316, 8mm
763l Ss 1-1/4 X 1
Ss-Ga-Lg-M12-Viton Dichtung
774l Ss 6mm
772lf Ss 12mmx1/4
Ss Tube 12x1 Rohr
764l Ss 12mm