

Hanovia

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Hanovia Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Hanovia Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
130063-0080-C	ARC TUBE AMAL 80W CERTIFIED
130066-0080-C	ARC TUBE AMAL 80W CERTIFIED
1000-0603	
130027-1003	
130062-0040	
130063-0080-ISS	
130063-0140	
130063-0140-05	
130063-0270-04	
130063-0270-c	
130071-0207	
150020-0001 iSSD	
170019-0013	
2246-0807	
320193-1028	
5900-0509	
650053-2040	
PMD 200	
SWIM LINE 195	

Ürün	Açıklama
PureLine D AF 0016	Description UV system complete with 316L stainless steel chamber, control cabinet, UV sensor and PN16 flange connections. design data ? Application: disinfection ? Type of water: drinking water ? Pre-treatment: filter (recommended) i) flow rate 70 m³/h ii) UV transmission (T 10) 90% (assumed) iii) UV dose 60 mJ/cm² RED at the end of the lamp life iv) UV lamp type Hanovia low-pressure amalgam lamp v) Power consumption per heater 270 W vi) Number of radiators 1 vii) Expected lamp life 12,000 hours viii) Material UV chamber stainless steel 316L / 1.4404 ix) Connections 2" (DN 50) PN16 flange x) Operating pressure 10 bar xi) Control cabinet material Polyester coated carbon steel xii) Supply voltage 230V ±10% / 115V ±10% - 50/60 Hz xiii) Standard cable length 5 m
1719123 MODEL NO:170019-0013-04	
MODEL NUMBER PHARMALINE	DL 0014 SER. NO.:051740 LAMP RATING:140 WATTS
130063-0270-04	ARC TUBE AMAL 270W TO DRG 130063-XXXX
PureLine D PH 0530	UV system complete with 316L stainless steel chamber, control cabinet, UV monitor, and PN16 flange connections. Design Data Application: Disinfection Water Type: Potable Water Pre-treatment: Filtration (recommended) Design Flow Rate: 145 m³/h UV Transmittance (T 10): 98% UV Dose: 120 mJ/cm² (average)
Automatic Wiper option	
316 SS panel option	
Doc pack	Documents
130034-0361c	
Af3-0027-Rcm Obsolete, Replaced By	

Ürün	Açıklama
Pureline D-0023	
130048-6001	
Evg 270w /3,8 A	
130063-0080-Iss	
(Af3-Oo27) Ballast 230v 270w / 650053-2270-02	
130063-0270. Arc Tube	
Swim Line 195	
4089-L26	
130034-0361 Lamp	
Ewg270-3.8 A	
320203-0840	
H130035-0651-C	Lamp certified
Pureline D-0023	
180029-0138	
(Af3-Oo27)	
130035-0651	
Ss Cabinet Upgrade	
130033-0181-01	
H130035-0651	Lamp
130063-0080-Iss Arch Tube	
Aero-Kromayer Uv Light. (185 Nm To 313 Nm)	
130035-0651 Lamp	
130063-0270	
320193-0558	
130063-0270-02	

Ürün	Açıklama
Automatic Wiper	
130034-036-01	
130027-5001 Aquionics Part	
130063-0080 Lamp	
130048-1001	
650053-2270	
320204-1028	
130034-0361	
Dp-0013	
130035-0651c	
130048-1001 Aquionics Part	
130034-0361c Lamp, Certified	
130015-5001-02	
130027-5001	
320822-1175	
320193-0558-01	
320204-0360	
130035-0651c Lamp, Certified	
650053-2100	
130056-9001	
650053-2140	
130063-0080-02c 80 W Uvhapr01106 S053886	