

Hartman Relays

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Hartman Relays Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Hartman Relays Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
1616088-2	D7T=RELAY
Dh-25ce	STANDARD TERMINAL BLOCK, CONNECTOR TYPE:TERMINAL BLOCK, CONTACT MATERIAL:COPPER
1616109-4	A700AQ4=RELAY
1616000-1	A773C=RELAY
A700zg	A700ZG=RELAY
1616032-4	BH138XAH=RELAY
1616102-6	A882DL (FAA/PMA)=RELAY
A-1077-S	A1077S=RELAY
1616008-5	BH316A=RELAY
E-308ta	E308TA=RELAY
Ra-3100j-1	RA3100J1=REMOTE POWER CONTROLE

Sdh128	SDH128=RELAY
Br-301g-4	CONTACTOR
1616131-8	Q50E (FAA/PMA)=RELAY
Bhr138arl	BHR138ARL=RELAY
1616521-5	B479A1=RELAY
1616131-1	Q50A=RELAY
B233p	B233P=RELAY
A703d	A703D=RELAY
1617014-1	3SAT1049A1 = 3SAT FULL SIZE RE
Sa106e	SA106E=CONTACTOR, 3PDT-SS, 30A
Dhr-25bg	DHR25BG=RELAY
1616113-6	AVR869C=RELAY
1616028-1	B138BH=RELAY
A1077b	A1077B (FAA/PMA)=RELAY
Qr50v	(FAA/PMA)=RELAY
K200a3c	CONTACTOR, SPST-NO, 28VDC, PANEL, CONTACT CONFIGURATION:SPST-NO, RELAY MOUNTING:PANEL, OPERATING VOLTAGE:-, SWITCHING CURRENT AC1:-, COIL VOLTAGE VAC
1616525-5	BH252MB=RELAY
1616081-2	A1077DL=CONTACTOR SPDT INT. DU
Sah159a	SAH159A=RELAY
4-1616058-4	A770WF=RELAY
1616042-5	SAH106A=RELAY
D18f	D18F (FAA/PMA)=RELAY
Bh316	BH316 (FAA/PMA)=RELAY
D56b	D56B=RELAY
1616037-1	DH14B3=RELAY
1616095-5	NN449B=RELAY
Sa174c	SA174C=RELAY
1617012-8	3SAF1462A1 = 2PDT FULL SIZE GR
1616523-7	B123J=RELAY

1616037-8	DH7BC=RELAY
Sah116	SAH116=RELAY
1616050-7	DHL31=RELAY
K400a1f	CONTACTOR, SPST-NO, 28VDC, PANEL, CONTACT CONFIGURATION:SPST-NO, RELAY MOUNTING:PANEL, OPERATING VOLTAGE:-, SWITCHING CURRENT AC1:-, COIL VOLTAGE VAC