

Hawke

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Hawke Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Hawke T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
501/453/RAC	
44513-3125-000	475/M25 SS Stainless Steel Customs tariff number 7326 90 98 Country of origin GB
Connector Exd-25-S-CP-F-9x1,5-P-S-FPC-G	
Connector Exd-25-S-CR-F-9x1,5-S-S-FRC-G	
Connector Exd-32-S-CR-F-12x2,5-S-S-FRC-G	
Connector Exd-32-S-CP-F-12x2,5-P-S-FLFPC-G	
Connector Exd-40-S-CR-F-30x1,5-S-S-FRC-G	
Connector Exd-50-S-CR-F-37x1,5-S-S-FRC-G	

174015200	Pump NMT 1520R 15L 200B 1450 RPM 5.7KW Shaft 24 mm right
Circulation valve VBT G1/2 - G3/8	Hawk No.: 1.905-077.0 Special order, therefore from cancellation and return excluded !!!
Motor pump NMT1520R+MOT TF IEC112 5.5Kw 4P	HT112M1H4-NMT Hawk No.: 1.905-181.0 Special order, therefore from cancellation and return excluded !!! Hawk No.: 1.099-383.0 was replaced by 1.905-181.0
175002002	Motor 5.5 KW 230/400V/50Hz 4-P H112 VW Ø28 mm 1420 rpm
10000441	Coupling ZG-044 24x40/28x60 POS.1 - 4 - 5 = Engine 1450 rpm - Clutch - Pump as on
175002570	Motor 5.5 KW 230/400V/50Hz 4-P H112 HW Ø24mm 1400 rpm RVJ Motor 1450 rpm, with integrated clutch = alternative for POS.4 - 5
PL612	
PL615	
EX-32-S-CP-V-12X1.5-P-C-FPC-A-7	H1000
EX-32-S-CP-V-12X2.5-P-S-FL-FPC-B-7	H1000
501/423	A (M20),Model:501/423 Go through gland Nickel Plated Brass cable gland, IEC Ex Certified, dual certified Ex "d" and Ex "e", Class 1, Zone 1, Gas Group IIB, T3, IP66 suitable for Copper Wire Braided (CWB) cable, EPR Insulation, HFE Outer Sheat, ISO metric threads,1.5mm pitch, c/w sealing washer, serrated washer, locknut, earth tag
487M20S	Stop plug M20, 316 Stainless Steel IEC Ex Certified, dual certified Ex "d" and Ex "e", Class 1, Zone 1, Gas Group IIB, T4, IP66, Brass, ISO metric threads, 1.5mm pitch, complete with IP washer, serrated washer, earth tag and lock nut
487M20	Stop plug M20, BRASS IEC Ex Certified, dual certified Ex "d" and Ex "e", Class 1, Zone 1, Gas Group IIB, T4, IP66, Brass, ISO metric threads, 1.5mm pitch, complete with IP washer, serrated washer, earth tag and lock nut
487M25S	Stop plug M25, 316L stainless steel IEC Ex Certified, dual certified Ex "d" and Ex "e", Class 1, Zone 1, Gas Group IIB, T4, IP66, Brass, ISO metric threads, 1.5mm pitch, complete with IP washer, serrated washer, earth tag and lock nut
487M40S	Stop plug M40, 316L stainless steel IEC Ex Certified, dual certified Ex "d" and Ex "e", Class 1, Zone 1, Gas Group IIB, T4, IP66, Brass, ISO metric threads, 1.5mm pitch, complete with IP washer, serrated washer, earth tag and lock nut
44112-3212-040	
44112-2100-003	
44112-1211-200	

44112-4875-000	
44112-2190-003	
44112-2140-000	
44112-6120-000	
44112-3872-000	
44112-2120-000	
44112-2116-000	
44112-4142-020	
44112-3234-003	
44112-4872-000	
44112-2102-000	
44112-1214-000	
44112-6116-000	
44112-2125-000	
44112-2190-000	
44112-2132-000	
44112-3211-200	
44112-2121-003	
44112-1221-000	
44112-1150-000	
Hhi7536365ts	MOTOR
44112-1132-001	
44112-1175-000	
44112-2122-040	
44112-3234-000	
44112-4142-021	
44112-2122-000	
44112-2125-004	
44112-3163-001	
44112-6116-001	

44112-3873-200	
44112-3150-001	
44112-3210-000	
44112-3232-000	
44112-4876-300	
44112-1254-000	
44112-3212-000	
44112-4141-220	
44112-2121-040	
44112-3231-200	
44112-2163-000	
44112-3163-000	
44112-2175-003	
44112-3221-200	
44112-4873-200	
44112-1211-400	
44112-3180-001	
Rs-485	POWER MONITOR 100AMP 3PHASE
44112-1163-000	
44112-4142-022	
44112-3180-000	
H8163-2400-1-3	ENERGY MONITORING METER 90-300VAC 1280HZ
44112-2175-000	
44112-1212-000	
44112-3175-000	
44112-2132-002	
44112-2122-004	
44112-2150-000	
44112-4874-000	
44112-3222-000	

[44112-4872-500](#)

[44112-2132-100](#)

[44112-2121-000](#)

[44112-1244-000](#)

[44112-1232-000](#)

[44112-3212-001](#)

[44112-1140-000](#)

[44112-4871-600](#)

[44112-1210-000](#)

[44112-1232-100](#)