

Heidenhain Corp

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapılabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Heidenhain Corp Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Heidenhain Corp Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
38396303	MODULE
Indicator	POSITION CTRL
339639-170	EXPOSED LINEAR ENCODERS ATHERM ~ 0 PPM/K (ZERODUR GLASS CERAMIC) LIP 481 R ACCURACY GRADE 0.5 MM
Kt130	TOUCH PROBE 16MM DIAMETER 3METER CABLE
637872-150	EXPOSED LINEAR ENCODER: LIP 471A (GLASS), ACCURACY GRADE 5 MM
Ls486c470mm	LINEAR ENCODER SEALED 470MM
339633-450	LIP 48 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
275148-22	ANGLE ENCODER 18000MM
511398-Xx	INCOMPLETE CONFIGURED PART, CALL TO ORDER. PNEUMATIC LENGTH GAUGE ST 3077 15-PIN D-SUB CONNECTOR, MALE, WITH INTEGRATED ELECTRONICS, TTL 5-FOLD/10-FOL
375162-01	PNEUMATIC LENGTH GAUGE MT 1287 12-PIN CONNECTOR, MALE, WITH INTEGRATED ELECTRONICS, 1 VPP, WITH SPRING
333110-350	LIP 481 A ATHERM ~ 8 PPM/K (GLASS) ACCURACY GRADE 0.5 MM

375129-01	MANUAL OPERATION LENGTH GAUGE ST 3008 9-PIN CONNECTOR, MALE, 11 MAPP, AXIAL
653250-01	LENGTH GAUGE WITHOUT PLUNGER ACTUATION MT 60 K 15-PIN D-SUB CONNECTOR, MALE, BELOW UPPER STOP
237974-01	ROTARY ENCODERFOR SERVO DRIVE,ROD 323.001 1024 LINE
336979-80	LENGTH MEASURING SYSTEM
331314-03	MANUAL OPERATION LENGTH GAUGE MT 1281 12-PIN CONNECTOR, MALE, WITH INTEGRATED ELECTRONICS, 1 VPP, WITHOUT SPRING
363694-06	ENCODER 5V
363409-03	MANUAL OPERATION LENGTH GAUGE MT 2581 15-PIN D-SUB CONNECTOR, MALE, WITH INTEGRATED ELECTRONICS, 1 VPP, WITHOUT SPRING
35565902	DISPLAY
35869809	ENCODER
375134-Xx	INCOMPLETE CONFIGURED PART, CALL TO ORDER. MANUAL OPERATION LENGTH GAUGE ST 3078 15-PIN D-SUB CONNECTOR, MALE, WITH INTEGRATED ELECTRONICS, TTL 5-FOLD
271-183-01	INTERPOLATION BOX
375132-01	MANUAL OPERATION LENGTH GAUGE ST 3088 12-PIN CONNECTOR, MALE, 1 VPP, RADIAL
Ron350-2048	ENCODER TYPE RON 350 2048PPR
331926-01	EXE 660 B, FLANGE SOCKET AT OUTPUT 400-FOLD INTERPOLATION 6.25 KHZ MAX.
376846v9	ENCODER
Um113	CONTROLLER
511400-01	PNEUMATIC LENGTH GAUGE ST 3087 15-PIN D-SUB CONNECTOR, MALE, 1 VPP, RADIAL
359341-02	LENGTH GAUGE WITHOUT PLUNGER ACTUATION MT 60 K 9-PIN CONNECTOR, MALE, BELOW UPPER STOP
243603-01	LENGTH GAUGES FOR MEASURING RANGE: 25 MM MT 25 WITH CABLE-TYPE LIFTER
29002801	ENCODER
Kt130probe283273	MODULE
333110-420	LIP 481 A ATHERM ~ 8 PPM/K (GLASS) ACCURACY GRADE 0.5 MM
Ron2871800002s12-03	ENCODER 5VDC 3000RPM 180KHZ
637874-220	EXPOSED LINEAR ENCODERS ATHERM ~ 0 PPM/K (ZERODUR GLASS CERAMIC) LIP 471 R ACCURACY GRADE 0.5 MM
637875-220	EXPOSED LINEAR ENCODERS ATHERM ~ 8 PPM/K (GLASS) LIP 471 R ACCURACY GRADE 0.5 MM
Nd280	POSITION DISPLAY UNIT
37284713	MODULE
Exe-610	INTERPOLATION BOX DIGITAL ENCODER INTERFACE
637872-70	EXPOSED LINEAR ENCODER: LIP 471A (GLASS), ACCURACY GRADE 5 MM

333110-150	LIP 481 A ATHERM ~ 8 PPM/K (GLASS) ACCURACY GRADE 0.5 MM
636287-01	ND 287, ACCESSORY , , EVALUATION ELECTRONICS FOR METROLOGICAL APPLICATIONS, TFT FLAT-PANEL DISPLAY WITH EXPANDED GRAPHICS FUNCTIONS AND USER-FRIENDLY M
653248-01	LENGTH GAUGE WITHOUT PLUNGER ACTUATION MT 101 K 15-PIN D-SUB CONNECTOR, MALE, BELOW UPPER STOP
538234-17	ENCODER 5V 5%
237-134-94	LENGTH MEASURING SYSTEM 2240SCALE LS704C
11b11066	UNKNOWN
Tnc-145	OPERATOR INTERFACE AND KEYPAD 100-240VAC 50/60HZ
637874-320	EXPOSED LINEAR ENCODERS ATHERM ~ 0 PPM/K (ZERODUR GLASS CERAMIC) LIP 471 R ACCURACY GRADE 0.5 MM
339640-120	EXPOSED LINEAR ENCODERS ATHERM ~ 8 PPM/K (GLASS) LIP 481 R ACCURACY GRADE 0.5 MM
359651-02	CONTROLLER UNIT TNC 530 CC 422
359123-01	ENCODER LC191 READER HEAD
637871-300	LIP 471 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
243603-07	LENGTH GAUGES FOR MEASURING RANGE 25MM: MT 25 WITHOUT CABLE-TYPE LIFTER
St-1277	PROBE GAGE DIGITAL 12MM 15PIN MALE 100KHZ 5V
333110-300	LIP 481 A ATHERM ~ 8 PPM/K (GLASS) ACCURACY GRADE 0.5 MM
329352-01	LENGTH GAUGE MOTORIZED PLUNGER ACTUATION CT 6001 9-PIN CONNECTOR, MALE
637874-120	EXPOSED LINEAR ENCODERS ATHERM ~ 0 PPM/K (ZERODUR GLASS CERAMIC) LIP 471 R ACCURACY GRADE 0.5 MM
355529-28	LINEAR ENCODER 450MM
Mt12w	DIGITAL LENGTH GAUGE/LINEAR ENCODER
384008-01	MANUAL OPERATION LENGTH GAUGE ST 3088 15-PIN D-SUB CONNECTOR, MALE, 1 VPP, RADIAL
339633-300	LIP 48 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
He38548956	ENCODER
339639-270	EXPOSED LINEAR ENCODERS ATHERM ~ 0 PPM/K (ZERODUR GLASS CERAMIC) LIP 481 R ACCURACY GRADE 0.5 MM
291768-01	INTERFACE BOXES AND INTERFACE CARDS
Rod-880c-36000-03s12-03	ENCODER LINEAR 11PIN
252867-01	ROTARY ENCODERFOR SERVO DRIVE,ROD 323.001 1024 LINE
329-350-02	MANUAL OPERATION LENGTH GAUGE MT 1201 9-PIN CONNECTOR, MALE, WITH INTEGRATED ELECTRONICS, 11 MAPP, WITH SPRING
Mt-12	LENGTH GAUGE 12MM METRO W/OUT CABLE-TYPE LIFTER
	INCOMPLETE CONFIGURED PART, CALL TO ORDER. MANUAL OPERATION

375133-Xx	LENGTH GAUGE ST 3078 15-PIN D-SUB CONNECTOR, MALE, WITH INTEGRATED ELECTRONICS, TTL 5-FOLD
Gc-180-An	GAUGE CONTROLLER DISPLAY 5.9IN COLOR W/BASE
336979-94	LENGTH MEASURING SYSTEM
290155-01	INTERFACE BOXES AND INTERFACE CARDS
Ls403	ENCODER LINEAR SEALED 220MM
3369727I	ENCODER
331667-Xx	INCOMPLETE CONFIGURED PART, CALL TO ORDER. MANUAL OPERATION LENGTH GAUGE MT 2571 15-PIN D-SUB CONNECTOR, MALE, WITH INTEGRATED ELECTRONICS, TTL 5-FOLD
339633-100	LIP 48 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
329990-20	LINEAR ENCODER SEALED
Rod-780c-18000-03s12-03	LINEAR ENCODER INCREMENTAL 5V
333110-320	LIP 481 A ATHERM ~ 8 PPM/K (GLASS) ACCURACY GRADE 0.5 MM
315422-02	LINEAR TRANSDUCER 3440MM INCREMENTAL SEALED
339640-320	EXPOSED LINEAR ENCODERS ATHERM ~ 8 PPM/K (GLASS) LIP 481 R ACCURACY GRADE 0.5 MM
R00420.014	RESOLVER
Pgm-246-112-06	CONTROL W/DISPLAY 100-240V 50/60HZ
388307-01	PNEUMATIC LENGTH GAUGE ST 3007 9-PIN CONNECTOR, MALE, 11 MAPP, RADIAL
637872-420	EXPOSED LINEAR ENCODER: LIP 471A (GLASS), ACCURACY GRADE 5 MM
358-849-01	PLB 510, BASIC MODULE WITH 4 SLOTS
33188081	MODULE
283-020-03	CONTROL W/DISPLAY 100-240V 50/60HZ
355-879-01	ENCODER LINEAR
23457092	MODULE
216750-10	LINEAR ENCODER ML-720MM LS-703
329351-02	MANUAL OPERATION LENGTH GAUGE MT 2501 9-PIN CONNECTOR, MALE, WITH INTEGRATED ELECTRONICS, 11 MAPP, WITH SPRING
313-037-02	MONITOR
Ron255	ENCODER
637871-120	LIP 471 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
Exe-610-C	INTERPOLATION BOX
637875-270	EXPOSED LINEAR ENCODERS ATHERM ~ 8 PPM/K (GLASS) LIP 471 R ACCURACY GRADE 0.5 MM
329352-02	LENGTH GAUGE WITHOUT PLUNGER ACTUATION CT 6002 9-PIN CONNECTOR, MALE
329987-03	LINEAR TRANSDUCER ML-170MM LS-476C

Ls-486-Ml620mm	ENCODER LINEAR SEALED
Ml1440315416-20	LINEAR TRANSDUCER 1440MM
333110-450	LIP 481 A ATHERM ~ 8 PPM/K (GLASS) ACCURACY GRADE 0.5 MM
Em1381.026-2048	ENCODER INCREMENTAL ROTARY SHAFT
33697391	MODULE
331314-02	MANUAL OPERATION LENGTH GAUGE MT 1281 12-PIN CONNECTOR, MALE, WITH INTEGRATED ELECTRONICS, 1 VPP, WITH SPRING
339729-02	POSITION DISPLAY UNIT FOR LATHE ND730
231013-03	LENGTH GAUGES FOR MEASURING RANGE: 25 MM MT 25 W DUST AND SPLASHWATER PROTECTED
339633-170	LIP 48 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
331923-01	INTERFACE ENCODER- IBV 660 B W/ 400-FOLD INTERPOLATION
637872-400	EXPOSED LINEAR ENCODER: LIP 471A (GLASS), ACCURACY GRADE 5 MM
336-451-05	ENCODER SERVICE PART READOUT RCN 200
339633-420	LIP 48 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
21311681	MODULE
653225-01	LENGTH GAUGE MOTORIZED PLUNGER ACTUATION CT 2501 15-PIN D-SUB CONNECTOR, MALE
375130-01	MANUAL OPERATION LENGTH GAUGE ST 3008 9-PIN CONNECTOR, MALE, 11 MAPP, RADIAL
339639-70	EXPOSED LINEAR ENCODERS ATHERM ~ 0 PPM/K (ZERODUR GLASS CERAMIC) LIP 481 R ACCURACY GRADE 0.5 MM
Ml1440315416-06	LINEAR TRANSDUCER 1440MM
637871-420	LIP 471 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
376846pv	ENCODER
Tnc310	CONTROLLER FOR CNC
637872-100	EXPOSED LINEAR ENCODER: LIP 471A (GLASS), ACCURACY GRADE 5 MM
243603-17	LENGTH GAUGES FOR MEASURING RANGE 25MM: MT 25 B WITH BALL GUIDE, WITHOUT SPRING
387158-23	ENCODER LC491F 1240ML
339640-220	EXPOSED LINEAR ENCODERS ATHERM ~ 8 PPM/K (GLASS) LIP 481 R ACCURACY GRADE 0.5 MM
637871-270	LIP 471 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
362166-36	ENCODER 5V -10PERCENT 1IN SHAFT 1-1/2IN BORE 10PIN
Lf-481c	ENCODER LINEAR 450MM ML
33695813	MODULE
333110-400	LIP 481 A ATHERM ~ 8 PPM/K (GLASS) ACCURACY GRADE 0.5 MM

637872-300	EXPOSED LINEAR ENCODER: LIP 471A (GLASS), ACCURACY GRADE 5 MM
637871-70	LIP 471 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
372852-15	ENCODER LC491F 570ML
333110-250	LIP 481 A ATHERM ~ 8 PPM/K (GLASS) ACCURACY GRADE 0.5 MM
325392-04	LENGTH GAUGE WITHOUT PLUNGER ACTUATION CT 2502 9-PIN CONNECTOR, MALE
637871-450	LIP 471 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
232714-02	LENGTH GAUGES FOR MEASURING RANGE: 12 MM MT 12 P PNEUMATIC ACTUATION
332104-02	MANUAL OPERATION LENGTH GAUGE MT 2581 12-PIN CONNECTOR, MALE, WITH INTEGRATED ELECTRONICS, 1 VPP, WITH SPRING
341241-11	LINEAR ENCODER ML 1240MM MODEL LC-191F
361139-02	LENGTH GAUGE WITHOUT PLUNGER ACTUATION MT 101 K 9-PIN CONNECTOR, MALE, BELOW UPPER STOP
339640-70	EXPOSED LINEAR ENCODERS ATHERM ~ 8 PPM/K (GLASS) LIP 481 R ACCURACY GRADE 0.5 MM
363409-02	MANUAL OPERATION LENGTH GAUGE MT 2581 15-PIN D-SUB CONNECTOR, MALE, WITH INTEGRATED ELECTRONICS, 1 VPP, WITH SPRING
346-474-03	LENGTH GAUGE W/ SPRING TENSIONED PLUNGER
210-307-01	ENCODER ROC 513
Metro-10	LENGTH GAUGE 10MM MT-10
35465601	MODULE
637875-70	EXPOSED LINEAR ENCODERS ATHERM ~ 8 PPM/K (GLASS) LIP 471 R ACCURACY GRADE 0.5 MM
589611-6v	ROTARY ENCODERFOR SERVO DRIVE,ERN 120 2500 SIGNAL PERIODS
333110-220	LIP 481 A ATHERM ~ 8 PPM/K (GLASS) ACCURACY GRADE 0.5 MM
375131-01	MANUAL OPERATION LENGTH GAUGE ST 3088 12-PIN CONNECTOR, MALE, 1 VPP, AXIAL
243603-16	LENGTH GAUGES FOR MEASURING RANGE 25MM: MT 25 B WITH BALL GUIDE, WITH SPRING
35869701	ENCODER
Ls10-MI-1040	ENCODER LINEAR
311129-01	READ HEAD LIDA-18
3768560a	MODULE
341-241-05	LINEAR ENCODER ML 640MM MODEL LC-191F
Hsf03snh	ENCODER
653249-01	LENGTH GAUGE MOTORIZED PLUNGER ACTUATION MT 60 M 15-PIN D-SUB CONNECTOR, MALE, BELOW UPPER STOP
665-405-31	DIGITAL DISPLAY BOX

375135-01	PNEUMATIC LENGTH GAUGE ST 3007 9-PIN CONNECTOR, MALE, 11 MAPP, AXIAL
Ls176	INCREMENTAL LINEAR ENCODER
637874-70	EXPOSED LINEAR ENCODERS ATHERM ~ 0 PPM/K (ZERODUR GLASS CERAMIC) LIP 471 R ACCURACY GRADE 0.5 MM
Mt25p	INCREMENTAL LENGTH GAUGE 9PIN 25MM TRAVEL 1.5M CORD
653246-01	LENGTH GAUGE MOTORIZED PLUNGER ACTUATION MT 101 M 15-PIN D-SUB CONNECTOR, MALE, BELOW UPPER STOP
263-380-30	INTERPULATION BOX SIGN WAVE TO SQUARE WAVE
637872-250	EXPOSED LINEAR ENCODER: LIP 471A (GLASS), ACCURACY GRADE 5 MM
637871-370	LIP 471 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
Ls406	LINEAR ENCODER
589611-5r	ROTARY ENCODERFOR SERVO DRIVE,ERN 120 1024 LINES
333110-170	LIP 481 A ATHERM ~ 8 PPM/K (GLASS) ACCURACY GRADE 0.5 MM
339633-220	LIP 48 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
Ibv-650	INTERPOLATION BOX
36089501	MODULE
26337112o	MODULE
St-1271	ENCODER INCREMENTAL LENGTH RANGE-12MM PERIOD-2UM
637875-120	EXPOSED LINEAR ENCODERS ATHERM ~ 8 PPM/K (GLASS) LIP 471 R ACCURACY GRADE 0.5 MM
339640-170	EXPOSED LINEAR ENCODERS ATHERM ~ 8 PPM/K (GLASS) LIP 481 R ACCURACY GRADE 0.5 MM
Ls406c	LINEAR ENCODER 520MM
538234-51	ROTARY ENCODERFOR SERVO DRIVE,EQN 1325.020
637871-200	LIP 471 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
637871-220	LIP 471 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
Exe-808	INTERPOLATOR AND DIGITIZER
Exe-612-5/10-Fach	INTERPOLATION BOX
637874-270	EXPOSED LINEAR ENCODERS ATHERM ~ 0 PPM/K (ZERODUR GLASS CERAMIC) LIP 471 R ACCURACY GRADE 0.5 MM
339633-400	LIP 48 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
362-579-05	ENCODER
339633-200	LIP 48 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
263383-01	INTERPOLATION BOX

339633-320	LIP 48 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
32999224	ENCODER
329350-03	MANUAL OPERATION LENGTH GAUGE MT 1201 9-PIN CONNECTOR, MALE, WITH INTEGRATED ELECTRONICS, 11 MAPP, WITHOUT SPRING
B04351731022	ENCODER
637871-100	LIP 471 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
637872-220	EXPOSED LINEAR ENCODER: LIP 471A (GLASS), ACCURACY GRADE 5 MM
339633-70	LIP 48 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
329990-17	LINEAR ENCODER SEALED 470MM
339633-350	LIP 48 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
243602-16	LENGTH GAUGES FOR MEASURING RANGE 12MM: MT 12 B WITH BALL GUIDE, WITH SPRING
337481-01	IK 220 FOR XT/AT-COMPATIBLE PCS, PCI BUS INTERFACE (PLUG AND PLAY), INPUT: TWO D-SUB CONNECTIONS (15-PIN, MALE)
387158-17	ENCODER LC491F 720ML
339639-320	EXPOSED LINEAR ENCODERS ATHERM ~ 0 PPM/K (ZERODUR GLASS CERAMIC) LIP 481 R ACCURACY GRADE 0.5 MM
325392-03	LENGTH GAUGE MOTORIZED PLUNGER ACTUATION CT 2501 9-PIN CONNECTOR, MALE
32998604	SCALE
384006-01	PNEUMATIC LENGTH GAUGE ST 3087 15-PIN D-SUB CONNECTOR, MALE, 1 VPP, AXIAL
383600-01	LINEAR ENCODER INCREMENTAL 5V
683644-04	ROTARY ENCODER 3.6/14V 1M CABLE 8PIN
Nd-261-A	MEASURED VALUE DISPLAY UNIT
241845-01	MONITOR 11INCH
3369590I	MODULE
637875-170	EXPOSED LINEAR ENCODERS ATHERM ~ 8 PPM/K (GLASS) LIP 471 R ACCURACY GRADE 0.5 MM
218496-30	LINEAR ENCODER ML-1240MM LS-107
Idnr20908102	SCOPE
333110-120	LIP 481 A ATHERM ~ 8 PPM/K (GLASS) ACCURACY GRADE 0.5 MM
33158972	MODULE
St3078	PROBE
Ls403220mm	CONTROL
31912308	SCALE
Pgm-246-110-10	LINEAR ENCODER CALIBRATOR

39231901	POWER MODULE
28583424	ENCODER
Mt2571	GAUGE
359355-02	MANUAL OPERATION LENGTH GAUGE MT 1281 15-PIN D-SUB CONNECTOR, MALE, WITH INTEGRATED ELECTRONICS, 1 VPP, WITH SPRING
375136-01	PNEUMATIC LENGTH GAUGE ST 3087 12-PIN CONNECTOR, MALE, 1 VPP, AXIAL
339633-250	LIP 48 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
Rod700-18000	ENCODER 1000RPM
Mt25w23101303	MODULE
375133-02	LENGTH GAUGE 30MM MEASURING RANGE
28466929	SCALE
637872-200	EXPOSED LINEAR ENCODER: LIP 471A (GLASS), ACCURACY GRADE 5 MM
Ewn519.40042/50	ENCODER TYPE RON 350 (2048PPR)
637872-270	EXPOSED LINEAR ENCODER: LIP 471A (GLASS), ACCURACY GRADE 5 MM
Mt-1201	LENGTH GAUGE HIGH-ACCURACY 12MM MEASURING RANGE
637872-320	EXPOSED LINEAR ENCODER: LIP 471A (GLASS), ACCURACY GRADE 5 MM
637872-450	EXPOSED LINEAR ENCODER: LIP 471A (GLASS), ACCURACY GRADE 5 MM
36227708	ENCODER
403-221-11	LINEAR ENCODER LS232C MEASURED LENGTH = 320MM
334752-09	SCALE
283483-11	POSITION DISPLAY UNIT
243602-17	LENGTH GAUGES FOR MEASURING RANGE 12MM: MT 12 B WITH BALL GUIDE, WITHOUT SPRING
653229-01	LENGTH GAUGE MOTORIZED PLUNGER ACTUATION CT 6001 15-PIN D-SUB CONNECTOR, MALE
Ls186c-1740mm	LINEAR TRANSDUCER 1740MM
3171338w	MODULE
339639-120	EXPOSED LINEAR ENCODERS ATHERM ~ 0 PPM/K (ZERODUR GLASS CERAMIC) LIP 481 R ACCURACY GRADE 0.5 MM
218-597-02	INTERPOLATION BOX DIGITAL ENCODER INTERFACE
339633-270	LIP 48 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
29570492	ENCODER
331666-Xx	INCOMPLETE CONFIGURED PART, CALL TO ORDER. MANUAL OPERATION LENGTH GAUGE MT 1271 15-PIN D-SUB CONNECTOR, MALE, WITH INTEGRATED ELECTRONICS, TLL 5-FOLD
231-011-03	LENGTH GAUGES FOR MEASURING RANGE: 12 MM MT 12 W DUST AND SPLASHWATER PROTECTED

Roq-425-2048-03s17-ZI	ENCODER ABSOLUTE ROTARY
637871-350	LIP 471 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
335-280-01	LINEAR TRANSDUCER LB-302 ML 200MM
Ls704	ENCODER 270MM
312214-53	ROTARY ENCODERFOR SERVO DRIVE,EQN 1325.001
384007-01	MANUAL OPERATION LENGTH GAUGE ST 3088 15-PIN D-SUB CONNECTOR, MALE, 1 VPP, AXIAL
387089-02	LINEAR ENCODER 340MM
33475561	MODULE
637871-250	LIP 471 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
339633-150	LIP 48 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
557645-08	ENCODER LC493F 420ML
376992-01	PNEUMATIC LENGTH GAUGE MT 2587 15-PIN CONNECTOR, MALE, WITH INTEGRATED ELECTRONICS, 1 VPP, WITH SPRING
376990-01	PNEUMATIC LENGTH GAUGE MT 1287 15-PIN CONNECTOR, MALE, WITH INTEGRATED ELECTRONICS, 1 VPP, WITH SPRING
21840001	GEAR BOX
511399-01	PNEUMATIC LENGTH GAUGE ST 3087 12-PIN CONNECTOR, MALE, 1 VPP, RADIAL
336958-23	LINEAR TRANSDUCER ML-1240MM LS-106
333110-200	LIP 481 A ATHERM ~ 8 PPM/K (GLASS) ACCURACY GRADE 0.5 MM
Rod-800.0000-36000	ENCODER INCREMENTAL 1000RPM
332104-03	MANUAL OPERATION LENGTH GAUGE MT 2581 12-PIN CONNECTOR, MALE, WITH INTEGRATED ELECTRONICS, 1 VPP, WITHOUT SPRING
Eqn132551262s12	ENCODER
216750-12	LINEAR ENCODER ML-820MM LS-703
329351-03	MANUAL OPERATION LENGTH GAUGE MT 2501 9-PIN CONNECTOR, MALE, WITH INTEGRATED ELECTRONICS, 11 MAPP, WITHOUT SPRING
255337-15	READER HEAD LS326 MODEL
333110-70	LIP 481 A ATHERM ~ 8 PPM/K (GLASS) ACCURACY GRADE 0.5 MM
339640-270	EXPOSED LINEAR ENCODERS ATHERM ~ 8 PPM/K (GLASS) LIP 481 R ACCURACY GRADE 0.5 MM
334755-43	LINEAR TRANSDUCER ML-620MM LS-403
637872-170	EXPOSED LINEAR ENCODER: LIP 471A (GLASS), ACCURACY GRADE 5 MM
235-850-05	ANGLE ENCODER LINEAR W/INTERGRATED STATOR
Tnc131bm	CONTROLLER 120/240V
637871-150	LIP 471 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM

218-496-23	LINEAR TRANSDUCER ML-540MM LS-107
637875-320	EXPOSED LINEAR ENCODERS ATHERM ~ 8 PPM/K (GLASS) LIP 471 R ACCURACY GRADE 0.5 MM
637871-400	LIP 471 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
39126803	SCREEN
37885022	MODULE
37285422	MODULE
284-047-01	LINEAR ENCODER CALIBRATOR
333110-370	LIP 481 A ATHERM ~ 8 PPM/K (GLASS) ACCURACY GRADE 0.5 MM
Gc-140-SI-D	GAUGE CONTROLLER 85-264V 50/60HZ
Mt-25-B	LENGTH GAUGE MODULE
32999115	SCALE
Ls623	TRANSDUCER
359341-01	LENGTH GAUGE MOTORIZED PLUNGER ACTUATION MT 60 M 9-PIN CONNECTOR, MALE, BELOW UPPER STOP
Ron-705-18000	ENCODER LINEAR
637872-120	EXPOSED LINEAR ENCODER: LIP 471A (GLASS), ACCURACY GRADE 5 MM
333110-100	LIP 481 A ATHERM ~ 8 PPM/K (GLASS) ACCURACY GRADE 0.5 MM
51902301	MODULE
Hr410	TEACH PENDANT
333110-270	LIP 481 A ATHERM ~ 8 PPM/K (GLASS) ACCURACY GRADE 0.5 MM
36369403	MODULE
329-991-17	LINEAR ENCODER SEALED ML-470MM LS-486C
361139-01	LENGTH GAUGE MOTORIZED PLUNGER ACTUATION MT 101 M 9-PIN CONNECTOR, MALE, BELOW UPPER STOP
359341-04	LENGTH GAUGE WITHOUT PLUNGER ACTUATION MT 60 K 9-PIN CONNECTOR, MALE, REFERENCE MARK AT MIDPOINT OF THE ML
653228-01	LENGTH GAUGE WITHOUT PLUNGER ACTUATION CT 2502 9-PIN CONNECTOR, MALE
339633-370	LIP 48 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
277236-71	INTERPOLATION BOX
339639-220	EXPOSED LINEAR ENCODERS ATHERM ~ 0 PPM/K (ZERODUR GLASS CERAMIC) LIP 481 R ACCURACY GRADE 0.5 MM
653251-01	LENGTH GAUGE WITHOUT PLUNGER ACTUATION MT 60 K 15-PIN D-SUB CONNECTOR, MALE, REFERENCE MARK AT MIDPOINT OF THE ML
Nd-920	ISPLAY UNIT W/KEYPAD
33697426	CABLE
53872760	ENCODER

Ibv-660b	INTERFACE ENCODER
637874-170	EXPOSED LINEAR ENCODERS ATHERM ~ 0 PPM/K (ZERODUR GLASS CERAMIC) LIP 471 R ACCURACY GRADE 0.5 MM
375137-Xx	INCOMPLETE CONFIGURED PART, CALL TO ORDER. PNEUMATIC LENGTH GAUGE ST 3077 15-PIN D-SUB CONNECTOR, MALE, WITH INTEGRATED ELECTRONICS, TTL 5-FOLD/10-FOL
216-750-Bx	TRANSDUCER ML 1140MM
Ibv-650.08111-8144-Standard	INTERPOLATION BOX
3299866p	ENCODER
Exe-610-B	INTERPOLATION BOX
637874-370	EXPOSED LINEAR ENCODERS ATHERM ~ 0 PPM/K (ZERODUR GLASS CERAMIC) LIP 471 R ACCURACY GRADE 0.5 MM
557647-01	ENCODER LINEAR ABSOLUTE SEALED
403-221-12	LINEAR ENCODER LS323C MEASURED LENGTH = 170MM
637872-370	EXPOSED LINEAR ENCODER: LIP 471A (GLASS), ACCURACY GRADE 5 MM
Lc-182	ABSOLUTE LINEAR SCALE 240 5MM
637871-320	LIP 471 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
653230-01	LENGTH GAUGE WITHOUT PLUNGER ACTUATION CT 6002 9-PIN CONNECTOR, MALE
339633-120	LIP 48 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
637871-170	LIP 471 A ATHERM ~ 0 PPM/K (ZERODUR? GLASS CERAMIC) ACCURACY GRADE 0.5 MM
372852-04	ENCODER LC491F 570ML
Ron255.000	ENCODER ROTARY W/INTGRATED STATOR COUPLING
359355-03	MANUAL OPERATION LENGTH GAUGE MT 1281 15-PIN D-SUB CONNECTOR, MALE, WITH INTEGRATED ELECTRONICS, 1 VPP, WITHOUT SPRING
36089502	MODULE
637872-350	EXPOSED LINEAR ENCODER: LIP 471A (GLASS), ACCURACY GRADE 5 MM