



Heinz Meßwiderstnde

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Heinz Meßwiderstnde Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Heinz Meßwiderstnde Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
205-6-1.4571-2 50.D.A	
2522121700	
A5E32611836	
FOL-60X15.2L	
HMT-KFTI.2M	
HTF-6X25.2M.2L	
KONFORMITT SERKLRN	
MWF-5X13000. J	
NWT-8X3X100.5M.2L.G	
NWT-8X3X100.5M.4L.G	
PATTERN APPROVAL	
POVERKA	

PYRA 8K-4M	
PYRA 8K-5M	
R270G-8X100. G1/2.C.4	
R270G-8X160.G1/2.C.4	
SIL-23X10.2L	
TRCU ZERTIFIKAT	
WTH-6X100.2L. 5M	
WTH-SN70133-6X50	
WTH 160-250.3M.2L	resistance thermometer, 1 x Pt 100 Ohm, DIN EN 60751, Class B, 2-wire, with thread M 6 x 1, length 20 mm, Tip 4 x 6 mm conical 120°, with 3000 mm Connecting cable PTFE/VA shield/silicone (Cable No. 2B), 2 x 0.22 mm ² (Cable No.: 2B) and anti-kink spring L=60 mm, with white marking shrink tubing, with free ends with bare wire end ferrules, Operating temperature sensor: -55 to +180°C, Cable: -55 to +180°C, with ATEX approval EX 2G Ex mb IIC Gb, IBEExU16ATEX1026U
Wth 280-400.1m.2l	
Wtn R270 Widerstandsthermometer	
Wth 280-400.2m	
Foil Rtds Sensor	
Typ R270/Pt100	
Estf-4,8x183. 4,5m.D.	
Wtn Sn70133-1pt100/B-100x6-M10x1-2/5-N-O Widerstandsthermometer	
R270g-8x160. G1/2.C.4 Temperature Transducer	
Hmt-Kfti.2m Sensor Feuchte - /Temperatursensor	
Wth 280-400.1,5m.D	
R270g-8x100. G1/2.C.4 Temperature Transducer	
Silicone Rtds Sensor	
Estf-4,8x163. 4,5m.D.	
205-6-1.4571-2 50.D.A.205	
Wth 280-400	
R270g-6x80.M10x1.5m	
A5e35989116	

[Estf-4,8x183. 5,5m.D.](#)

[R270 G Thermowandler Widerstand ,
W\(100\)=1,385](#)

[Hmt-Kfti.2m](#)

[Estf-4,8x163. 3,5m.D.](#)

[300000481327390 Resister Termometer
Htf-6x25.2m.2l](#)