

Hesch

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Hesch Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Hesch Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
HE 1149	Pressure transmitter # 6311 2010 Model: G $\frac{1}{4}$ ", plug DIN43650 Measuring range: 0... 10bar Outputs: 4... 20mA, 1% F.S. EU goods no .: 90262020 Weight: approx. 0.20KG
0008536187	
1000 HE 1149	
5406 03	
5409 2599	
5409 5099	
54221000	
5720 4101	
5721 4112	
57214111	
5731 7100	
5812 5099	
5826 0099	
58513007	
5861 0099	
591000	

Ürün	Açıklama
5935 00	
778538	
CTE9010GY4	
EBPS2IO1-163-H	
EN 837-1	
EPK2IO1-163-MA-OC	
HE 5120P (p/n.512050)	
HE 5409 1299	
HE 5910	
HE1149 63112010	
HE 5812 HIMOD fieldbus coupler	# 5812 5099 The fieldbus coupler HE 5812 connects the modular process I/O HIMOD system with a Profibus-DP network. The connection to the Profibus-DP is established via a 9-pin D-SUB socket. Up to 62 I/O modules can be connected to each bus coupler. The modules are connected via an internal bus system. Up to 16 modules can be operated directly on the bus coupler, and the system can also be expanded with an additional HE 5850 power module. In the bus coupler, the areas of supply voltage, fieldbus and logic are electrically isolated from one another. The system configuration of bus coupler and I/O modules can be determined quickly using the button integrated in the front of the housing. The individual modules can be configured and parameterized both via the fieldbus and via the SmartPort interface. Mains supply: 24VDC Display: 5 status LEDs Communication: Profibus DPV1, high speed
HE 5861 HIMOD DMS module	# 5861 0099 The HE 5861 strain gauge module records the measured value from load cells, strain gauges or melt pressure sensors. If service is required, the module can be exchanged quickly and easily during operation (hot swap). The process values are shown on an LCD display. Strain gauges (DMS) are evaluated with a resolution of 23 bits. An analog universal output (14-bit) with parallel current and voltage signal and two relays for limit value monitoring are available. The areas of supply voltage, fieldbus, logic and inputs are galvanically isolated from each other. In the event of an error, the modules work with previously defined error values in order to

Ürün	Açıklama
	ensure safe process control (fail safe). The transmitter can be configured and parameterized via the SmartPort interface. Display: 1x LCD + 1x 2-color Communication: 3x buttons, various inputs Outputs: (0)4...20mA, burden $\leq 600\Omega$, accuracy $\leq 0.1\%$, short-circuit proof 2 x NO contacts, loadable with 500 VA, 250 V, 2 A, ohmic load Process connection: 4-/6-wire connection for DMS, with supply 10V max. 125mA
HE USB TTL adapter for # 5851 3007	Model: HIMOD Process connection: USB/RJ10 Connections: plug locking Protection: with galvanic isolation
5851 0000 SmartControl Expert	Version: HIMOD system Project planning environment for HIMOD incl. Smart Control license enables simple operation, configuration, parameterization and commissioning. Communication takes place either via the SmartPort interface of the coupler module or via the fieldbus interfaces. EU commodity no.: 90329000
DN 32 PN 63 VT	1 bar/ 180 grad 03V190 1.4408 0035
HE 5721	
He 5724	
He1149 / 63112006	
He 4040 (30 Kg)	
He 5721	
He 5409	
He5409	
190.016.410	
He 501 Isolating Amplifier	
190.024.224	
He 5422	
He501	

Ürün	Açıklama
He5731[e] Passen Sie Die Filter Auf 26 Ventile	
He1149/63112006 0.6bar 4.20ma 10.30v	
He572,Art.No: 68035420	
Fls 625002	
Ebp2i01-163h	
Spc 410, P/N. Fls.625051	
540603	
He 5721fp	
190.016.412	
57210110 Magnetventilsteuerunghe5721	
57210110	
Epk2i01-163-Ma-Oc	
He 4040 (10 Kg)	
5721	
190.023.080	
Type 992	
57116510	
Ebps2i01-163-H Obsolete, Replacement Epk2i01-163-Ma-Oc	
591000 He 5910 Cpu-Modul Temperatur / 1 Mbd, 1 Alarmrelais 24vdc / 4 Leds	
67210110	
Alternative Fieldbus Canopen Coupler He 5910dms (Gewichterfassung) /	
Model He 5724	
Type 1000 He 1149	

Ürün	Açıklama
Type-He-5120 Mod, Part No-0008536187 Oem	
57317400	
57310099	
He 5710	
572920	
5120 Mod	
Modul Can He 5910 Fieldbus Canopen Coupler	
He 1149	
54095099	
He 5731	
He 5120 Mod Fabr No: 62200102 (Oem)	
190.024.130	
He 4040 (20 Kg)	
He 5721-R-S	
57215012	
190.016.413	
He 5120 Mod Oem	
He 5721 Magnetventilstrg	
Cte9010gy4 Drucktransmitter	
Model Ts2651n141e78, Part No:778538 Oem	
570710	
57210110 Controller	