




Hidracar

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Hidracar Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Hidracar Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
004-AI	
3.1 EN10204	
ADAPT-S	
ADAPT-Y	
ADAPT-Z	
BT010A-AI	
BT025A-AI	
BV006A1TM	
BV010A1TM	
BV100A1ZM	
DN15 PN100	
DRB.A/B	
F002T+HC2225-S	
F003A0411-A1	
F007T+HC2234-S	
F015A02T1-AI/PD	
F015T+HC2239-S	
F060A04T1-AI	

Ürün	Açıklama
F060T+HC2252-S	
M002D-AI	
M012D-AI	
M030A03D1-AI	
MF6A15N10/E	
PMI	
U001A20E1 AI - Po=106 barg	
U001A20E1 AI - Po= 7 barg	
U001A20E1 AI - Po=27 barg	
U001A20E1-AI	
U001A20V1-AI	
U001E-AI	
U001V-AI	
U001V-PD	
U002A01V1-PP	
U002A18E1	
U002A18E1-AI	
U002A18V1-AI	
U002A25E1-AI	
U002A27N1-AI 1/2	
U002A75E1-AI 1/4"NPT	
U002E-AI	
U002V-AI	
U003A01B1-PC	
U003A01E1- PC	
U003A18N1-AI	

Ürün	Açıklama
U003A18V1-AI	
U003A24N10/E	
U007A01E1-PC	
U007A01E1-PP	
U007A01V1-PC	
U007A05E1-AI	
U007A05N1-AI	
U007E-AI	
U007N-AC	
U007N-AI	
U010A01N1-PP	
U010A04E1-AI	
U010A04V1-AI	
U010E-PC	
U010V-AI/AP	
U015A01E1-PC	
U015A01V1-PP	
U015A04E1-AI	
U015A11E1-AI/NS	
U015A11E1-AI/NS DN15 PN100	
U015A11E1-AI/NS+ DN15 PN100	
U015A17V1-A	
U015A17V1-AI	
U015A17V1-AI-AI	
U015A39E1-AI	
U030A01V1-PC	

Ürün	Açıklama
U030A03V1-AI	
U030A11V1-AI	
U030B01E1-PC	
U030E-AI	
U030E-AI/AP	
U030V-AI	
U030V-AI/AP	
U040E-AI	
U040E-PC	
U040E-AI	
U060A01N1-PP	
U100E-PC	
M004D-AI	
U060A04N1-AI	PULSATION DAMPER Thread conneciton : 1 - 1/2" BSP Female Volume : 5,6Liters Deisgn pressure : 40 bar at 20C(PED) 28bar at 20C (ASME) Body : AISI 316L Bladder : NBR Deisgn tepmeretarues : -15 / 80C Precharge pressure: 32 barg NOTE: if this dampener is to be reexported by air, it could not be sent pre-charged, for security reasons during the transport
U060N-AI	BLADDER + INSERT
HC2255-N	O-RING
004-AI	CHARGING VALVE
U002A18E1-AI	PULSATION DAMPER Thread connection: 1/2" BSP Female Volume: 0,18 litres

Ürün	Açıklama
	Design pressure: 180 bar at 20°C Body: AISI 316L Bladder: EPDM Design temperature: -30 / +130°C DOCUMENTATION - Hydrotest & 2.2 certificate - Declaration of conformity with PED2014/68/EU (design code AD -2000) - GA drawing - Manuals of instructions - HIDRACAR standard sticker nameplate with dampener technical data
U010A01V1-PC	Thread connection: 1" BSP Female Volume: 0,95 litres Design pressure: 10 bar Body: PVC Bladder: FKM Design temperature: 0 / 60°C Po=0 barg
U007A05V1-AI	PULSATION DAMPER Thread connection: 3/4" BSP Female Volume: 0,65 litres Design pressure: 50 bar at 20°C (PED) 40 bar at 20°C (ASME) Body: AISI 316L Bladder: FKM Design temperatures: -20 / 150°C
U001a20v1-Ai	PULSATION DAMPER Thread connection : 3/8" BSP female Volume : 0,09litres Design Pressure : 200 bar at 20C Body : AISI 316L Bladder :FKM Design Temperature : -20 / 200C Po = 0 brg
U001a20x1-Ai	
U001a01x1-Pp	
U001a01x1-Pd	
F015a03i1-Ai + Dn20 Pn16 + Btãa-Ai.E Bellows Type Pulsation Dampeners	
1676058 Flask U015a11e1-Ans-Dn15- Dn100	

Ürün	Açıklama
U003a24x1-Ac + 3x4ã186; In 1500ã Rtj (Welded)	
U002a18e1-Ai	
U010a25x10 + 1 In 600ã Rf	
Bv600a1tm	
U030a36e1-Ai	
F060t+hc2252-S Bellows + O-Ringfor Ref. F060a02t1	
Bv025a1tm	
U002a01x1-Pd	
F015a03i1-Ai + Dn20 Pn16 + Bt#A-Ai.E Bellows Type Pulsation Dampeners	
Bv006a1tm Filling Kit	
Accumulator U001a20v1-Ai 0,075 (L) 200 Bar	
F002t+hc2225-S Bellows + O-Ringfor Ref. F002a02t1	
U030a11v1-A1 Die Membran Des Akkus	
Adacneu.5	
004-Ai Charging Valvefor Ref. F007a02t1	
U003a26x1-Ai	
Bv250a1tm	
U002a75x1-Ai.E	
U003b01x1-Pp	
U040a01v1-Pc P-1374 A/B/C	
U003a01v1-Pc	
U007a05e1-Ai	
U030v-Ai Bladder + Insert For Ref.U030a11v1-Ai	

Ürün	Açıklama
U010a60x1-Ac + 29x16ã186; In 10000ã Api (Welded)	
U007a01x1-Pc	
F007a05i1-Ai + 1 In 300# Rf (Integrated) Bellows Type Pulsation Dampeners	
U003a30x1-Sa	
U060n-Ai	
U002a18x1-Ai + 2 In 300ã Rf	
F002a02t1-Ai.Pd.Dr Bellows Type Pulsation Dampeners	
U002a18v1-Ai Pulsation Damper	
U002v-Ai Bladder+insert	
U007a05x1-Ai	
U030a23e1-Ac	
U040a03e1-Ai	
U010a47x1-Du.Ns + 1x2ã186; In 2500ã Rtj	
F015a03i1-Ai Bellows Type Pulsation Dampeners	
Bv100a1tm	
U003a24x10	
004-Ai Charging Valvefor Ref. F060a02t1	
U003a01x1-Pc	
F015a04t1-Ai Bellows Type Pulsation Dampeners	
U003a13x1-Ai + 3x2ã186; In 1500ã Rf	
U010a01e1-Pc	
F007a05i1-Ai + 1 In 300ã Rf (Integrated) Bellows Type Pulsation Dampeners	
U030a01e1-Pc	

Ürün	Açıklama
U003a01x1-Pd + Btãa-Ai	
U007a01x1-Pp	
F007a05i1-Ai 1/2"npt	
U002a01x1-Pp	
U002v-Ai Bladder-Insert U002v-Ai	
U015a04e1-Ai Pulsation Damper	
U040a36e1-Ai 1" Npt	
Bv1000a1tm/E Filling Kit For Very High Pressure	
Bv400a1tm	
U001a01x1-Pc	
004-Ai Charging Valvefor Ref. F015a02t1	
79745 U002a18e1-Ai + Adacneu.5	
U015a20n1-Ac	
F015t+hc2239-S Bellows + O-Ringfor Ref. F015a02t1	
U001a01x1-Pc + 1x2"186; In 150" Rf	
97825.	
F002a16t1-Ai.1x2" In Npt Bellows Type Pulsation Dampeners	
U030v-Ai/Ap Bladder-Insert U030v-Ai/Ap	
Bv300a1tm	
U001a02x1-Pc	
U030a36e1-Ai 1" Npt	
U001a01x1-Pcc + Btãa-Ai	
U007b01x1-Pp + Btãa-Pc.PI	
Bv160a1tm	

Ürün	Açıklama
U002a27x1-Ai.1x2ã186; In Npt	
U010a04x1-Ai + 1x2ã186; In 150ã Rf (Welded)	
U007a21x10	
U015a25n10 , By U015a20n1-Ac	
U001a44x1-Ai.3x8ã186; In Npt	
U 010 A02 V1 Ai Pulsation Damper Balloon V = 1 L, D = 110mm, L = 200mm, Rrasch = 2 Mpa.	
U002a39x10 + 2 In 2500ã Rtj (Welded) + Btãa-Ai.Me	
004-Ai Charging Valve	
F007a01t1-Pc Bellows Type Pulsation Dampeners	
U001a01v1-Pc	
Bv060a1tm	
U010a04e1-Ai Pulsation Damper	
F003a0411-A1 1/2 - Obsolete, Replaced By F007a05i1-Ai 1/2"npt Dampener	
U002a18x1-Ai	
U002a01x1-Pc	
004-Ai Charging Valvefor Ref. F002a02t1	
U003a41x1-Ai + 3 In 2500ã Rtj (Welded)	
U002a18v1-Ai	
F007t+hc2234-S Bellows + O-Ringfor Ref. F007a02t1	
U001a80x1-Ai.3ã215;8 In Npt	
U030a03v1-Ai Die Membran Des Akkus	
Bv016a1tm	

Ürün	Açıklama
U002a18v1-A1	
U030v-Ai/Ap Bladder + Insert High Pressure	
U030a01x1-Pp	