

Hitachi

HITACHI

the Next

Garanti: 12 ay
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.
Hitachi Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Hitachi Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
GLOBE VANA (HSB FLAPPER) 15 A	HN10K-SG-1/2B
R2 SPINDLE BALANCE CYL STOPPER25 A,HITACHI VALVE	HN10K-SG-18
GLOBE VALF DC1-2 PINCH ROLL 25A	HN10K-SG-1B
INSPECTION LINE SHEAR GAT 20A GLOBE VALVE	HN10K-SG-3/4B
M150FCD	VALVE,CHECK:LIFT,3/4IN,CL150,RF,125 - 250 AARH FCD-S/A395,SUS403(A276- S40300)/REINFORCED PTFE
Vortex Regeneration Blower	Model No: VB-004-E Power: 0.62 kW Number of Phases: 3 Number of Poles: 2 Supply Voltages: 200/230/460 Supply Currents: 1.9/1.7/0.85 Frequency: 60 Hz. Maximum CFM Volume: 75 cfm Maximum Working Pressure: 39 in.H2O Insulation Class: B
Vortex Process Blower	Model No: VB-030-E Power: 2.9 kW Number of Phases: 3 Number of Poles: 2 Supply Voltages: 200/230/460 Supply Currents: 9.1/8.2/4.1 Frequency: 60 Hz. Maximum CFM Volume: 200 cfm Maximum Working Pressure: 74 in.H2O Insulation Class: B
L200-007HFEF2	
SP14Q006 KOE LCD	
E705DHD-72D2YG	
24784620001	DB 11.5KG THRD/HYD W/O S.GEL 7033 BT01

01-05-03	
X200	
Sc1200	
Ic63b40p	
Tm26d07vc1aa	
E655dh-65d2y	
Rpmw1003moen Jp4020	
Gh22np20	
Ca19-010-10b	
Ic63450ps10	
C2082hr	
Sj700-150lff2	
Jrb120-1	
D4y94-01a	
Vws16hf3ea	
Ansi-60	
Phm-Dt	
Agm-O	OUTPUT MODULE ANALOG 4POINT 4-20MA 8BIT EM2/3
T2sb861	
Yagc08h	20 MA
077dt11797-00011	DRIVE 55KW 75HP 380-480V 50/60HZ
Ica-3j	
Hm621100aljp20	
Rom2-48h	
8541411	LMG7420PLFC-X Rev. D / E / F / G KOE Display Diagonal: 5.1 " inches Revision D / E / F, controller RA6963 RAiO Resolution: 240x128 dots LMG7420PLFC-X -8 Revision D, E LMG7420PLFC-X -10 Revision F
Lqp525	
Plc R700 Lnc 500 Ncp-F !!	
Xac10ah	
Skh-100e-Y	

Vws3.5hf3eh	3HP 460V AC DR
Hat2028r	
Ls45p72b11	
D-64	
Sj700-550hfuf2	
Hm25101	
Sj700-110lfuf2	
Sj700d-550hfuf3	
Fxlcd7981	
Sj700b-750lfuf	SJ700B Drive
Dc9331m	
12bcl	
Ic68000y12	
Hd641016f8	
Jd65x50c-E55.5	
Eh-D28drp	
Y578	
L200-004 Hfe2 (Ex L100004hfe)	
E-40ht-Hizac	CONTROLLER PROGRAMMABLE 24VDC
S3b4050h	
Ec260hr	
Eh-Ioch	
Sj300-110lfu2	DRIVE 15HP 3PHASE 230VAC
Sj700-185lfuf2	
Jd65x50l-E51.5	
17b34864a	
08k0632	
L100dn-007hfu2	
Pif5e	
Mph16r	

Cpm-E2 2.5sf3ea	PROCESSOR BASIC EMII 1.5 S/COMMAND 160I/O W/O MEM AC Inverter HFC-VWS/2.5SF3EA
Ic637b05vop	
Cpx1250lamp	
Sj700-550lfuf2	SJ700 Drive
G23xx	
Jx-004lf	
Fpl13ex-N	
Ffl100-Sb11	
Ansi-35	
Xintoah	
J100-015hfu	
Ic17431p	
Lwm494	
C2050-304	
Paf300	
Avr-04h	HIDIC Power Supply
3t0045163	
Xrtd01h	
Obv-485a	Option module Micro-EH Type: OBV-485A Serial interface RS-485A Analog inputs: 2 [pieces] Resolution: 10 [bit] 0-10 [VDC] Connection: RJ45 socket
Linkh	LINK MODULE FOR H2000
Hm4864p-2	
Ga38-	
Hm4315p	
Fp-3040-300	
Hcgf5a2g222y	
35	
Hdc165h	
Ram3-48h	RAM CASSETTE, PROGRAM MEMORY CAPACITY 48.5K STEPS FOR ENHANCE CPU(H-2002, 1002, 702, 302) FOR FAST PROGRAM CHANGE DURING RUN

74ac166	
Vb-001s-E	
Ic6340p	
Jd50x40a-E62.2	
L100dn-075hfu2	
Lqz700	
L300p-550hfu2	DRIVE 75HP 55KW 105AMP 3PHASE 380-480VAC 0-400HZ
Sj200-007hfef2	
Ec-D40hrp	PROGRAMMABLE CONTROLLER 240VAC 24VDC 7MA
Jd65x50b-E53.7	
Vws 2.5ld3	TRANSISTOR INVERTER DRIVE 7.5AMP 200-230V 50/60HZ
T2sb955	
Mbm200hs	
Beh-0802-02	
Lqe770	
Hat1020r	
Jd50x40c-E55.5	
Lwo100	
40y9034	
Sj100-004nfu	
Sj700d-750hfuf3	
Hcgf5a2g182y	
HI01643	
K15n-Epw	
Cp-S183-180w-2p	
Ytr24dh	64 OUTPUTS OF 12/24 VDC, 0.1A, ISOLATED BY PHOTOCOUPLER, LED DISPLAY, SINK TYPE, CONNECTOR TYPE
Lqz500	
Tr50b-2e ; 40 A	
E-40hrp	

J100-015hfe4	
Jd50x40m-E60.75	
Lqe545	
L200-002nfe2	DRIVE INVERTER 3.1AMP 3PH 200/240VAC 50/60HZ
Olink-He	OPTICAL CPU LINKAGE MODULE (FIBERGLASS CABLE 62MM), UP TO 64 MODULES/LINKAGE, UP TO 2 LINKS/CPU, 2048 WORDS LINK AREA, 1MBPS
12bol	
Lqe510	
Xed2a-82c	INPUT MODULE 24/48VDC
Lmg74xn	
Q6062	
4t004574-10	
Lwe-820	
P-250e-Cpedt-61m	
Hc-Ctl-P	
Sbr-60-2r	
J100-007sfe4	
Jrb120-3	
Hd46505sp-2	
Orem-Mh	I/O MODULE REMOTE MASTER STATION
Jd80x65l-E51.5	
Hm-3819-C-Aa-3v	16" Color Monitor With Housing 411879-9
Sj700-150hfef2	
Hm6287lp70	
Jdmt100308r-Fw-Jp4020(Obolete; By Jdmt100308r-Fw-Jp4120)	
Pgc-B02h	
Jd80x65a-E53.7	
H-700	
Bem-0850-02	CONTROLLER BOARD ASSEMBLY
Hd68450y8	

L100-040hfe	
Eh-Cpu104a	
Lmg7520rpf-c-J	
Hd74ls257fp	
Hd63c09ep	
L300p-075hfu	
804251078	BUBBLE MEMORY PCB
9136529	
Comm-2h	INTELLIGENT SERIAL PORT MODULE, RS-422, RS232C, PORT X 1 CHANNEL EACH, OCCUPY 2 SLOTS
Ytfo	
Hfc-Vws	DRIVE TRANSISTOR INVERTER 13A 380-415V 400-460VAC
Ncp F Lnc 500	
Hs25-1a1b	
Lqe540	
97250920-B	PC BOARD OPUS 5000 MEMORY BUBBLE CARD
430nr14d-3pu	
5264165ftta60	
X4-4no-Ac200v	
Lwp000	
13-07-01	DISTRIBUTION BOARD HG-M.DIS-S3
Jd50x40c-E67.5	
Pchidic	
Lqv100	
Sj700d-007hfuf3	
07n6808	
Fpf-9340-05-Sw (4nc¼ Kalem İcin)	Line filter Type: FPF-9340-05-SW for WJ200-004HF / 007HF Limit class C1 / C2: 25/50 m switchable for leakage current <3.5 mA: 5 m; Grenzwertklasse C1 Max. Leakage current at phase failure <25 mA Type: Footprint (sub-filter Dimensions: W x H x D114 x 169 x 35 [mm]
Fp-3022-100	
Wj200-007lfdn311	

Hac-Ep8l	SERVO CONTROLLER 200/220VAC 50/60HZ 3PH 2000RPM
F-50kb ; 3p ; 30 At	
L700	
Su3l5h	
Bsm-7a	
V6l45	
90t404	
S-30s-1501-0032	
Bsu-02h	
Y531	
Sx14q002-Zza	
Nes1-002sb	
Bgcb-02h	
3t004474-3	
Xcu001h	HIGH SPEED COUNTER INPUT MODULE, 2 PHASE PULSE, 50KHZ, 16 BIT COUNTER, 1 CHANNEL
960788	
Ic63h193sm	
Link-Sh	CPU LINKAGE MODULE, (COAXIAL CABLE), UP TO 64 MODULES/LINKAGE, UP TO 2LINKS/CPU, 2048 WORDS LINK AREA, 1MBPS
Cpu2-07h	H-702 ENHANCED CPU, 1280 POINTS, 0.9MS/COMMAND,RS-232C SERIAL PORT I/F, 15.7K STEPS RAM/EPROM, PID FUNCTIONALITY.
Rom-48h	
Invc818	
Sj200-022nfef	
Ds18dbl2	
Dkr2e-J72fc	
Vws22hf3uh	20HP 460V AC DR
Ic68b09p	
Dtrvt35026	
Tj20-2e-Rc-7a	

Sj700d-075hfuf3	
L100-015hfu	
411021	
L300p-220hfu2	DRIVE 22KW 30HP 43AMP 380-480VAC 3PHASE NEMA1
H10c-T-1524-5322	
Tpc-531	
A1qa8dsp40	
3t004573-2	
2sk973l	
Eh-Cpu208	Processor Module
Ic68000y8	
Icha12002	
0a32074	
Pdg310b	
Ex50c-50a	
Hm62256alp10	
J100-002l2	
P-250e-Exedt-4bd	EXPANSION MODULE 0.5AMP 24VDC
Ansi-603/4	
Cpx445lamp	
Tmkdc25vga	
Hn482732ag-20	
Lwb090b	
Ic61830b00h	
Vwa16hfu	
Pgm-J	
Wj200-007hf	Hitachi frequency converter Type: WJ200-007HF Motor power (HD / ND): 0, 75 - 1,1 / 1,5 [kW] Rated output current (HD / ND): 3.4 / 4.1 [A] Overload capacity (HD / ND): 150/120% for 60 s Working method: Vector, V / f control Mains voltage: 3 x 380 - 480 V ± 10%; 50/60 Hz ± 5% Inputs / outputs: Set. 7 dig. + 2 analog. / Out 3 dig + 1 analog. Features / Functions: Control Panel. PTC thermistor input, brake

	chopper, safe stop (STO PLd), Modbus RTU, Options: different bus systems Dimensions: W x H x D108 x 128 x 170.5 [mm]
Jdmt070204r Jm4060	
L100-015nfe	
Eh-Ay4v	
J100-015hfe5	
Beg0802-021991-1	
V6045	
Hm628128alp-10	
Sj100dn-055hfu2	
Sj200040hfu	
Hts42402m9at00	
Vwg-1.5lb2	DRIVE 4.2AMP 200-230VAC 1.5KVA
Ic6445cp4	
J100-015l	IGBT Inverter Module J100
651-19	PC COMPUTER BOARD
Hm6147p-3	
Psj-Ar	PROGRAMMABLE CONTROLLER 115-230VAC
1501-0032	
J100	
Hdc020l	
Vws11hf3uh	
Vws16lf3	
Jd40x32b-E51.5	
Ehd23drp	
Sj700b-750hfuf	SJ700B Drive
Hm514256zp10	
Zcl-B75	
Cpu3-40h	CPU H-4010, 4096 POINTS, 0.05US/COMMAND, 2X RS-232C, 97K STEPS WITH FLASH-MEMORY (BUILT IN), 88K
Exb0a6bs	

Nf-Ceh20	
255061	
Lqe560	
Sj300-220hfu	
1b001441	
2sd170	
Sj700d-900hfuf3	
Tpb-Jvo	
Wj200-015lfdn330	
Sj-Dn	
06954204, 17c87452 A	
P-1000	
S-15-3p	
Hrl005h	
Ic74ls139p	
Jdmt100308r-Fw-Jp4120	
Hd44100fs	
Eh-Xd16	DC Input (Sink/Source) Module
Mbl800e33e	
Jd40x32a-50,75d-, By Jd40x32a-E50.75	
Ne62333	
Tx38d12vc0caa	
V1065a	
Sj200-004hfr	
S-30s-1501-0022	
Ic6303yfsm	
Jd40x32b-E51,5 Motor 1,5kw 380v	
Ram2-04h	RAM Memory Module RAM2-04H27
Hua723020ala641	
0a31881	

Cpu2-07h6kfecbaba	CPU MODULE H-702 15.7K STEPS RAM/EPROM
Ffj300-Hb90	
1013731e	PC BOARD
Sj200-007nfe	
Srb300-1	
Vws3.5sf3eh	3HP 230V AC DR
Pgm-Gpe	PLC PROGRAMMING DEVICE 6V
Hd6303xp	
Sj200-040hfef2	
Wj200-004sfe	Multi-Function Compact Inverter MX2-AB004-E, WJ200-0045FE
Exu-11h	
602-13	
319706	
J100-022lfu	
Hd64180rp6	
K695	
L100022hf	
129612-77011	
6116asp-20	
Ditbu	
E-20hr	
Mbm200js12ew	
Tpc-5245a	
Scm39080	
Link-02h	LINK MODULE COAX FOR H252
Jd50x40m-50.4k	
Pom-Sw	OUTPUT MODULE 16POINT TRIAC W/REMOVABLE TERM
Ffl100-Hb11	
J300-075hfu	
Fp2	

Ä220;P Installation	
Mpe210a	
2sk321fq	
Jd100x80a-E57.5	
Hpc600005	
Lqp010-Zá; !!	
Vc-6025a	OSCILLOSCOPE DIGITAL STORAGE 90-250VAC 50W
Sj700-3150hfu2	
Lqx300-Z !!	
L100-004hfu	
Hm4864p-3	
2sd1135	
Djsa-220	
Y564	
Kp-F3-S2	
Hm6167lp	
Gd2185171	
Wr18dl Hitachi	1/2" DR IMPACT WRENCH
Hm658512lp-10	
Sj-Fb	
3t003916-2	
T2sk1471	
Sj200-015-Hfef	
Posit-H	POSITIONING MODULE, 1 AXES, PULSE OUTPUT (OCCUPY 1 SLOT)
Hd74ls367ap	
Gsa-H53n	
Hm628512blfp5	
Mbm300hs6g	
Jh300-16lf2sr	
H-28dr	PLC 16POINT 24VDC INPUT 12POINT RELAY OUT

Ls520	
Zx800 9212745	
Sj700d-004hfef	SJ700D Series Inverter 3G3RX-A4004-E1F
Ram3-08h	RAM Memory Cassette
418485	
Hm6116lp-4	
Cpj-Drp	CPU
Zcl-A	
Hd63b01yop	
Pom-Tpwx	
Ktc-3b-B	
P-250e-Cpedt-43c	
A50l-0001-0259/N	
L100dn-022hfu2	
Tx14d11vm1cba	
Hm101920r	
520048-001a	AMPLIFIER BOARD
Dummy-H	
Lqv000	
Ic637b01voc	
Jd50x40c-E65.5	
Hsc-1540	
Lqe740	
Rcu-4030	
16-12-01-00	
Lqx130-Z !!	
Jd40x32b-E52.2	
Nf-Ceh250	
Ram-48h	MEMORY MODULE 48K RAM H2000
06b2cl-Each	
X200-022nfu2	

Hv-Hd33	
Tx43d21vc0caa	
Hd6473258f10	
Si11-RI	Hitachi Cable SI11-RU
Hsc-1021	
Ic628128blp8	
2y005496-1	
Sj700b-550hfuf	SJ700B Drive
Sj700-300hfef2	
Sj700b-300lfuf	
F-50kb ; 3p ; 15 At	
Hd74ls07p	
H-7607u	
V-552	
Fs24828-8-07	
H100-200/220v	
Ic6417709f80	
Lqe570	
J100004sfe	
Bsh-10	
Lqy ? 200	
Ec2-20hr	PROGRAMMABLE CONTROLLER 100-240VAC 1AMP 24VDC IN
400-042	
8-1702	POWER SUPPLY
Bs-I04b	
Fp-1007-100	
E405ahd-36d2	
Sj200-004hfef2	
193-230394	
Jd100x80b-E511	

J100-004sfe2	
Hm6287hljp35	
Lqv000-Zá; !!	
Hd74ls04p	
Hm6264p-12	
6264bls10l	
Y525	
J100-007lfu2	
Hd64646fs	
50cl	
Hn58v66ap10	
Bs204c	
G16lf3-50v-T17114	
U-2000	
Exb0a47r	
520048-005a	PC COMPUTER BOARD
Jd65x50c-E57.5	
13g0221	
Sj700d-110hfuf3	
Cpu2-10h	
2b017130-1	
Lqe565	
Hrl020l	
G3b8-22l	
H10c-T-Ac100v	
Pmgj	PROGRAMMER STANDARD
Hrl110h	
Basic-H	BASIC FUNCTION MODULE (OCCUPY 3 SLOTS)
33040979-1	
Htm93212416	

Sj700-007hfuf2	S1700 Drive
Sx14q004revb	
2sj529l-E	
D448421	
L700-550hff	
L100-015lfr	
Vws.75hf3eh	
Wj200-001lf	
Hd66204f	
05-0011-00	
Hdc155h	
Hm46810p	
Lmg7420plfc-X	
Yts48bh	OUTPUT MODULE
Sj300-075hfu	
V-1565	
Hya-10501-32354-J 210-220-250	
Ec-D60hrp	
Y546	
Rem-Loh	REMOTE I/O MODULE, LOCAL STATION (COAXIAL CABLE), UP TO 10 LOCAL STATIONS CONNECTED IN SERIES PER MASTER (REM-MAH). 2-SLOT WIDTH.
Cpu-07h	
Xdc24dh	INPUT MODULE 64POINT DC H-SERIES
Vws2.5sf3eh	2HP 230V AC DR
2sd781	
Sj200-004hfu2	SJ200 Drive
Sj200-015nfu2	
Sj100dn-004nfu2	
Sj700-004lfuf2	SJ700 Drive
Sae02999300047	

Su3f11-16h	
Ics-1a	
Ic63c09cpsm	
Sj100055hfu	
H150c Ac200v	
551062-001h	AMPLIFIER BOARD
Ansi-140	
Ets.3.1997	
A58l-0001-0233/60n	
Hd64f3048f16	
0a25022	
F-30fb	
Ha16637g	
Lqx ? 200	
Hn27256g-25	
Sx14q006 Hitachi Display (Neu)	
Eh-D40dr	
Mbn800e33e	
H250c Ac200v	
Hd29050p	
Lwp000-Cpu	
Mbm200ht12h	
I8981354622	
C2060-304	
Tr20-Rtc	
Kp-M1u-Ccd	
J300-055Ifu	
Sp12n002	
Eh-Bs3	Base Unit
2098ipd020dn	
Sj700-1100hfuf2	

Wj200-004sf	
3m Mp8030	
Fahrstrecke Cij Installation	
Lqe575 , No	
Cpu2-07h59fdbcaba	CPU MODULE
Ysr20bh	OUTPUT MODULE 32POINT TRIAC 100-240VAC 1AMP ISOLAT
Hcgf4a2v182y	
Yagv12h	10V DC
0004-006a	AMPLIFIER CONTROL BOARD
Agh-0v	
Lqy ? 100	
Xdc24d3h	64 INPUTS OF 24 V DC , ISOLATED BY PHOTOCOUPLER, TERMINAL BLOCK, HIGH SPEED DC INPUT TYPE, CONNECTOR
L300p-220hbrm	AC DRIVE 22HP 3PHASE 43AMP 480VAC 50/60HZ
Mph-8r	
Ansi-80	
Sj300-370hfe	
2sa1213y	
2sk135	
Pgmpk2h	
V110a	
Lnc 500	
3173880	
Ascii-1h	ASCII CODE MODULE, CONNECTION WITH CRT OR PRINTER (OCCUPY 2 SLOTS)
Bs08b-1-0I	
999061	
Jd40x32b-E62.2	
Hm6167hp-45	
Wj-VI	
Sp14n003	

Cp31-A-1a	
Sj300-110lfu	DRIVE 15HP 3PHASE 230VAC
Cdl150xu	
1911-1410	FLOPPY DISK DRIVE 8IN FDD-412A
Cfi-H	
Hn58c256p-20	
2b012215-4	CONTROL BOARD
Bmu-64-1-A87I-0001-0015-12i	
Cp31-A-2a	
Rrzk1315-1	
8540508r	LMG7420PLFC-X Rev. A / B / C Hitachi Display Spare display: Diagonal: 5,1"inch Resolution: 240x128 dots, Black / White F-STN Original display compatible NEW A-Grade
60-2maxrb	
Gd003731	
Wj200cb-F	
4-Vtfo-Fk	
Bis-Fv-Mm-Kyb	
Txd11vm1caa	
Ada2-01ls	
Hs25-2a2b	
J100-015lfu	
H-40dr	PLC 24POINT 24VDC INPUT 16POINT RELAY OUT
Cbl-05h	
Jd80x65I-E52.2	
II-Sj300k-2b026798-Az	
Sj700-022lfuf2	SJ700 Drive
Sj30055hfu	
M34kdd50x01	
Iolmt	
P-250e-Cpedtm-95t	
Sj300-150hfu	20HP 460V AC DR

Eh-A14edr	
Hac-Epv55gf	
Ncp-F Lnc500	
Cpu-07ha92ntdfcb	CPU MODULE H-700 15.7K STPS RAM/EPROM 640POINT
Hrl075h	
Dtya30566	
10-05-03	
2b012215-1c	
S3ab11-22h	
L200-030hfe2	
Xc-75ce	
Hn27c101ag-10	
L300p-055lfu2	DRIVE W/ KEYPAD 240V 26AMP 60HZ 5.5KW 7.5HP
1203-1250	
4387931	
H2t3201672s7	
Lm213xb	
Cpj-As	PROGRAMMABLE CONTROLLER SSR OUTPUT
Sj100-022nfu	
90t403	
Cpu-20hjmdebbb	
Hdc010h	
Sj200-004nfe2	
3hgss 3282390-C 300gb 10krpm Disk For His130 (Is 3282390-A)	
Jd40x32m-50.25k	
Az 060 Cij Installation	
L100dn-040hfu2	
Pst330	
R10-Bsp	

L300p-185hfe	
Eh-Ax4	Analog Input Module
F-400-Fb3p400a	
Fx22I332y	
Hd74Is92p	
Gd219670-2	
Ams	
Lmg5042xufc	
Sj700d-370hfuf3	INVERTER
Fpf-9340-10-Sw (3nc¼ Kalem İin)	Line filter Type: FPF-9340-10-SW for WJ200-015HF / 022HF / 030HF Limit class C1 / C2: 25/50 m switchable for leakage current <3.5 mA; 5 m; Grenzwertklasse C1 Max. Leakage current at phase failure <10 mA Type: Footprint (sub-filter Dimensions: W x H x D114 x 169 x 35 [mm]
Eg1	
Hm62256Ip-12	
Jd50x40a-E51.5	
Hfcvws11If3a	
Sp14n002	
Sj300-150Ifu	
Bsa357dtt1aa	
J300u2I	
17-02-01-00	
Ic35I060avv207-0	ATA-100
Eb-64crp	
T2sa958	
Hsc-1281	
L100-022nfu	
8851200as	
Yet2a-84g	OUTPUT MODULE 24/48VDC
Eh-D14edr	
2sk440	

Hd2912	
K60-Dp	
P/Nã16/10s-134-537	
Rio-Bsc	
33016136-5	
Eh-Yt64	TR Ouptut (Sink) EH-150
S3I16-22I	
F-225-Fb3p225a	
Sj-300-150-Hfe4	
Hd63b45p	
Eh-Axh8m	
Wj200-015If	
Hm-3719a-Fba-3	16" Color Monitor No Housing 1948014A5
S3op-Pcb9	
Sj300-185hfu	
Lmg7421plbc	
J100-037hfe5	
Jd80x65c-E511	
Hm628128Ip-10	
3sk45	
Mbb100bs6	
Exu-04h	
J100-004sfe5	
Cpj-Dr	CPU
Hsc-1580	
Sj700d-1100hfuf3	
Mv-A40dr	Hitachi compact PLC series Type designation: MV-A40DR Programming software: CODESYS V3 Programming language according to IEC61131-3 LAD, FBD, CFC, AS, AWL, ST Inputs: 24 [pieces] Outputs (relays): 16 [Piece] max. Number of I / Os: 296/112 [Piece] user memory: 1000 [kByte] Interfaces: USB 2.0, RS232C / 422/485, Ethernet 10/100 Protocols: EtherCAT master, Modbus RTU / TCP fast counters / pulse outputs Max. 5 inputs, 100kHz / max. 5 outputs, 65 kHz [piece] Power supply: 85 - 264 VAC / 50/60 Hz Dimensions:

W x H x T150 x 90 x 76 [mm]	
Sj100dn-015hfu2	
E-40zrp	
S3I16I	
Ic66205f	
Xd 20a	24V DC Output Module
Agm-Odv	OUTPUT MODULE ANALOG 2POINT 0-10VDC 8BIT
Lqp527	
Eh-Tp45c	
Olink-H	LINK MODULE
Hcs725025vlat80	
Is-Sj3a-3b300208-1	
Sj700-055hfuf2	
2sk641	
Tx09d70vm1cca	
Pij-D	
Agh-Od	
Ram3-16h	RAM CASSETTE, PROGRAM MEMORY CAPACITY 15.7K STEPS FOR ENHANCE CPU (H-2002, 1002, 702, 302) FOR FAST PROGRAM CHANGE DURING RUN
4y000066-2	
Comm-H	
Pgcb05h	
Yry20ah	Relay Output Module
08k0462	
Nes1-007hb	
F-50kb ; 3p ; 50 At	
Iau1	INPUT MODULE ANALOG 4POINT -10+10V 12BIT
Ytt05bh	15 V DC, 20MA, ISOLATED BY PHOTOCOUPLER, LED DISPLAY
Pim-D	
Ne62583	
Jd50x40I-E50.75	

2sd1978	
124507-007y	AMPLIFIER BOARD
Sj200-005nfef	
A50I-0001-0303/L	
Wr22se	
Jd50x40b-E52.2	
Ioc-01h	
870/4659548/Jfp777409	
Pim-Dx	
Hn27c256ag-10	
Sj700-075hfuf2	SJ700 Drive
Cpu-20ha	
Pom-Sh	RLY OUTPUT MOD
Asmm-0732r-8	
Lmg6381qhge	
Eh-Xd32	DC Input (Sink / Source) EH-150
Hd63a21p	
Cpm-E3	
Exboa	AC 110V 4 Slot Base Rack Unit EXBOA 47R
Vws8hf3uh	7.5H 460V AC DR
Sj100-007lfr	
Sj3001320hfe	
Ic61830a00h	
Sj100-002nfe	
Hd46505rp2	
Tx14d11vm1caa	
Sj700-370hfuf2	
Ha17901p	
Hd63485cp32	
Vwg16lf3	HFC-VWG DRIVE

Lmg6400plgr	
Pcfk5h1601z	
J300150hfe3	DRIVE INVERTER 53A 3PH 400-460V 50/60HZ
Jd80x65b-E57.5	
Fxa-1800-400	
Hd6417014f28	
J100-022sfe2	
Nf-Ceh40	
Sc-Ope-3i	
160-1c	ROLLER CHAIN 7/8IN PITCH 10FT LONG
Lwp040 Plc	
Y512	
Ytr24d3h	
Hm4520r	
50-2v	Hitachi Video Cables
Yes2a-78c	OUTPUT MODULE SSR 100/200VAC
Cb-I7-L	
Hfcvws22hf3uh	
V1065	
Hd7407p	
S3-Op-Pcb3	
B955	
Shw73tc9g	
Xdc2-4bh	32 Point Digital Input Module XDC008H
Wj200-022hf	Hitachi frequency converter Type: WJ200-022HF Engine power (HD / ND): 2.2 / 3.0 [kW] Rated output current (HD / ND): 5.5 / 6.9 [A] Overload capacity (HD / ND): 150/120% for 60 s Working method: Vector, V / f control Mains voltage: 3 x 380 - 480 V ± 10%; 50/60 Hz ± 5% Inputs / outputs: Set. 7 dig. + 2 analog. / Out 3 dig + 1 analog. Features / Functions: Control Panel. PTC thermistor input, brake chopper, safe stop (STO PLd), Modbus RTU, Options: different bus systems Dimensions: W x H x D108 x 128 x 170.5 [mm]
Bs104e	
Hb56a49br-7b	

Y368	
Ics3j	
J100-037hfu	
Jd40x32b-E63.7	
3b121700-3	
Vwa814b2	
Tr12b-1e-6.8-8a	
A160e	
Ex710 (Alternative For Eh-Tp45c)	Type: EX710 Display: 10.1 "color graphic TFT, widescreen, multitouch, real glass projektiv-capacitive Resolution: 1280 x 800 WXGA; 16M colors Interfaces: 1x PLC port: RS232, RS-422, RS485, MPI interface configurable via software, 2x USB and 3x Ethernet interface, 2 slots for expansion modules Memory: 1GB RAM, 4GB flash memory, SD card slot Functions: Real-time clock, alarm handling, recipe management, trend data, user management Dimensions: Panel front 282x197, installation dimension 271x186, installation depth 56 + 8 [mm] [mm] Degree of protection: front IP66, rear IP20 Weight: 1.7 [kg]
Posit-2h	
85a-T12509-80031	
Fstp20gb	
193-230192	
Sj700-055lfuf2	
7k500-320	
Sj700b-110hfuf	SJ700B Drive
S-30s-2p-10a	
Hd63b03ycp	
Fn3258-180-40	
Jd40x32a-E61.5	
J300-110hfu	15HP 460V AC DR
325061	
Bej0802-021986-9	
Nes1-002lb	
Aghi	

J300150hfe4	
Sj100-075hfu	
Y565	
Pom-Rcl	
2m107a	
K20n-Ep(Obsolete. Replaced By Hs25-1a1b/Hs25-2a2b)	
Bsu-05h	
Rh600t	
05-1540-00-Ra-1	Operator Panel IP-1501
Tr40-Rtc-4.0a	
Y551	
E-40hr	PROGRAMMABLE CONTROLLER
129612-7701	
Bdgo104	MEMORY BOARD BUBBLE BMU
Pom-Rhx	
Slpw-Ed139-1	
J3ced5-22l	
4t0022353b	
Joystick Repair Kit For:Zax 160 Lc 2005	
Lqe500	
L100-002nfu	
Xagc08h	
Gd1041072	
Ca19-020-5b	
X200-075lfu2	
Cdr-8130	
Ed212	MODULE OUTPUT 24VDC 100-240VAC
Sj700 D-040hfef3	
Y553	

Psm2-B Vcm1472	
Jh300-16lf2	15HP 230V AC DR
Cpj-Dt	PROGRAMMABLE CONTROLLER 24VDC 1AMP 10MA
Hd63487cp	
193-230395	
Hrl1600h	
Nsrb400-1	
Sj700d-004lfuf3	
Fpf-9340-10-Sw (2nci Kalem İin)	Line filter Type: FPF-9340-10-SW for WJ200-015HF / 022HF / 030HF Limit class C1 / C2: 25/50 m switchable for leakage current <3.5 mA: 5 m; Grenzwerklasse C1 Max. Leakage current at phase failure <10 mA Type: Footprint (sub-filter Dimensions: W x H x D114 x 169 x 35 [mm]
Hfcvws15ld3uh	
Yts24dh	
Ctm	COUNTER MODULE HIGH SPEED EM2/3
Hbu-2030	
Hn482732ag25	
Tr20-Rtc-1.4	
Ic66205fsm	
X200-037lfu2	
Rem-Mah	REMOTE I/O MODULE, MASTER STATION, (COAXIAL CABLE) UP TO 512 I/O PER MODULE, UP TO 4 MODULES PER CPU, 1.5 MBPS 1 MASTER: 10 LOCAL STATIONS (REM-LOH) C
1.72kp.1/10-1000	
Hh4629117	
Agh-Iv2	
Tx36d62vc1caa	
Jd40x32a-E50.75	
Sj700-750hfuf2	
Psm2-A2	
Y370	

Sae02999036684 Hd68p01v07	
Xagv12h	8 CHANNEL ANALOG INPUT, 12 BIT RESOLUTION, -10 ~+10VDC
Ec2d40hrp	
Lwm414	
Hd63b05y2p	
Hn482764g-4	
Sj200075slfu	
A002222	
Xac20ah	
Js100007sfe5	
Eh-Ytp16	Transistor Output Module
Lqe546	
Paf308	
Vws1.5sf3eh	1HP 230V AC DR
3t005070-1	
Hf-42211-25-H	
T-386apt-M	
Tx23d12vm0cba -	
2b006015-3	II-VWS10 BOARD
Hn482764g	
Pgm-Gph	
S-30s-3p-10a	
Jd65x50a-E52.2	
X200-007hfu2	
Ifj100-Sa10.1	
Sj3ga75x3h	
L300p-300hfu2	AC DRIVE 40HP 480V
D476	
Xhs24bh	High Speed Input Module

Sj100-004hfu	
10bol	
Sj700b-370hfuf	SJ700B Drive
Sj100-004lfr	Drive
B694	
2m131	MAGNETRON ASSEMBLY LOW FREQUENCY
310q401-053	
Sj200-007hfu2	
Xb00004059	
Xdc24d2h	
Xb00004064	
Db01000200100e0a	
Wj200-002lf	
Hfcvws25l82	
Rem-Mash	REMOTE MODULE MASTER COAXIAL
L300p-550hbrm	DRIVE 55KW 75HP 380-480V 50/60HZ
68w3030262	
Avr-06h	24V DC Power Supply Unit
Jd50x40b-E63.7	
Hd14049ubp	
Libat-H	
Sbr-80	
Sj700b-450lfuf	SJ700B Drive
Eh-Cpu548	CPU MODULE 3520I/O 48K RTC ADVANCED TYPE EH-150
Tr50b-1es ; 28.5 A ; 3	
J300-550hfe4	
Bs08b	
Hfc-Vws5.5lf3uh	
Hd7400p	
Vws15sb	
Ga24-040-20b	

Lqp-510, 510v	
Jd65x50m-E50.75	
60-Riv	
Hm62256lp-10	
L700-185hff	
V-1060	
Bsu-09h	9 Slot I/O Base
Hsc-1081	
Sj700b-150lfuf	
33029692-1	
3t0045843	
353at14586-3k118	
Lm052l	
Eh-Dum	
Mdb20a6	
Hcgf5a2w102y	
L300p-040hfu2	
Atc-1/Item No:24	
Hbu-4045	
Sj200037lfu	
Sj200-022lfr	
Hm6264p-15	
Kp-M2ap 12vd No	
Dt-5054a	
Vws16ld3	
4449084	
Cpme3	
F-100kb ; 3p ; 75 At	
Bsm-5a	
Yts48ah	Output Module

Ft-3km F140100	
Lqe701	
Dv16v	
L700-150lff	
Hts548040m9at00	
Hm50256p-15	
09733104	
Orem-Msh	REMOTE I/O MODULE, MASTER STATION, (FIBERGLASS CABLE) UP TO 128 I/O/ MASTER, 12 LOCAL STATION/MASTER, 768KBPS
425-1577 210-220-250	
Ram-16h	
Fxa-1700-450	
60-Riv-10ft	
68w2010924	
Lmg6411plge	DISPLAY
Ram2-16h	RAM CASSETTE, 15.7K STEP FOR ENHANCED H CPU.
Wj200cb-D	
Cbb65-15	
K310	
254515	
S-30e-1501-0085	
Ch16g	
Gce-8481b	
Vws8lf3uh	
Jd40x32m-60.4k	
Jd50x40c-E53.7	
Ic35l180avv207-1	
L200-015nfu2	
Eh-Xd64	EH-150 DC Input Sink / Source EH-150
Eh-Psa	100-240V AC Power Supply Unit EH-150

Y532	
Ffl100-Sb3	
Xac10bh	32 INPUTS OF 85~132 VAC, ISOLATED BY PHOTOCOUPLER, LED DISPLAY, REMOVEABLE TERMINAL STRIP
Y511	
Hh-4683 331 210-220-250	
Cpu2-20h	H-2002 ENHANCED CPU, 4096 POINTS, 0.4MS/COMMAND, 1X RS232C PORT, 48.5K STEPS WITH RAM, 48.5K STEPS WITH EPROM, PID FUNCITON, SERIAL PORT I/F
Hcgf5a-2w392y	
Hm62256blp10	
Sj700d-370lfuf3	
Lqv020	
Y538	
Hts548020m9at00	
Yry20bh	32 RELAY OUTPUTS OF 240VAC, 24VDC, 2A, ISOLATED BY PHOTOCOUPLER, LED DISPLAY
Dk225a14	
Vm921u	
Hfcvws25ld3uh	
Lqe520	
Pgmj	Programmer PGM-J
Ada3-01nse	
Fec2x4249599	
Cpx5wf	PROJECTOR LCD 3.4/1.7AMP 100-120V/220-240V
Jd50x40l-E61.5	
Lqs ? 200	
Fs24829-8-07	
Sj700b-450hfuf	SJ700B Drive
Lqp-510, S10v	
Sj300-110hfu	
Cd1472d1m	
T2sk2925l	

Ic63b03yp	
Sj700-075lfuf2	
Hitachi-Edelstahl-Wagen-F3;R-Ink-Jet-Accessorie-Istanbul-Turkiye	
Kp-D50u	
Hdt721010sla360	
Ser483-08	
L100-002mfu2	
Wj200-015sf	
Rem-2mh	MODULE REMOTE
38-82180001-1	
Mpm2e	
Pim-Dp	
X200-007sfef	
651-13	PC COMPUTER BOARD
Lqe020	
Hh-4496 643 210-220-250	
16234847	
Lwv461	
Bmu256-1a87l-0001-0017	
H8c-T-Ac200v	
Vws5.5hf3uh	5HP 460V AC DR
Avre-08h	
Jd40x32l-E60.75	
Hd647180xocp-6	
X4-4nc-Ac220	
Sj700b-300hfuf	
Jd100x80a-E55.5	
Es-30s-3p	
2sk415	

Wj200-015hf	Hitachi frequency converter Type: WJ200-015HF Motor power (HD / ND): 1.5 / 2.2 [kW] Rated output current (HD / ND): 4.8 / 5.4 [A] Overload capacity (HD / ND): 150/120% for 60 s Working method: Vector, V / f control Mains voltage: 3 x 380 - 480 V ± 10%; 50/60 Hz ± 5% Inputs / outputs: Set. 7 dig. + 2 analog. / Out 3 dig + 1 analog. Features / Functions: Control Panel. PTC thermistor input, brake chopper, safe stop (STO PLd), Modbus RTU, Options: different bus systems Dimensions: W x H x D108 x 128 x 170.5
J300-110hfe4	
Nes1-022Ib	
4y003255	PC BOARD
H11-F2	
Nf-Ceh80	
Ms-30s-3p-2.6a	
Lwe020	PROGRAMMABLE CONTROLLER
Cpu22-02hc	
L300p-185hfu	AC DRIVE 25HP 460V
870/Jfp777414/4459548	
Hm6716p-25	
2y000937-2	PC BOARD
E28hrp	I/O Module 101111282122
Ffl100-Sb5	
Ic63b03rf	
1013731c	
Halcom B1 (Grease)	
Bsm-7	
0004-007a	CONTROL BOARD
Vws8hf3eh	7.5H 460V AC DR
Lmg7420plfc-X Obsolete/Replaced By Sp14n02I6alcz	
Sj700d-110lfuf3	
91319108	
C14c-1472d1f	
Lqe515	

Si6-Ii	
Wj200-004hf	
Lqp-520	
Njrb120-2	
Pij-Dh	24V DC Input Unit
Agm-Ox	OUTPUT MODULE 4POINT ANALOG 4-20MA
Hm62256alfp8t	
Jd40x32b-51,5d	
Y569	
Hd74ls244fp	
Jd80x65b-E55.5	
3t013020-1	
V-209	
Dt-00691	
Hm1719c11	
Pgm-Chh	CHARACTER PROGRAMMER WITH LED BACK-LIGHT AND AUDIO CASSETTE I/F
Xtt05bh	15 V DC, TERMINAL BLOCK, TTL LEVEL INPUT
Pom-Rw	
Tr20b-2e ; 9 A	
L100-015hfe	
6am13	
Sj700b-220lfuf	
Cpm-E	
L100-007nfu	AC Drive
Ic4864p3	
Ecn2102	
Hc/Hx.Ssr	
Fuj100-2x5a	
Hd74bc245at	
Mpe2r	

263g673191 Lhe 210-220-250	
Hm628128dlfp5	
Cd1472d1m-2	
Ram2-08h	RAM Memory Cassette
E49075	Hitachi Fujiura-S Cable
Sj200-055hfef	
68w3030425	
6010gfm01km0250	
Xdc24bh	
Hpv116c	
Lqe720 !!	
Cp31-A-7a	
Yt20a	TRS Output Module 16 Channel
702281/00	
Gce-8400b	
Hts541060g9sa00	
8-Cota-1c	
H-64dr	PLC 40POINT 24VDC INPUT 24POINT RELAY OUT
Din-X200-M	
Gpcl01h	GRAPHICS PROGRAMMING TERMINAL
Hd6473308cp10	
Ic64646fs	
A87l-0001-0015	MEMORY BOARD BMU 64-1
Sj700b-220hfuf	SJ700B Drive
Sj200-015hfu2	
Actana-S2	
Ga24-075-5b	
Sj300-040hfu	
X200-055lfu2	
Os03364	
Ffl10hb6	

Cpu-03ha	CPU MODULE
H125-200/220v	
Snt-T8v	
Bsm-4	
Rom2-16h	
L100dn-037lfu2	
Sghf3h996	
2sh20	
Agm-Od	OUTPUT MODULE ANALOG 2POINT 4-20MA 8BIT
Sj100-075hfe	
Ec2-20hrp	
Ab12c-0043	CONTROL KEY PAD
2sc2898	
Hd100123	
Hdc120l	
Ec240hr	
Wj200-001sfe	Multi-Function Compact Inverter MX2-AB001-E
Hm6264lp-15	
0a35390	
Avrc08h	
Nes1-015hb	
T2sk1060	
Ram-08h	
Hm682512	
Sj700-037lfuf2	
Cbl-40h	
428328	
Hts541680j9at00	
M34jca41x	
C2080-1c	

J100-004lfu	
Lan-Eth2	COMMUNICATION MODULE ETHERNET H2002
Ytr48bh	32 OUTPUT 24/48VDC, 0.7A, ISOLATED BY PHOTOCOUPLER, LED DISPLAY, SINK TYPE.
3t011292-2	
J100-A	
Psj-As	PROGRAMMABLE MODULE EXPANSION AC INPUT SSR OUTPUT
651-14	PC COMPUTER BOARD
1500-1014	
Encoder/Geschwindigkeitsgeber 1024er Accessorie	
Gsa-H10n-Bk	
Vws25sf3ea	
1267.5106	
Y527	
3282390-A	
Hm5116400s6	
Tbolq-K	
Wj200-002sfe	Multi-function Compact Inverter MX2-AB002-E
Cp31-F	
Hd6301x0p	
Nes1-015sb	
Nes1-007sb	
J100-015hfu2	
Tsc2298b	
Fc-770ac	
3t004515-15	
Ic68b40p	
Hm6264lp-12	
E-64ht	Programmable Controller
Y544	

Vws_3_5ld3	TRANSISTOR INVERTER DRIVE 10.5AMP 200-230V 50/60HZ
Hd64180rf10x	
A58l_-0001-0339	
Tx14d24vm1baa	
Sj200-007-Hfef2	
Sj700d-185hfuf3	
Ic44780ua00fs	
L300cb-4	
21-08-00-00	
Tmj	
Tr12b-2e	
Sj700d-040 Hfef	
J100-015lf2	
Psm-B	
Model: 32hxc01	
1263207312632073	
L100055lfu	
Mb2-08-S	
Lmg7412plff	
Nf-Ceh10	
6av66450aa010ax0-Ts	
L200-002nfef2	DRIVE INVERTER 66AMP 3PH 0.2KW 200/400VAC 50/60HZ
Lqe530	
Bsa645dt-R1en	
Swo1710	
Sj700-040hfuf2	SJ700 Drive
P-500e	HAND-HELD PROGRAMMING TERMINAL
Sj700b-370lfuf	SJ700B Drive
Lwi000	
Ffj100-Sb5	
Cx32-075-45	

Rg-70s2	
Vlb-110	
Cb-P7-M	
Sj700-015lfuf2	SJ700 Drive
Yagc12h	4 CHANNEL ANALOG OUTPUT, 12 BIT RESOLUTION, 4-20MA
Hm62256alp12	
7k80-Hds728040plat20	