

Hnc Electric

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Hnc Electric Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Hnc Electric Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Tx2n-4ad	HCX EXPANSION SETS(TX2N RIGHT EXTENSION MODULE), EXTENDED MODULE,4 CHANNEL 12 BIT A/D ANALOG CONVERSION MODULE
Sv-X5ma75a-N2ln	SV-X5 750W LOW-INERTIA SERVO DRIVE, 750W LOW-INERTIA,NO BRAKE,BOND AXIS,NO OIL SEAL,INCREMENTAL 17 ENCODER
Tp1050-Qbbd	HMI, 5.7 INCHES STN MONOCHROME LIQUID CRYSTAL,BLACK AND WHITE,3 MB MEMORY,DC24V POWER, 232,422/485,USBCONNECTOR,LED BACKLIGHT,LIFE FOR 50000 HOUR
Sv-X5ma20a-N2ln	SV-X5 200W LOW-INERTIA SERVO DRIVE, 200W LOW-INERTIA,NO BRAKE,BOND AXIS,WITH OIL SEAL,INCREMENTAL 17 ENCODER
Tx2n-1pg	HCX EXPANSION SETS(TX2N RIGHT EXTENSION MODULE), EXTENDED MODULE,1 CHANNLE 100KHZIMPULSE INPUT
Tp1370-Tft	HMI, 7.0 INCHES,RESOLUTION:800X480,128 MB MEMORY, 65536 TURE COLOUR LCD,LED BACKLIGHT,USB,DC 24V POWER
Tx2n-4ad-Tc	HCX EXPANSION SETS(TX2N RIGHT EXTENSION MODULE), EXTENDED MODULE,4CHANNEL 12BIT TEMPERATURE INPUT MODULE,TC TYPE
Tx0n-3a	HCX EXPANSION SETS(TX2N RIGHT EXTENSION MODULE), EXTENDED MODULE,2CHANNEL 8BIT A/D,1CHANNEL 8 BIT D/ A ANALOG CONVERSION MODULE
Sv-X5ma40a-N2ln	SV-X5 400W LOW-INERTIA SERVO DRIVE, 400W LOW-INERTIA,NO BRAKE,BOND AXIS,WITH OIL SEAL,INCREMENTAL 17 ENCODER
Tx2n-48et	HCX EXPANSION SETS(TX2N RIGHT EXTENSION MODULE), EXTENDED MODULE,24 INPUT POINTS, 24 TRANSISTOR

Ürün	Açıklama
	OUTPUT POINTS
C380-3.7kw	HC-C380 SERIES VARIABLE FREQUENCY DRIVES, 3.7KW
Tp1030-Lbd-24v	HMI, 4.5 INCHES STN MONOCHROME LIQUID CRYSTAL,THREE COLOUR LED BACKLIGHT,1.5 MB MEMORY,DC24V POWER, RS422/232 CONNECTOR
Tp1055-Qsbd	HMI, 5.7 INCHES STN COLOR LIQUID CRYSTAL,TRUE COLOR,3 MB MEMORY,DC24V POWER, 232,422/485,USBCONNECTOR,LED BACKLIGHT,LIFE FOR 50000 HOUR
Tp1310-Tft	HMI, 10.1 INCHES,RESOLUTION:800X480,128 MB MEMORY, 65536 TURE COLOUR LCD,LED BACKLIGHT,USB,DC 24V POWER
Sv-X5mh40a-N2ln	SV-X5 400W HIGH-INERTIA SERVO DRIVE, 400W HIGH-INERTIA,NO BRAKE,BOND AXIS,WITH OIL SEAL,INCREMENTAL 17 ENCODER
Sv-X5mh75a-N2ln	SV-X5 750W HIGH-INERTIA SERVO DRIVE, 750W HIGH-INERTIA,NO BRAKE,BOND AXIS,WITH OIL SEAL,INCREMENTAL 17 ENCODER
Tp1310-Tft-E	HMI, 10.1 INCHES,RESOLUTION:800X480,128 MB MEMORY, 65536 TURE COLOUR LCD,LED BACKLIGHT,USB,ETHERNET INTERFACE
C380-2.2kw	HC-C380 SERIES VARIABLE FREQUENCY DRIVES, 2.2KW
Tl1310-Tft-E	HMI, 7.0 INCHES,RESOLUTION:800X480,128 MB MEMORY, 65536 TURE COLOUR LCD,LED BACKLIGHT,USB,ETHERNET INTERFACE
Sv-X5ma40a-B2kn	SV-X5 400W LOW-INERTIA SERVO DRIVE, 400W LOW-INERTIA, HAVE BRAKE,BOND AXIS,NO OIL SEAL,INCREMENTAL 17 ENCODER
Tp1343-Tft	HMI, 4.3 INCHES,RESOLUTION:480X272,128 MB MEMORY, 65536 TURE COLOUR LCD,LED BACKLIGHT,USB
Tx2n-4da	HGX EXPANSION SETS(TX2N RIGHT EXTENSION MODULE), EXTENDED MODULE,4 CHANNEL 12 BIT D/A ANALOG CONVERSION MODULE
C380-0.75kw	HC-C380 SERIES VARIABLE FREQUENCY DRIVES, 0.75KW
Sv-X5mh20a-N2ln	SV-X5 200W HIGH-INERTIA SERVO DRIVE, 200W HIGH-INERTIA,NO BRAKE,BOND AXIS,WITH OIL SEAL,INCREMENTAL 17 ENCODER

Ürün	Açıklama
Tx2n-48er	HGX EXPANSION SETS(TX2N RIGHT EXTENSION MODULE), EXTENDED MODULE,24 INPUT POINTS,24 RELAY OUTPUT POINTS
Tx2n-4ad4da	HGX EXPANSION SETS(TX2N RIGHT EXTENSION MODULE), EXTENDED MODULE,4CHANNEL 12BIT A/D ANALOG INPUT, 4CHANNEL 12BIT D/A ANALOG OUTPUT,OCCUPIES 2 UNITS 8 POINTS SPECIAL MODULES
Tp1275-Tft	HMI, 10.4 INCHES STN COLOR LIQUID CRYSTAL,256 COLOR,9 MB MEMORY,AC100-240V POWER, 232,422/485,USBCONNECTOR,LED BACKLIGHT
C380-1.5kw	HC-C380 SERIES VARIABLE FREQUENCY DRIVES, 1.5KW
Tx2n-4ad-Pt	HGX EXPANSION SETS(TX2N RIGHT EXTENSION MODULE), EXTENDED MODULE,4CHANNEL 12BIT TEMPERATURE INPUT MODULE,PT TYPE
Tx2n-4ad2da	HGX EXPANSION SETS(TX2N RIGHT EXTENSION MODULE), EXTENDED MODULE,4CHANNEL 12BIT A/D ANALOG INPUT, 2CHANNEL 12BIT D/A ANALOG OUTPUT,OCCUPIES 2 UNITS 8 POINTS SPECIAL MODULES
Tx2n-2da	HGX EXPANSION SETS(TX2N RIGHT EXTENSION MODULE), EXTENDED MODULE,2 CHANNEL 12 BIT D/A ANALOG CONVERSION MODULE