

Hoke

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Hoke Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Hoke Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
80410-2	MRC Global Artikel 4300003821 FILTER ELEMENT, stainless steel sintered metal 5-9 µm/Cv0.055 incl. collar seal Teflon, for filter 6310 and 6320-Ser
3812F4B	HOKE NEEDLE VALVE, GLOBE PATTERN 1/4"NPT FEMALE, BODY MATERIAL BRASS, REGULATING STEM TIP, MAXIMUM OPERATING PRESSURE 3.000 PSI / 207 BAR AT 21°C, OPERATING TEMPERATURE RANGE -54°C TO +232°C, ORIFICE 5.6 MM / 0.219", CV FACTOR 0.55
1000073459	MRC Global Article 1000073459 7115F4Y BALL VALVE, 316L/KEL-F 2-way CV1.4, 2x 1/4"NPT(I) max. 414 bar @ -18°C to +38°C 69 bar @ +93°C max. 149°C
5000000004	MRC Global Article 5000000004 3.1 Acceptance test certificate according to EN 10204 / per item - In Please order separately if needed.
7644f4y11	
Lr6032-2mp-Ch (Set @ 8 Bar)	
10cm4316me	
3712m4y	
Hr6032-2mp-Fh	
6133f2y	

Ürün	Açıklama
Hr6032-4g-Gh (Ss316 Unitec)	
4c316	
6113f2b	
3712g4y	
6ru4316	
1315m4y	
Lbmk7223-Iso	
4ru2316	
1 4571	
1315 ? 4 Y (15 Pieces)	
Gp823211f8yl	
4scnf316	
Lr6032-2mp-Ch	
532t1-1m-5	
D3752g4y	
3812f4y	
7723g16ymm	
1000073643	MRC Global Article 1000073643 CONNECTOR MALE 8MM OD COMPRESSION X 1/4" MALE BSPP (RS) THREADED ENDS, GYROLOK, FIG NO: 8CM4316MA STAINLESS STEEL ASTM A479 316/316L, ISO 228-1 DIN 3852 FORM A
1513m4b	
Lr6024-2mp-B-H	
6233m4y Check Valves	
0713a4	
4ru1316	

Ürün	Açıklama
80410-2	
4ttt316	