



Horiba

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Horiba Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Horiba Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
1144821122	
3010032429	
3014007912	
3014050342	
3014050343	
3014060117	
3014062158	
3014065886	
3200043747	
3200046098	
3200082277	
3200082603	
3200082636	
3200082702	
3200088261	

Ürün	Açıklama
3200088300	
3200092411	
3200092414	
3200092415	
3200167002	
3200172800	
396-54	
5200100690	
9039001900	
Absorbent Sheet	
Absorbent sheet for ocma-500	
ADDITIONAL DRAIN SEPARATOR	
B-741T	
B-743	
B-Heavy oil 10ml	
BRG90001	
BRG90113	
Ersatznadeln 6/Set	
ES-51 CONDUCTIVITY	
GD-6EH-230	
GSK90027	
HOI52001 00690 (S-316)	
HORIBA U-53 ¹ 3200164507	
HTP-306-M2A	
IG 340	
IG-320	

Ürün	Açıklama
IT 440S	
IT-450S	
LA-300	
M9M00974	
MC-050	
MEXA-1170HFID	
MEXA-600S	
OBS-2000	
OCMA 310	
OCMA 550	
ocma-500	
OIL CONTENT ANALYZER for ocma-500	
Pipette 2,5ml	
PKG90026	
PN:100690	
Probenspritze 20ml	
RESIM NO:E012038100	
S13-200V-15A-230Deg	
S-316	
SEC N112MG M C T1 MGMR-1.5	
SEC N112MG M C T1 MGMR-3.5	
SEC-N112MGR C T1 02 100SCCM 4CRL N2	
SEC-N126MGR	
SEL90022	
SM100	

Ürün	Açıklama
Sovent S-316 1,5kg	
SR-305	
U-5030 / 3200174772	
U-52	
U-52G	
U53G (30İ)	
W 22 XD	
W 23 XD	
Y041 (liquid)	
Y042 (liquid)	
Analog MFC	Stainless steel model (316L) Flow range: 60-120 L/hour Input/Output: 0-5V or 4-20mA (analog control) Gases to be used: Diborane (B ₂ H ₆) and Ammonia (NH ₃) Working Conditions: 60°C, 10 bar
Dijital MFC	Stainless steel model (316L) Flow range: 60-120 L/hour Digital communication (RS-232, RS-485, Modbus etc.) Gases to be used: Diborane (B ₂ H ₆) and Ammonia (NH ₃) Working Conditions: 60°C, 10 bar
SEC-N132MGR Mass Flow Device	
STECSEC-N112MGM	
4170033001	INTERFACE CONTROL UNIT
3200082204	
Sec-N100	
47929024	
9300-10d (P/N 3014046710)	
F021944100	
3014057312	
3200056624	

Ürün	Açıklama
Pg-350e	
H52701902	
3200043582	
3030049444	
Ig 310 Is Ig-320	
Es-51 Conductivity	
3200082202	
6561-10c (P/N 3014093431)	
6560-10c (P/N 3014093430)	
Pg-350z	
Pg-350g	
Engine Oil Amp; Rpm Sensor Serial Type Cap 8950, With 5 M Serial Cable	
3010029264	
H58102301	
Enda 5000	
5 Meter Analog Cable	
External Serial Printer	
H58782801	
F023257500	
Pg-350p	
1000006847	
3014006594	
100690	
Engine Oil Temp. Sensor W /5 M Cable	
3011022285	

Ürün	Açıklama
3200082144	
3200082220	
A49302115100	POWER SUPPLY DHR-107H
Analog Output Cable For Mexa-600s	
3030049298	
Fx7100	
5 Meter Serial Cable	
3200174772	
U10	WATER METER
He-960hi	
F021692900	
Horiba U-53 ? 3200164507	
1146000819-20 / 21/1147928081 Vaccum Cleaner	
3200000365	
5002a-10c (P/N 3014093560)	
Analog Cable, Length 5 M	
351556	ANALYZER SULFER-IN-OIL LOW LEVEL HIGH SENSITIVITY
D-73 (P/N 30004857)	
D-54 Multiparameter	
3014065886 Cell Window	
H51809101	
3200044056	
H50985801	
3200228603 (Alternative For 385951)	
9625-10d (P/N 3200360505)	

Ürün	Açıklama
32s327	
(50000000001) S-316 Solvent Halocarbon	
47929076	
3200082241	
H46035707	
F023007500	
F022979900	
3200082094	
6581-10c (P/N 3014093432)	
F020231100	
Analog Output Board For Mexa-600s	
6583-10c (P/N 3014093434)	
3200043762	
F023007300	
3200044219	
3012334156	
3200023616	
U800078400	
Fia-23a	FLAME ANALYZER
Sef-N126mgr	DIGITAL MASS FLOW CONTROLLER N100 SERIES
F020231200	
3200044236 Vorfilterelement	
3030049447	
3014050343 Disposable Sample Cell	
9382-10d	
H52296901	

Ürün	Açıklama
3200043747 Referenzöl	
3200043747 Referenzöl, B-Heavy Oil 10ml	
3200044272 Dust Filter	
F020478300	
H51494710	
1g-310	
3730-0	
3030049440	
350206	
H46035720	
9037004900	
1000004696	
Additional Drain Separator	
1000051746	
3030053475	
3200062888	
3200175020	
F021610600	
Engine Rpm Sensor (Cap8500 Battery Sensor)	
Horiba Mexa-584I	
12-24vdc Temperature Detector	
1144821122 Air Compressor	
47929056	
Slfa-2100	ANALYZER SULFUR-IN-OIL LOW LEVEL HIGH SENSITIVITY
3200043781	

Ürün	Açıklama
3200082185	
Mexa-7100degr	INTERFACE CONTROL UNIT
3200023107	
F021383500	
H58040001	
305	
3200082240	
1000013333	
F023007400	
3030053411	
6582-10c (P/N 3014093433)	
3200174823	
3200044428 Quarzzelle 20mm	
3030053448	
H51466001	
F020552800	
F023007200	
3012093352	
Ope-435	ANALYZER HYDROCARBOM
3200044428	
1g 310	