

Hydropa

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Hydropa Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Hydropa Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
0121718	
10470160	
10AGF4MG24/ 23152	
117150F	
117150P90	
117240B	
117240P90 / 12531	
117350F / 14540	
1-ISP-4-GFSG	
1SPA4,2S1B	
30235001	
307/V2/SCH/G	
30705501	
30705504	
30705511 / 11849	
30715004	
3SP-G-52+2SP-G-8-D-1-B	
6AGE2AG24/21986	
802MB	

Ürün	Açıklama
DS 112/F	
DS-102/V2-150/G	
DS-302/F/SS-55	
DS-302/V2-150	
DS-302-55	
DS-302-600	
DS-307/F-55	
DS-307/SS-100/PO	
DS-307/V2-55	
DS-307-240	
DS-307-302	
DS-412-150/C5	
DS-507/F/SS-240	
EM1020FEGM05 - 36037	
GM05751HD40 - 36031	
HYA-G-050/028-1700-M-GIHR-K30-C03	
HYA-M-160/110/100-300-GIHR-V80-SO-C15	
MPF180-1-A-G1/M25-N-B-T	
sx 63/45 a 1375 s	
ZA6REA	
DS-302-240	30224001 / 11758 PRESSURE SWITCH 40-240 BAR, IP65 CONNECTION G 1/4 IT 2 FASTENING THREAD M5*10
TKF 2020-250	2020250 PISTON-SPRING GAUGE 0-250 BAR, CONNECTION G 1/2 AG Approx. weight: 0.50 kg/pc

Ürün	Açıklama
TKF 2020-315	2020315 PISTON-SPRING GAUGE 0-315 BAR, CONNECTION G 1/2 AG Approx. weight: 0.50 kg/pc
GM05751HD40	36031 GM05-075-1-H-D40 RADIAL PISTON ENGINE 74 CCM/rev. 1.18 NM/BAR, P MAX 250 BAR N MAX 1000 RPM, SPEED SHAFT CONNECTIONS G1
EM1020FE400 / 36035	EM 1020-FE-4-00 PLANETARY GEAR I=4.13 EFF. NOMINAL TORQUE 2100 NM MAX OUTPUT TORQUE 2800 NM INSTALLATION POSITION B3 (HORIZONTAL)
EM1020FEGM05 / 36037	ADDITIONAL KIT FOR TRANSMISSION TYPE EM 1020-FE SUITABLE FOR THE ENGINE GM05
802MB	12126 DS-802/M/B DIAPHRAGM PRESSURE SWITCH, IP65 0.5-15 BAR, P MAX 50 BAR CONNECTION G 1/4 IG 2 MOUNTING HOLES ø5.3 MM
210 BAR	117240B- DS-117-240/B PRESSURE SWITCH 20-240 BAR, IP65 CONNECTION G 1/4 IG 2 MOUNTING HOLES ø5.3 MM
180 BAR	DS-117-240/B PRESSURE SWITCH 20-240 BAR, IP65 CONNECTION G 1/4 IG 2 MOUNTING HOLES ø5.3 MM
100 BAR	DS-117-240/B PRESSURE SWITCH 20-240 BAR, IP65 CONNECTION G 1/4 IG 2 MOUNTING HOLES ø5.3 MM
117240F	DS-117-240/F PRESSURE SWITCH 20-240 BAR, IP65 FLANGEABLE Weight approx.: 0.40 kg/piece
AGAM-32/350/V	PRESSURE RELIEF VALVE NG32

Ürün	Açıklama
	PILOT-OPERATED, 100-350 BAR FLANGEABLE Q MAX 400 L/MIN, P MAX 350 BAR Country of origin: unknown Preferential eligibility: NO ADAPTER PLATE FOR AGAM32 ON DBP32 HOLE PATTERN SCREWS M 20 x 100 DIN 912 - 12.9 BLACK BLACK SCREWS M 20 x 60 DIN 912 - 12.9
ADAPTER PLATE	FOR AGAM32 ON HOLE PATTERN DBP32
SCREWS M 20 x 100	DIN 912 - 12.9 BLANK SCHWARZ
DS802/M/B	
10267 • HP 29	
DS-117-70/B	PRESSURE SWITCH 5-70 BAR, IP65 CONNECTION G 1/4 IG 2 mounting holes ø5.3 mm
Ds-117-150/F Druckschalter10-150 Bar	
30205504 / 11719	
Ds307/100	
Avm	
We10ahw-F1a/W	
Ds-307/V2-100	
30215004 / 11749	
Za 13-R 06/1-3-2,2/190-1,5-230/400-50-M	
Ds-307/Sch/V2-55	
30215002	
Ds 307	

Ürün	Açıklama
Hya-M-180/125x-1675- Ko	
We6ahy-E2a/W	
Ds-112-150/B	
Ds-105/P90/5-100/X5	
Z6dr1a	
We10ahw-E2a/W	
Vs30nc-20	
117150b / 12275	
Tkf 1047-200	
10415001atex / 19995	
Ds-802/M/B 1/40.5-15bar	
Ds-302/Sch/V2-20-350 30235011	
Hya-M-160/110/100-300-Gih R-V 80-So-C15	
302055041 / 11720 Ds-302/F/Ss-55	
Pat18d8-80 (For Pat15d1-75)	
6agf-4ag24elk	
Pv016r1k1t1nmmc	
Ds117f-350	
??45 13604 ??? Spule Zu (Solenoidspule) We6hg-E2a 24v Dc 1.29 A	
P-Rv-20-S-2	
Ds-307/Sch/V2-350 Pressure Switch	
2sp-G-8-S-1-B	
Kl-3-1h(F1m)-Zp3,2m	
30215001 / 11744(Ds302 20-150)	
Ds-307/F-240	

Ürün	Açıklama
2spa-16-S1b	
We6hg-E2a Hydraulikventil Pmax -350bar	
10410001atex / 19994	
4d01-3151-0201-B1-Goq-Sw247	
Qc32q34005 (For 2srp6d/11,250bar)	
Dbe-P10/C3-400	
Hya-M-160/110/110-3000-Gihr-K80-Ko-Co3	
Ds-302/Ss-160 (302160011)	
Vbso De 12-35	
P-Rvv-10-Sr-Wd	
Ds-307/Sch/V2-55/C5	PRESSURE SWITCH 5-55 BAR, IP65 CONNECTION G 1/4 IG FOR CONTROL PANEL INSTALLATION WITH SCALE AND ADJUSTABLE KNURL GASKET C5 Weight approx: 0.70 kg / each Country of origin: Germany Customs tariff number: 90262020 Eligibility: YES
Ds 307 Sch/V\"-55	
117350bms	
117150b	
Rod Seal For Hy-3 Sm	
Ds105/P90-100/X5	
117150f Druckschalterds-117-150/F Druckschalter 10-150 Bar, Ip65 Flanschbar	
Hya-M-160/110/110-300-Gihr-K-80-Ko-C03	
6agf4mg24, We6ahg-F4m	
3 Spa-52d-10n	

Ürün	Açıklama
Hyrg-150-1-H-D40	
Am.66.A.00.3	
Ds-802/M/B	DIAPHRAGM PRESSURE SWITCH, IP65 0.5-15 bar, P max 50 bar CONNECTION G 1/4 IG 2 mounting holes ø5.3 mm
Man-0600	
Fatb2m12 / 12487	
117240baux	
2spa-11-S1b	
Vsc30n3820	
30705502	
Ds-307/F-100	
Zn6-Db-210-P/H	
Ds-302/F-350	
3274130+5134700	
Ds 307/Po/Ss 3009ss	
Ds-302-150	
Ds-302-55/Po (3020550124)	
Ds-502/V2-55	
7240000001	
Hya-M-180/125x-1675- Ko-C015- Bu Urunu Sormayin/Kundenschutz!!!!	
Rg-20-F/4	