

Hydrotechnik

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Hydrotechnik** Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Hydrotechnik T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen Özel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.



¼r¼n	A¼ıklama
Hydraulisches Messset	1,1 / 1 St¼ck / Messger¼t. 1,2 / 2 St¼ck / ISDS Typ 0-600 bar Drucksensor 1,3 / 1 St¼ck / ISDS Typ -1 - 6 bar Drucksensor (Vakuum) 1,4 / 2 St¼ck / ISDS-Temperatursensor 1,5 / 1 St¼ck / 0,2 - 120 lt / min (100 Grad) Durchflussmesser 1,6 / 1 St¼ck / 3-stufiger Partikelz¼hler-Verschmutzungssensor 1,7 / 5 St¼ck / Anschluss- und Signalkabel 1,8 / 1 St¼ck / Messger¼t 1,9 / 10 St¼ck / Messadapter-Anschlussatz
M16X2-1/4 Minimesse-Rekord	
10027915	
10029367	
10030446	
2103-01-13 00	
2103-01-18.10	
2103-01-46.00	
2103-01-94.00N	
2703-01-18.10	
2734-21-00.10	
3055301	
3160-10-15.01	

3160-10-17.01	
3403-15-C4.37	
3403-15-d5.37	
3403-15-d5.37 S	
34P3-15-S-01.37A2	
5140-06-07.00	
5140-06-10.00N	
8808-05-07.01	
8873-08-01.00	
DDRRZ-7040-2-1	
S110-AC-AC-0200	
S110-AC-FI-0100	
S110-AC-FI-0100N	
S160-AC-AC-0040	
S160-AC-AC-0100	
ST-731092	
TESTPOINT 2103-01-18.00HDN-G1/4	
W2N32SN-6BB1	
WR220ECA-10-5 24D	
2103-01-18.10N	Minimes screw coupling
S100-AC-FH-0150N	MINIMESS-DN 2 MICROBORE HOSE ASSEMBLIES MINIMESS hose DN2-40 MPa 1620/M.-connection G1/2 L=150cm 1.0718
S100-AC-FG-0150N	MINIMESS HOSE DN2,400BAR,1620/MANOG1/4-1500MM
MINIMESS coupling	G1/4 St/FPM Zinc, free of chromium (VI) 2103-01-18.10 MINIMESS 1620
3 (+1) channel MultiHandy	3020 Hydraulic Datalogger
Temperature Transducer	96309001 P0101516
2101 04 10 00	
PR190 HT-PD Pressure Transducer IP68	
3160-101-15.01	
2101-06-18.00	PRESSURE CONNECTOR G1/4"
TR 210BAR HT-PD 3403-53-C4.37	
5401- PCFPU280/70-U	Universal accumulator Pre Loading and checking kit for bladder, diaphragm & piston accumulators. M28x1.5, 5/8" -18 UNF, 7/8-14 UNF (short & long thread), 5/16"-32 UNEF (Vg8 - short & long thread), 1/4" BSP and Minimes 1615 & 1620 valves. Pressure regulator to set accumulator charge pressures (from to 10 to 235 bar), with 400 bar bottle pressure gauge and 250 bar accumulator pressure gauge. W24,32x1/14" female & 5/8" BSP male nitrogen bottle connections. 3 x 2.5m long Minimes 1615 & 1620 charging hoses. 1 x S110- AQ-AB-02.50 1615 (check valve) to 1615 1 x S110-AC-AC-02.50 1620 to 1620 1 x S110-AR-AB-02.50. 1620 (check valve) to 1615 250 & 60 bar gauges supplied for secondary PCFPU charging device if fitted to accumulator. All supplied in foam insert carry

case.	
3403-21-D7.37	
2703-01-18.10--	R1/4 HYDRAULIC PRESSURE MINIMUM 1/4 threaded connection--end will be m16--
EPC100	
2403-01-26.T303	1620-G1/2 UNF Gas Minimizer
5401-PCFPU280/70-U	
2403-30-18.T400MS	
2103-01-18.00n	
S110-Ac-Ac-0050	
Wr220eca-10-5 24d Hydraulisches Ventil	
3130-02-01.00	
8824-D6-05.00	
Druckschalter3160-10-15.01multiepc 100 0 ... 400 Bar 2x Grenzwert 1x 0/4 ...	
5060	
(G) M12 X 1.5 Sw 17	
Xfd50rh-Lhd	
Ddrrz-7030-3 Gt; Oem	
Dn2 1615 Series	
3160-00-69.00	
2102-01-18.00 - 9549104300 / Minimess- Schraubekupplung R1-4z	
Te5011a	
S110-Ac-Fi-0100n	
S160-Ac-Ac-0040 Schlauch Druckwerte Part Description Pos48.1 Drawing	
Multi-Epc 100, P/N : 3160-10-17-01 250bar / 25mpa / 363psi	
3403-18-C3.33	
5-Polig, M12 X 1 Metall8808-05-07.01hydrotechn / Gegenstecker	
(G) M12 X 1.5 Sw 1	
Te511	
2102-01-49.00	
10015966	
Swuvp-1ncg-T-Ed-10	
Te521	
3403-32-S-E5.37	PR100 Pressure sensor 1-6 bar ISO228-G1/4 Form E, IP67 4..20mA, M16

	connector 6p Weight 1st: 0.13 kg
9801-99-06.00 Pressure Gauge, 75 Mm Digital , 0-600 Bar	
S110-Ac-Fg-0200	
Multi System 5060	
8824-91-02.50z	
Minimess 2103-01-17.00n	Test Point 1620 ISO 228 G1/8" 1.0718 / 1.0718 F / NBR
2103-85-24.00	
3107-00-0900	
Calibration Certificates, For All Gauges	
Te201	
3403-32-S-71.33a	
31g7-71-35.00	
3101-81-09.50 Gauge Digital	
3020	
Hysense Qt210 Sn:2479	
S100-Ac-Ac-0250	
31g7-01-35.030	
Te517	
210-04-00.63	
31v7-70-35.00	
3a43-04-35011	
Ddrrz-7040-2-2 24v Dc	
706203392200	
W2n32sn6ab-1 Ventil	
2103-01-18.00(2103-01-51.00)	
3403-53-C4.37	
3160-00-6200	
Schlauch Druckwerte S160-Ac-Ac-0040 Part Descriptions Pos.48.3 Drawing	
3160-00-62.04	
3101-97-06.50 Test Kit, Two Digital Pressure Gauges, Pressure Range 0-250 Bar	
Ftrawg04700	
1580 (2103-01-53.00)	
2103-30-13.00	
S160-Ac-Ac-0100 Druckschlauch Part Description Pos48.1 Drawing	
Minimess 2303 - 01 - 18.10	

3403-15-D5.39
2103-30-14.00
Rs110
2020-01-00.31 Schlauchleitung Dn2-400
S700-Ac-Ac-0300
Mk 15
Qt110 25-600l/Min
Re 4-75
2103-01-32.00
S100-Ac-Ac-3000
3160-00-00.23
400560152 Druckventil Swdrypb-525-P-16 24d
5140-06-10.00n Schlaucharmatur Dn2
Re 4-300
3107-00-26.00
Ddrrz-7040-2-2
S300 - Ac - Ac - 0200
3101-81-07.50 Pressure Gauge, Digital, Test Kit 0-250 Bar
01620
2134-51-00.00n
Wev42a10-1p135
3403-32-S-E5.33
3403-21-C3.37
2103-30-33.00
S110-Ac-Ac-0040
Om015a101-221r5
1/4-Nptf-Aisi16
Ht-Pd
It-100-2ã39;ã39;-50 Gs
Sm-11968-7.8.00
Ddrrz-7040-2-2 24d
10027915 Drucksensor
Om015a611220fl Old Part Number,Om015a101- 221r5 New Part Number
2020-01-00.31
8824-91-10.00z

Qg100
Meter Size: 4?, Å300 Head-Mounted Rate And Totaliser Display
Seg01060
3403-21-C3.33
S700-Ac-Ac-1000
S100-Ac-Ac-0100
Battery For Multi Practise 3000
2303 - 40
Pr100 60
3160-10-40.01 Drucksensor
Swdrvpa-5I20-P-E-6
2103-05-12.00
Te101
Dp41-E-230a
3101 - 87 - 9 9.50
3a43-03-35011
2103-07-18.62
Srv-Aba-6-05
2703-40-12.10
Te527
2703-05-12.10 Vit
3160-10-15.01 Multiepc 100 0 ... 400 Bar 2x Grenzwert 1x 0/4 ...
3160-10-17.01 Relaismultiepc 100 0 ... 250 Bar Grenze 2x 1x 0/4 ...
2103-01-13.00 Kontrollpunkt
Te601
3101-16-38.Jic
S 103-Ab-Ab-0200
S700-Ac-Ac-0500
Ms 5060
9801-99-02.50 Pressure Gauge, 75 Mm Digital, 0-250 Bar
2103-85-23.00
020 Mini
Schlauch Druckwerte S160-Ac-Ac-0100 Part Descriptions Pos.48.1 Drawing
2103-94-16.00

Pr100 60 Bar
Tp 180
3403-15-C4.37 Drucksensor
3969-04-01
3160-10-17.01 Multiiepc 100 0 ... 250 Bar 2x Grenzwert 1x 0/4 ...
5140-06-07.00 Schlaucharmatur Dko-L10 Cs Dn4
2146-01-00.00n
8812-00-0019
Type : Xfd-50rh-Ahd
969
5401-02-00.Kitx
Seg 160 Al 3192-04-20.00
3403-15-D5.37 Drucksensor
Wed042npb126v-1 Dc Ventil
31g7-71-S-35.79
2103-01-18.00
3403-17-D5.37s
3160-10-15.01 Druckschaltermultiiepc 100 0 ... 400 Bar 2x Grenzwert 1x 0/4
Seg 1060
Htla10gsbg-25tg40tslb
1/4cil-Aisi16
St-731092 M12*105 Pol.Dosest-731092- / Alternative Zu 8808-05-07.01
Std974
M12x1.5
3403-21-S-71.33a
Sma20-G1/4-P-Or
31v7-01-35.030
Ps120.
3403-15-K3.37
809057
8824-91-05.00z
Te700
Te5011?
8812-00-00.27
Ref. 604 444 Nr. A-1460809028

Re 4-10
10021099
8808-05-07.01 Gegenstecker5-Polig, M12 X 1 Metall
Battery For Multi Test 4010
9549104300
3403-17-D5.39s
Smn-11968-7.8.00, Div-920676
(0280) 31g7-72-35.79
Druckschalter3160-10-17.01multipec 100 0 ... 250 Bar 2x Grenzwert 1x 0/4 ...
3160-10-17.01 Drucksensor
S110-Ac-Fi-0100
2146-13-05-00
3055301 Wsm06020w-01-C-N-0
2103-01-46.00 Kontrollpunkt
Minimess Hoses110-Ab-Ac-0050
3403-15-S-71.33a
9801-99-06.00
2020-01-00.31.1
10029367 3403-15-C4.37drucksensorhydrotechn /-
3160-00-00.22
31w7-00-26.00
Ddrrz-7040-2-1 Ventil
3973-04-S-01.00s
3403-32-C3.33
3403-15-D5.37 S Drucksensor