

Ingersoll Rand



Garanti: 12 ay

Bu ¼r¼ne ait T¼rkiye i¼i kapı teslim fiyat ve teslim s¼resi i¼eren teklifimizi almak i¼in info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi i¼in +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz.

Ingersoll Rand Markası, tedarik s¼resi i¼in l¼tfen bizimle iletiŐime ge¼iniz.

Firmamız Ingersoll Rand T¼rkiye Distrib¼t¼r¼ veya temsilcisi deęildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	A¼ıklama
24242505 Filtrelement Fa1830iq	Warenursprung: SI Gewicht: ca. 1,3 kg netto
24242513 Filtrelement Fa1830ih Kit	Warenursprung: SI Gewicht: ca. 1,3 kg netto Zolltarif-Nr.: 70199091
22211882 Valve, Check 6" 145a	Country of origin: De Dimensions: 8.5 x 21.5 x 21.5 cm Weight: approx.7.94 kg net Customs tariff number: 84813099
(INGERSOLL-CODE: 23451859; 0-225 PSI 5 VDC	VERSORGUNGS-AUSGANG DRUCKSENSOR 0-225 PSI 5V 0-5VDC 3-DRAHT MIT 1/8" ADAPTER)
DRUCKTRANSMETER 0-10 BAR 4-20 MA SIGNALAUSGANG	(1/4" 0-10 BAR 4-20 mA DRUCKSENDER, 10-30VDC, MUSS MIT SEINEN BUCHSEN SEIN)
23451859 Pressure Sensor 0-225 Psi with 5V 1/8" Ad	
Pressure Transmitter 0-10 Bar 4-20mA	With Signal Output Sockets
71388672	71388672 Motor Retrofit Kit
157.01.300.300.0836	
R75i	pressure 14/203 (barg/Psig) flow:8.83/312 (m3 /mtn/cfm) Voltage : 400V /3Ph/50Hz Ambient temp: 55C
For balancers whose dimensions are given below	1. 90/100 KG 2. 110/120 KG 3. 115/135 KG 4. 335/45 KG 5. 45/55 KG 6. 190/200 KG

O-RING:	TYPE RADIAL ROTOR O-RING,RADIAL ROTOR, SPARES FOR ACT UNITCHARGE PUMPS, CP-110, CP-120, CP-130, PACIFIC PUMPS, SIZE 6 X 18" MODEL SVCN-7, S/NO. 55816-01/02/03. MFR.INGERSOLL DRESSER. OEM COMPLIANCE CERTIFICATE REQUIRED.
BUSHING:	TYPE PACKING BOX BUSHING, NO MODIFIER, PACKING BOX, SPARES FOR ACT UNIT CHARGE PUMPS CP-110/120/130 SPARES FOR ACT UNITCHARGE PUMPS, CP-110, CP-120, CP-130, PACIFIC PUMPS, SIZE 6 X 18" MODEL SVCN-7, S/NO. 55816-01/02/03. MFR.INGERSOLL DRESSER PACKING BOX BUSHING TYPE: PACKING BOX, MATERIAL: NA
BEARING	BALL ANGULAR CONTACT THRUST, ROW : TYPE: CONRAD ANGULAR CONTACT THRUST, ROW :SINGLE, INSIDE DIAMETER: 95 MM, OUTSIDE DIAMETER: 200 MM, WIDTH: 90 MM, THRUST BEARING SKF 7319 BECBM, SPARES FOR ACT UNITCHARGE PUMPS, CP-110, CP-120, CP-130, PACIFIC PUMPS, SIZE 6 X 18IN MODEL SVCN-7, S/NO. 55816-01/02/03. MFR.INGERSOLL DRESSER .
92740943	Ingersoll Rand filter Origin of goods: DE Dimensions: 26.5 x 11.4 x 11.3 cm Weight: approx. 1.24 kg net Customs tariff number: 84212900
FNC464-305-A 2530	
FNC454-242-A 204	
FNC343-239-A 2040	
2135-THK1 Hammer Kit	80119571
HOSE=85576320	
80155351	G1X250PG4M
EKF12B	
VALVE, 5/2 MULTIWAY, PMAX:315BAR	AP4J101-S458/1892/1903, DRW NO: S-0-019, FOR LOADING ARM, MANUF:WANDFLUH, EMCO WHEATON
97894.608	Nozzle For Screen Washing Machine
39903265	3003805480
39911615	3003153580
40068371	3003889080
40068389	3003889180
42590083	3003168085
39182548	3003417885
54386586	3003142085
39330287	3003101885

54386552	3003141985
39330733	3004079742
39330758	3003823585
92692284	3003200780
38459582	3003143480
UP5-E-15-14 Seri no:2192186	
UP5-E-15-14 Seri no:2192185	
10025R09GZ	
81434508	666053-0D2 ARO 1/2" plastic double diaphragm pump PRO series 1/2" Pro series plastic - Industrial-grade ARO diaphragm pumps from the Pro series offer high performance and operational reliability. With flow rates of up to 897 l/min and a wide range of material and connection configurations, we have the right metallic and non-metallic pumps for your application needs. · Powerful - motor design ensures optimal air efficiency · Reliable - the patented unbalanced ARO air valve ensures operational reliability · Versatile - Multiple connection options for your application needs · Environmentally friendly - screw design for leak-free pumping of liquids · Maintenance-friendly - Easy access to ball check valves and liquid caps for maintenance and repairs Technical data: · Max. flow rate: 40 L/min. · Max. operating pressure: 6.9 bar · Suction and pressure connection: 1/2" NPT · Material medium side: polypropylene · Material air motor: polypropylene · Material hardware: stainless steel · Material membrane: nitrile · Material ball: nitrile flex-check · Max. solid size: 2.4 mm · Weight: approx. 4.9 kg · ATEX compliant: No
46724225	AF0443S21GN47 ARO Scooping Piston Pump System 43:1 AFX Series replaces: 67120-P43 The heart of the ARO-Force piston pumps are superior air motors with our proprietary AFX™ technology. With only five moving parts, our air motors are extremely advanced yet simple in design. No other air motor on the market offers the precise performance, flexibility and simplicity of an AFX™ air motor. · Superior performance with abrasive media · The exclusive ceramic coating "Ultra Coating" - applied to the plunger pistons and the cylinder tubes - extends the service interval enormously, even with abrasive media · Chrome-plated stainless steel pistons for maximum resistance to corrosion. · Eight packing options are available, including "Ultra-High Molecular Weight Polypropylene (UHMWPE), for even better material compatibility and maximum abrasion resistance. Technical data: · Piston pump AF0443S21GN47 · Compression ratio: 43:1 · 4" piston stroke · Piston size: 4 1/4" · Compressed air inlet pressure: 0 - 10.3 bar · Final pressure: 0 - 450 bar · Delivery capacity: 2.8 L/min.
97894.608	

BMDS-4	
01298371	M002RVR013AT3 Motor Assy
81421588	637140-EB ARO Fluid Area Service Kit (Santoprene) Repair kit consisting of: · 4 x balls of Santoprene · 2 x membranes Santoprene · O-ring parts: 2, 19, 20 and 33 · 93706-1 Key-Lube lubricantCountry of origin: US Dimensions: 4 x 13 x 14.5 cm Weight: approx. 0.11 kg net
81422131	637141 ARO air motor service kit Country of origin: US Dimensions: 3.5 x 15.5 x 15.5 cm Weight: approx. 0.05 kg net
Heated Head B-Series Pump	
9050.4057 6Nm 43/18	360...420 VAC 1810VDC brake
22338115	FilterAir filter element WIX 5x11 Country of origin: TR Dimensions: 18 x 16 x 41 cm
ST500-283 GASKET	150TLPF88L54-21R SERIAL NO: SP110617031
SS500-152 O RING	
Y325-46 O RING	
150TMF-A37 (SET) GEAR FRAME ASSEMBLY	
ST500-23 BEARING BALL	
ST500-105 BEARING BALL	
Y325-29 O RING	
10BM-399 NEEDLE BARING	
T02-33 BARING	
150BMP-271 SEAL	
03676335	NS11-22-19 Ingesoll Rand needle set 127mm, steel
03443264	NS11-27 Spring
03443256	NS11-20 Anvil
01307669	Starter 150BMPE88R54
39860358	GEAR SET ML250 304MM AIREND
C700-C115MX3	
¾" air gun	
½" air gun	
R28-C3-F0g0	
3x10da A832500269051 - 11	

93112	
9966d47g01	MICROCONTROLLER
Ref. 125	NEEDLE SCALER MAKER: INGERSOLL RAND REF. 125
39873450	POWER SUPPLY BOARD
77a75p107m-Eu	
Tt-4052	
39548714	
03989464	
F28-C4-Sk00	
Dea40-700	CONTROLLER
33815887	CONTROL VALVE
39548961	
Ref. Smb005	MANUAL CHAIN HOIST (0.5 TONS) MAKER: INGERSOLL RAND REF. SMB005
100031-001-00	
10563724	
650867-L63	PUMP 410-1350PSI 18.1GPM
41pa8tsq4-Eu	
066614-000-00	
568152gu	
37020906	
39564364	
23241003	
39535547	
80151103	
Hs254ss-024-Dc	
107144	
34953224	VALVE DISCHARGE
22475354 Valve Assy	
52163847	

2344_1900	
05059688	
37039146	
32028508	
37026424	
Qxc2p1000s12-K2	
Cat33p-024-Dc	
Handpunch-3000	TIME CLOCK BIOMETRIC 12-24VDC OR 12-24VAC
99400889	TRANSDUCER METRIC 128FT- LBS.
X01-Ch-A29	
Bids-18	
89265060	
47517913001	
Aro Pd05p-Ars-Ptt-B	
93969947	MOTOR SYSTEM DC
93963353	CPU MODULE N+1
091447-000-00	
650867-L6d-B	PISTON PUMP 410-1350PSI 18.1GPM
99388019	SPINDLE CONTROL MODULE
05059712	
038-12284	DC MOTOR SYSTEM W/J102 AND P101 PORTS
93894244	MODULE,MOTOR CONTROL LOW-POWER
38053633	
637140-Xx	
Bw035080	BALANCER
Bp2241-111-00	
58106428	
012072	
E14a_91185934	
37024221	
66605j-388	

23700388	
39433743	
37802279	
Rol-Fm288	
3955b2ti	
45624327	
93894350	MODULAR CONTROL MODULE
89210306	
Tda-Eu-77a-75-P-10	
58106402	
Pd10p-Fps-Ptt	
39817655	INTELLISYS CTRL
05119151	
651747-3-B	STAINLESS STEEL
23509151	
Pfsi-Gt-Eu	INSIGHT TOOL GRAPHIC CONTROLLER
637141	
39413182	
939-72768	MODULE, MOTOR CONTROL,HI
84505601	Part No.: 84505601 Bearing (Crank End) For Reciprocating Pumps Type 1-7/8 X 3HS3
99388027r07	SPINDLE CONTROL MODULE
41sa10psq4-Eu	
32127516	
R38-C6-F0g0	
23509144	
Ref. 261-3	AIR IMPACT WRENCH MAKER: INGERSOLL RAND REF. 261-3
54774302	
39903265	
Cfs1080	
R28-C4-G0g0	

Bp2101-100-B0	
39814595	THERM MASS CTRL
37024064	
43083401	
23424922	
54641196	CONTROLLER NIRVANA SGN
93098-1	
39474143	
39903281	
58106410	
54749247	Element Separator 194CFM
88hl60h106-Eu	
00002369549 3x10da 11	
92740943	Filter Coolant Part No.: 92740943
05034772	
54749114	
R38-C8-F0g0	
24054033	
39708466	
22571095	
Lc2a030dip3c	
39481429	
93912244	SPINDLE MODULE
3x11cb-5	
Cnc39174131	
39579131 (Neu)	
58106394	
927.65.783	
38446134	
Fp1007-000-00	

39911631	
93100-8	
Af9002953	DC MOTOR SYSTEM
37045531	
3585 8297	
4152-HI	
01340595 41sa17psq4 Eu	
99340473	CONTROL MODULE MICRO TAS PLUS N+1
39161104	CONTACT KIT SIZE 4 3 POLE
Ref. 231c	AIR IMPACT WRENCH MAKER: INGERSOLL RAND REF. 231C
011f12ea00	COMPRESSOR COVER
22219174	
57034670.	
99675100	
39877618	
57103970(Ex52199247)	
F38-C6-Sk00	
87335782	
939-72701	MODULE,MOTOR CONTROL LOW-POWER (DOWNSHIFT)
87333761	
80136112	
22690705	
30161491	OIL COMPRESSOR PIN CROSSHEAD
39216155	
3955b2ti 1 1/2quot; Impact Wrench	
52199130	
22110399	
22186720	
939-72750	MODULE,MOTOR CONTROL HI-POWER
Aro M/N Pd10p-Yks-Ktt	

93894327	DC MOTOR CONTROL SYSTEM 8PIN 37PIN
029665-000-00	
R08-C2-F0g0	
5.59000.01.010.0	
39136999	
026464	
F38-C8-Sk00	
93498731	
93970838	MICRO TAS PLUS 93963361
7803akc	
39911615	
Grp95.845	