



Intelligent Actuator Inc

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Intelligent Actuator Inc Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Intelligent Actuator Inc Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Ns-Mxmm-I-200-20-700	MEDIUM ROTATING NUT TYPE, HORIZONTAL / MULTI SLIDER, 200W I = INCREMENTAL ENCODER(A) ABSOLUTE ENCODER-- \$650 ADDERLEAD (MM) -- 20, 30CONTROLLER TYPE (N
Rcp2-Ba7-A-Pm-54-900	SLIDER / BELT TYPE(U) UNDERNEATH MOTOR MOUNTED TYPE (I) INCREMENTAL, (A) ABSOLUTE
Rca-Ra4r-A-20-12-100	ROD / FOLDED MOTOR TYPE, 20WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcp2-Rfw-I-Pm-2.5-50	ROD / HIGH-THRUST / SPLASH RESISTANT TYPEIP54INCREMENTAL ENCODERLEAD (MM) -- 2.5, 5, 10
Rcs2-Gr8-I-60-5-200	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rca2-Sa5r-I-20-12-450	SLIDER / FOLDED MOTOR TYPE, 20WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE O
Icsa2-Bf1h-I-180-40	I=INCREMETNAL ENCODER

Icsa2-Bc1h-I-40-30	XY BASE MOUNT 200W X 100W, INCREMENTAL ENCODER, HIGH-SPEED TYPE
Rcp2-Hs8c-I-86p-30-750	SLIDER / HIGH-SPEED TYPE, STEEL BASE INCREMENTAL ENCODER LEAD (MM) -- 30
Rcp2-Sa5r-A-Pm-12-450	SLIDER / FOLDED MOTOR TYPE, ABSOLUTE, LEAD 12MM
Isa-Wxm-I-750-25-200	SUPER-LARGE X-AXIS SLIDER TYPE, 750W(P) HIGH-PRECISION TYPE, ISA AND ISPA ARE THE SAME PRICE I = INCREMENTAL, (A) ABSOLUTE ENCODER--\$250 ADDER LEAD (MM)
Rcs2-Ss7c-A-60-6-100	SLIDER / COUPLING TYPE, 60W, STEEL BASE, ABSOLUTE ENCODER, LEAD 6MM
Rcs2-Rgs5c-A-60-4-100	ROD / SINGLE GUIDE / COUPLING TYPE, 60W, ABSOLUTE ENCODER, LEAD 4MM
Is-M-X-M-20-200-500-Eu	SERVO MOTOR ACTUATOR
Rca-Rgd4c-I-30-12-50	ROD / DOUBLE GUIDE / COUPLING TYPE, 30W INCREMENTAL ENCODER LEAD (MM) -- 3, 6, 12
Rcp2cr-Sa5-A-Pm-3-50	SLIDER / CLEANROOM TYPE CLASS 10(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12
Isa-Mxm-I-200-10-850	MEDIUM X-AXIS LONG SLIDER TYPE, 200W(P) HIGH-PRECISION TYPE, ISA AND ISPA ARE THE SAME PRICE I = INCREMENTAL, (A) ABSOLUTE ENCODER--\$180 ADDER LEAD (MM)
Ns-Lxms-I-400-20-900	LARGE ROTATING NUT TYPE, HORIZONTAL / SINGLE SLIDER, 400W I = INCREMENTAL ENCODER (A) ABSOLUTE ENCODER--\$650 ADDER LEAD (MM) -- 20, 40 CONTROLLER TYPE: X
If-Sa-I-60-200	CONTROLLER NOT INCLUDED
Rcp2cr-Ss7c-I-42p-6-100	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE, INCREMENTAL ENCODER, LEAD 6MM
Icsa2-Ygh-I-30-20b	ICS(P)A-YZ SLIDER MOUNT 400W X 400W I-INCREMENTAL ENCODER
Xsel-J-2-60a-20a-N1-E	CONTROLLER, 2-AXIS, ABSOLUTE, J-TYPE, COMPACT TYPE, NPN 32 IN/16 OUT
Scon-C-30di-Np-2-1	CONTROLLER, POSITIONER TYPE, MOTOR TYPE- 30D ABSOLUTE, EXISTING TYPE, MOTOR TYPE- 30D I/O CABLE- 2M, 100V-200W
Rcs2-Ss8c-A-100-10-50	SLIDER / COUPLING TYPE, 100W, STEEL BASE, ABSOLUTE ENCODER, LEAD 10MM
Rcl-Sa6l-I-10-N-192	MICRO SLIDER / LINEAR SERVO TYPE, INCREMENTAL ENCODER 10W, UNIT WIDTH 58MM (A1) ACON/RACON/ASEL, (A3) ASEP
Ix-Inn6020-5l-Px4	ARM 600MM, Z-AXIS 200MM, XSEL-PX/QX(4-AXIS)

Rca-Ra4c-A-30-3-250	ROD / COUPLING TYPE, 30WABSOLUTE ENCODERLEAD (MM) - - 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Ix-Inn7020-5I-Qx4	ARM 700MM, WITH XSEL-P/Q(4-AXIS) 3-PHASE 200V
Rcs2-Gr8-I-60-5-60	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcs-Sm-A-150-M-500	SLIDER TYPE, ABSOLUTE ENCODER, 150W, MEDIUM
Icsa2-Zah-I-10-20b	ICS(P)A-XZ BASE MOUNT 60W X 60W I=INCREMENTAL ENCODER
Ix-Nnn2515-5I-Px4	ARM 250MM, Z-AXIS 150MM, XSEL-PX/QX(4-AXIS)
Isdacr-Lx-I-400-20-1300	CLEANROOM TYPE, LARGE FRAME W/MID-SUPPORT, 400W, INCREMENTAL, LEAD 20MM
Isdacr-Lx-I-400-20-1400	CLEANROOM TYPE, LARGE FRAME W/MID-SUPPORT, 400W, INCREMENTAL, LEAD 20MM
Rcs2-Sa6r-I-30-3-250	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL
Rcp2-Ss-I-Pm-12-100	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Is-M-X-Mx-20-200-800-Eu	LINEAR ACTUATOR AC 800MM
Is-M-Y-M-20-100-800-Eu	LINEAR ACTUATOR AC 800MM
Xsel-J-2-60i-N1-Eee-3-1	CONTROLLER 2AXIS 200V 60W 1PH
Rca-A5r-A-20-6-100	ARM / FOLDED MOTOR TYPE WITH BRAKE, 20WABSOLUTE ENCODER *USE W/ASEL-ABSOLUTE ONLY LEAD (MM) -- 6, 12, (*) CABLE OPTION (MB) MOTOR BOTTOM(STANDARD), (MR
Rcs-Smr-I-100-M-400	SLIDER TYPE, INCREMENTAL ENCODER, 100W, MEDIUM
Ix-Nnn1505-3I-Px4	ARM 150MM, Z-AXIS 50MM, XSEL-PX/QX(4-AXIS)
Rcp2-Sa7r-A-Pm-8-600	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 4, 8, 16
Isdacr-L-I-400-20-200	CLEANROOM TYPE, LARGE FRAME, 400W(P) HIGH-PRECISION TYPE, PRICES ARE THE SAME AS ISDACR I = INCREMENTAL, (A) ABSOLUTE ENCODER--\$180 ADDERLEAD (MM) --
Rcs2-Rgd4d-A-20-3-200	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 20W, ABSOLUTE ENCODER, LEAD 3MM
Rcacr-Sa5c-A-20-3-400	SLIDER / CLEANROOM / COUPLING TYPE, 20W ABSOLUTE ENCODER
Xsel-Q-4-400a-400ab-60a-30ral-Cc-E- Eee	CONTROLLER MODULE 25AMP 200-230V 50/60HZ
Sel-G-2-Ac-200.200b-Eu	CONTROLLER SUPER SEL TYPE EU
	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL

Rcs2-Ra5c-A-60-4-200	/ XSEL-P/Q
Ns-Lzmm-I-400-20-750	ROTATING NUT TYPE, VERTICAL / MULTI SLIDER WITH BRAKE I = INCREMENTAL ENCODER, 400W(A) ABSOLUTE ENCODER--\$650 ADDERLEAD (MM) -- 20CONTROLLER TYPE (NOT
Rcaw-Ra3r-I-20-10-100	ROD / FOLDED MOTOR TYPE, 20W DUST/SPLASH-RESISTANT TYPE IP54 INCREMENTAL ENCODER
Rcs2-Ss7r-I-60-6-150	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON /
Rcs2-Sa5c-I-20-3-400	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcs-Ra55r-A-60-Gn-L-100	ROD / FOLDED MOTOR TYPE, 60W , ABSOLUTE ENCODER, LOW
Rcl-Sa5l-I-5-N-144	MICRO SLIDER / LINEAR SERVO TYPE, INCREMENTAL ENCODER5W, UNIT WIDTH 48MM(A1) ACON/RACON/ASEL, (A3) ASEP
Icsa2-Yam-I-40-30b	ICS(P)A-YZ SLIDER MOUNT 60W X 60W I-INCREMENTAL ENCODER
If-Ma(1l)-I-200-1800-T	BELT DRIVE TYPE, 200W , INCREMENTAL ENCODER, , MOTOR STANDARD LEFT
Scon-C-200i-Np-2-1	CONTROLLER, POSITIONER TYPE, INCREMENTAL, EXISTING TYPE, I/O CABLE- 2M, 100V-200W
Rcp2cr-Sa5c-I-42p-3-500	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, LEAD 3MM
Icsa2-Z2ch-I-30-30b	ICS(P)A-XZ BASE MOUNT 200W X 200W I=INCREMENTAL ENCODER
Rcp2-Ba7-I-42p-54-1150	SLIDER / BELT TYPEINCREMENTAL ENCODER(U) UNDERNEATH MOTOR MOUNTED TYPE LEAD (MM) -- 54
Rcs2w-Ra4r-A-20-3-100	ROD / FOLDED MOTOR TYPE, 20W , DUST/SPLASH-RESISTANT TYPE IP54, ABSOLUTE LEAD 3MM
Rcacr-Sa6d-I-30-3-400	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W INCREMENTAL ENCODER
Ispa-Mzm-I-100-5-100-T1-N-Aq-B	MEDIUM VERTICAL-AXIS LONG SLIDER TYPE W/ BRAKE 100W , HIGH-PRECISION TYPE INCREMENTAL, LEAD 5MM
Rca-A6r-A-30-12-100	ARM / FOLDED MOTOR TYPE WITH BRAKE, 30WABSOLUTE ENCODER *USE W/ASEL-ABSOLUTE ONLY LEAD (MM) -- 6, 12, (*) CABLE OPTION (MB) MOTOR BOTTOM(STANDARD), (MR
Ssel-C-2-750a-A-Np-2-2	2-AXIS, ABSOLUTE, PROGRAM TYPE
Rcs2-Ra5c-A-60-4-250	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcp2-Gr3ss-I-Pm-30-10-P1	3 FINGER GRIPPER / SLIDE TYPE, INCREMENTAL 10MM STROKE

Rcs2cr-Sa5c-I-20-3-100	SLIDER / CLEANROOM / COUPLING TYPE, 20W , INCREMENTAL ENCODER, 3MM
Fs-12no-0-600d2	GUIDE MODULE/DUST SHIELD, DOUBLE SLIDER, 300MM
Ns-Sxms-I-60-12-600	SMALL ROTATING NUT TYPE, HORIZONTAL / SINGLE SLIDER, 60W I = INCREMENTAL, (A) ABSOLUTE ENCODER--\$650 ADDERCONTROLLER TYPE: XSEL-P/Q, SCON, SSELCONTROL
Xsel-P-6-750i	6-AXIS, INCREMENTAL, CE CERTIFIED(P) STANDARD (Q) GLOBAL-SAFETY CATEGORY 4(30D)RCS2, (30R)RS *ADD OPTION AFTER I: B(BRAKE), C(C.SENSOR)HA(HIGH-G), L(L
Is-M-Y-S-20-100-500-Eu	LINEAR ACTUATOR AC 500MM
Rca-A6r-A-30-6-200	ARM / FOLDED MOTOR TYPE WITH BRAKE, 30WABSOLUTE ENCODER *USE W/ASEL-ABSOLUTE ONLY LEAD (MM) -- 6, 12, (*) CABLE OPTION (MB) MOTOR BOTTOM(STANDARD), (MR
Rcp2-Sm-I-Pm-20-1000	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20
Rca2-Sa5r-I-20-3-200	SLIDER / FOLDED MOTOR TYPE, 20WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE O
Icsa2-Zhh-I-190-10b	ICS(P)A-XZ BASE MOUNT 400W X 400W I-INCREMENTAL ENCODER
Rcacr-Sa6d-A-30-6-250	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W ABSOLUTE ENCODER
Rcs2-Ss8c-A-150-10-250	SLIDER / COUPLING TYPE, 150W, STEEL BASE, ABSOLUTE ENCODER, LEAD 10MM
Isa-Lxm-I-200-10-950	LARGE X-AXIS LONG SLIDER TYPE, 200W(P) HIGH-PRECISION TYPE, ISA AND ISPA ARE THE SAME PRICE I = INCREMENTAL, (A) ABSOLUTE ENCODER--\$180 ADDERLEAD (MM)
Isa-Lxmx-I-200-20-1200	LARGE X-AXIS / MID-SUPPORT TYPE, 200W, INCREMENTAL, LEAD 20MM
Rcs2cr-Sa5c-I-20-3-200	SLIDER / CLEANROOM / COUPLING TYPE, 20W , INCREMENTAL ENCODER, 3MM
Icsa2-Be1m-I-40-60	XY BASE MOUNT (P) HIGH-PRECISION TYPE, ICSA ICSPA ARE THE SAME PRICEI = INCREMENTAL ENCODER
Rcp2-Sm-A-Pm-20-900	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20
Icsa2-Z2ch-I-20-10b	ICS(P)A-XZ BASE MOUNT 200W X 200W I=INCREMENTAL ENCODER
Rcp2-Hsm-I-Pm-30-100	SLIDER / HIGH-SPEED TYPE, STEEL BASEINCREMENTAL ENCODERLEAD (MM) -- 30
	CLEANROOM TYPE, LARGE FRAME, 400W(P) HIGH-PRECISION

Isdacr-L-I-400-20-1200	TYPE, PRICES ARE THE SAME AS ISDACR I = INCREMENTAL, (A) ABSOLUTE ENCODER--\$180 ADDERLEAD (MM) --
Rcs2-Sa6d-I-30-3-400	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XS
Isdacr-W-I-600-10-200	CLEANROOM TYPE, WIDE FRAME, 600W, INCREMENTAL, LEAD 10MM
Is-M-X-Mx-20-200-1400	LINEAR ACTUATOR AC 1400MM
Rca-Ra4d-A-30-3-250	ROD / MOTOR BUILT-IN TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcacr-Sa5c-I-20-3-150	SLIDER / CLEANROOM / COUPLING TYPE, 20W INCREMENTAL ENCODER
Rcp2-Ss-I-Pm-12-300	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rca-Rgs4c-A-20-12-200	ROD / SINGLE GUIDE / COUPLING TYPE, 20W, INCREMENTAL ENCODER
Xsel-Q-5-400alm-400as-400a-200alm-200-As-Dv-E-Eee-0-3	CONTROLLER INPUT XSEL 25AMP 200-230VAC 50/60HZ
Rcs2-Rgs4c-I-30-3-250	ROD / SINGLE GUIDE / COUPLING TYPE, 30W, INCREMENTAL ENCODER, LEAD 3MM
Xsel-Q-4-400alm-400-As-400a-200al-Cc-E-Eee-0-3	CONTROLLER INPUT XSEL 25AMP 200-230VAC 50/60HZ
Rca-A4r-I-20-10-50	ARM / FOLDED MOTOR TYPE WITH BRAKE, 20WINCREMENTAL ENCODERLEAD (MM) -- 5, 10,(*) CABLE OPTION (MB) MOTOR BOTTOM(STANDARD), (MR) RIGHT, (ML) LEFT*LIST
Isa-Sxm-0-0-1600	ISA GUIDE MODULE
Is-M-Y-S-20-100-400eu	LINEAR ACTUATOR AC 400MM
Isdacr-Lx-I-200-20-1100	CLEANROOM TYPE, LARGE FRAME W/MID-SUPPORT, 200W, INCREMENTAL, LEAD 20MM
Isdacr-L-I-400-20-900	CLEANROOM TYPE, LARGE FRAME, 400W(P) HIGH-PRECISION TYPE, PRICES ARE THE SAME AS ISDACR I = INCREMENTAL, (A) ABSOLUTE ENCODER--\$180 ADDERLEAD (MM) --
Isa-Mym-I-100-5-450	MEDIUM Y-AXIS LONG SLIDER TYPE, 100W(P) HIGH-PRECISION TYPE, ISA AND ISPA ARE THE SAME PRICE I = INCREMENTAL, (A) ABSOLUTE ENCODER--\$180 ADDERLEAD (MM)
Xsel-Q-4-400a-400ab-60a-30ral-Cc-E-Eee-0-3	CONTROLLER MODULE 25AMP 200-230V 50/60HZ
Rcs2-Sa5r-I-20-3-50	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL
	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A)

Rcp2-Sm-A-Pm-5-500	ABSOLUTELEAD (MM) -- 5, 10, 20
Rcs2-Sa6c-I-30-12-500	SLIDER / COUPLING TYPE, 30W, INCREMENTAL ENCODER, LEAD 12MM
Rcaw-Ra4r-A-30-3-300	ROD / FOLDED MOTOR TYPE, 30W DUST/SPLASH-RESISTANT TYPE IP54ABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcp2-Sa6r-I-Pm-12-550	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL, LEAD 12MM
Iswa-S-I-60-4-300	SPLASH-PROOF TYPE, SMALL FRAME, 60W(P) HIGH-PRECISION TYPE, PRICES ARE THE SAME AS ISWA I = INCREMENTAL, (A) ABSOLUTE ENCODER--\$180 ADDERLEAD (MM) --
Rcs-Ra55r-A-60-Gs1-L-150	ROD / FOLDED MOTOR / SINGLE GUIDE TYPE, 60W, ABSOLUTE ENCODER 1 GUIDE POSITION, LOW
Icsa2-Zhh-I-100-20b	ICS(P)A-XZ BASE MOUNT 400W X 400W I-INCREMENTAL ENCODER
Rcp2-Ss7r-I-42p-3-150	SLIDER / FOLDED MOTER TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 3MM
If-Ma1l-I-200-1300-T1	IF-MA BELT DRIVE TYPE, 200W, INCREMENTAL ENCODER
Rcp2-Ba6-I-Pm-54-500	SLIDER / BELT TYPE(U) UNDERNEATH MOTOR MOUNTED TYPE (I) INCREMENTAL, (A) ABSOLUTE
Xsel-Ke-1-20a	1-AXIS ABSOLUTE KE-TYPE, 200V, CE CERTIFIED(30D)RCS2, (30R)RS *ADD OPTION AFTER A: B(BRAKE), C(C.SENSOR)HA(HIGH-G), L(LIMIT SWITCH), M(MASTER-AXIS), S
Rca-Rgd4d-A-30-3-200	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rcp2-Rmw-I-Pm-4-250	ROD / DUST/SPLASH-PROOF TYPE IP65(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 4, 8, 16
Rcs2-Ss7r-I-60-6-350	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON /
Rcs2-Ra4r-A-20-3-300	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcs-Sm-A-150-M-400	SLIDER TYPE, ABSOLUTE ENCODER, 150W, MEDIUM
Ns-Lxmm-I-400-20-550	LARGE ROTATING NUT TYPE, HORIZONTAL / MULTI SLIDER, 400W I = INCREMENTAL ENCODER(A) ABSOLUTE ENCODER--\$650 ADDERLEAD (MM) -- 20, 40CONTROLLER TYPE (NO
Rcs2-Rgd4r-I-20-3-300	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20W, INCREMENTAL ENCODER, LEAD 3MM
Rcp2-Ba7-I-42p-54-850	SLIDER / BELT TYPEINCREMENTAL ENCODER(U) UNDERNEATH MOTOR MOUNTED TYPE LEAD (MM) -- 54
Rcs2-Rgd4d-I-30-3-150	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 30W,

	INCREMENTAL ENCODER, LEAD 3MM
Ix-Nsn6016-5I-Kx-P1	ARM 600MM, Z-AXIS 160MM, XSEL-KX, 200V
Isa-Sxm-0-0-600	ISA GUIDE MODULE
Rcs2-Ss8c-I-100-10-50	SLIDER / COUPLING TYPE, 100W, STEEL BASE, INCREMENTAL ENCODER, LEAD 10MM
Rcp2cr-Grls-I-20p-30-180-P1	SMALL GRIPPER, LEVEL / CLEANROOM TYPE CLASS 10, STROKE 180 DEGREES
Rcs2-Ra4c-A-30-3-50	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcp2-Sa5r-A-Pm-6-450	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs2-Sa6r-I-30-3-550	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL
Lsa-S6ss-I-100-336	LINEAR SERVO ACTUATOR, SHAFT / SINGLE SLIDER TYPE, 100W INCREMENTAL ENCODERCONTROLLER TYPE: XSEL-P/Q, SCON, SSELCONTROLLER NOT INCLUDED
Rcp2cr-Sa5-I-Pm-12-400	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 12MM
Rcs2-Ss8c-I-150-10-650	SLIDER / COUPLING TYPE, 150W, STEEL BASE, INCREMENTAL ENCODER, LEAD 10MM
Xsel-K-1-150i	SINGLE AXIS INCREMENTAL K-TYPE, GENERAL TYPE(30D)RCS2, (30R)RS *ADD OPTION AFTER I: B(BRAKE), C(C.SENSOR)HA(HIGH-G), L(LIMIT SWITCH), M(MASTER-AXIS),
Rcp2-Sa7r-I-Pm-16-500	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 4, 8, 16
Rcp2-Ss8c-I-56p-20-890	SLIDER TYPE, STEEL BASEINCREMENTAL ENCODERLEAD (MM) -- 5, 10, 20
Lsa-S6ss-I-100-288	LINEAR SERVO ACTUATOR, SHAFT / SINGLE SLIDER TYPE, 100W INCREMENTAL ENCODERCONTROLLER TYPE: XSEL-P/Q, SCON, SSELCONTROLLER NOT INCLUDED
Ix-Hnn7020-5I-Qx4	ARM 700MM, Z-AXIS 200MM, XSEL-PX/QX(4-AXIS)
Rcs2-Rgd4r-I-30-3-200	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 30W, INCREMENTAL ENCODER, LEAD 3MM
Rcs2-Rgs4d-I-20-3-200	ROD / SINGLE GUIDE / MOTOR BUILT-IN TYPE, 20W, INCREMENTAL ENCODER, LEAD 3MM
Tt-C2-I-4040-Npn	TABLETOB ROBOT, CANTILEVEL TYPE, 2-AXIS, X: 400MM/ Y: 400MM
Xsel-Ke-1-60i	1-AXIS INCREMENTAL KE-TYPE, 200V, CE CERTIFIED(30D)RCS2, (30R)RS *ADD OPTION AFTER I: B(BRAKE), C(C.SENSOR)HA(HIGH-G), L(LIMIT SWITCH), M(MASTER-AXIS)

Icsa2-Be1m-I-30-60	XY BASE MOUNT (P) HIGH-PRECISION TYPE, ICSA ICSPA ARE THE SAME PRICE I = INCREMENTAL ENCODER
Is-M-Y-S-20-100-200eu	LINEAR ACTUATOR AC 200MM
Rcp2cr-Sa7-I-Pm-4-200	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 4MM
Rcp2-Sa7r-I-Pm-4-200	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 4, 8, 16
Rca-Rgd4r-I-20-3-150	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20W INCREMENTAL ENCODER LEAD (MM) -- 3, 6, 12
Isa-Mym-I-100-5-550	MEDIUM Y-AXIS LONG SLIDER TYPE, 100W (P) HIGH-PRECISION TYPE, ISA AND ISPA ARE THE SAME PRICE I = INCREMENTAL, (A) ABSOLUTE ENCODER -- \$180 ADDER LEAD (MM)
Rcs2cr-Sa6d-I-30-3-600	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W, INCREMENTAL ENCODER, LEAD 3MM
Ix-Nnc6030-5I-Px4	ARM 600MM, Z-AXIS 300MM, XSEL-PX/QX(4-AXIS)
Rcp2cr-Sm-I-Pm-20-400	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE, INCREMENTAL, LEAD 20MM
Rcs2cr-Sa5c-A-20-3-350	SLIDER / CLEANROOM / COUPLING TYPE, 20W, ABSOLUTE ENCODER, 3MM
Rcs-Smr-A-150-M-700	SLIDER TYPE, ABSOLUTE ENCODER, 150W, MEDIUM
Isa-Wxmx-I-750-25-2100	SUPER-LARGE X-AXIS / MID-SUPPORT TYPE, 750W, INCREMENTAL, LEAD 25MM
Rcp2-Ss8c-I-56p-10-250	SLIDER TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 10MM
Xsel-P-5-30i	5-AXIS, INCREMENTAL, CE CERTIFIED (P) STANDARD (Q) GLOBAL-SAFETY CATEGORY 4(30D) RCS2, (30R) RS *ADD OPTION AFTER I: B(BRAKE), C(C.SENSOR) HA(HIGH-G), L(L
Rcp2-Grss-I-20p-30-8-P1	SMALL GRIPPER, LEVER TYPE, INCREMENTAL ENCODER, 8MM STROKE
Rcs2-Sa6c-I-30-12-50	CONTROLLER NOT INCLUDED (T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Isd-S-0-400-Cr	ISD-CR GUIDE MODULE
Rcp2-Sm-I-Pm-20-500	SLIDER TYPE, STEEL BASE (I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 5, 10, 20
Rcs2cr-Sa6c-A-30-3-350	SLIDER / CLEANROOM / COUPLING TYPE, 30W, ABSOLUTE ENCODER, 3MM
Rcp2cr-Ss-A-Pm-12-200	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE, ABSOLUTE, LEAD 12MM

Rcs2cr-Sa7c-A-60-4-650	SLIDER / CLEANROOM / COUPLING TYPE, 60W , ABSOLUTE ENCODER, LEAD 4MM
Rca2-Sa6r-I-30-3-100	SLIDER / FOLDED MOTOR TYPE, 30WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE O
Rca-Sa4r-I-20-2.5-50	SLIDER / FOLDED MOTOR TYPE, 20WINCREMENTAL ENCODERLEAD (MM) -- 2.5, 5, 10(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE
Rcs-Ss-A-60-M-100	SLIDER TYPE, ABSOLUTE ENCODER, 60W , MEDIUM
Xsel-J-1-200a	SINGLE AXIS ABSOLUTE J-TYPE, COMPACT TYPE(30D)RCS2, (30R)RS *ADD OPTION AFTER A: B(BRAKE), C(C.SENSOR)HA(HIGH-G), L(LIMIT SWITCH), M(MASTER-AXIS), S(S
Rcs2-Sa6d-I-30-3-300	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XS
Icsa2-Ych-I-50-10b	ICS(P)A-YZ SLIDER MOUNT 200W X 200W I-INCREMENTAL ENCODER
Rcs2-Rgd4c-I-20-3-250	ROD / DOUBLE GUIDE / COUPLING TYPE, 20W , INCREMENTAL ENCODER, LEAD 3MM
Rcs2w-Ra4r-A-20-3-200	ROD / FOLDED MOTOR TYPE, 20W , DUST/SPLASH-RESISTANT TYPE IP54, ABSOLUTE LEAD 3MM
Rcp2-Sa6r-A-Pm-6-100	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rca-A4r-A-20-5-50	ARM / FOLDED MOTOR TYPE WITH BRAKE, 20WABSOLUTE ENCODER *USE W/ASEL-ABSOLUTE ONLY LEAD (MM) -- 5, 10, (*) CABLE OPTION (MB) MOTOR BOTTOM(STANDARD), (MR
Is-S-Z-M-8-60-50-Eu	LINEAR ACTUATOR
Rcp2-Ssr-I-Pm-12-300	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs2-Rgs4d-I-20-3-300	ROD / SINGLE GUIDE / MOTOR BUILT-IN TYPE, 20W , INCREMENTAL ENCODER, LEAD 3MM
Ix-Nnc1205-3l-Px4	ARM 120MM, Z-AXIS 50MM, XSEL-PX/QX(4-AXIS)
Rcp2-Ss7c-I-42p-12-100	SLIDER TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 12MM
Rcs2-A5r-A-20-6-200	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / X
Rca2-Ta7r-I-30-3-150	TABLE / FOLDED MOTOR TYPE, 30WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OP

Isa-Lxm-A-400-20-400-T2-M	SINGLE AXIS ACTUATOR 400WATT 20-400MM STROKE
Iswa-M-I-100-5-650	SPLASH-PROOF TYPE, MEDIUM FRAME, 100W(P) HIGH-PRECISION TYPE, PRICES ARE THE SAME AS ISWA I = INCREMENTAL, (A) ABSOLUTE ENCODER--\$180 ADDERLEAD (MM) -
Rcp2-Sa7r-A-Pm-4-200	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 4, 8, 16
Rcp2-Srgd4r-I-35p-5-200	ROD / DOUBLE GUIDE / SHORT / FOLDED MOTOR TYPE, INCREMENTAL ENCODER, LEAD 5
Isa-Wxmx-I-750-25-1400	SUPER-LARGE X-AXIS / MID-SUPPORT TYPE, 750W, INCREMENTAL, LEAD 25MM
Ns-Lxms-I-400-20-500	LARGE ROTATING NUT TYPE, HORIZONTAL / SINGLE SLIDER, 400W I = INCREMENTAL ENCODER(A) ABSOLUTE ENCODER--\$650 ADDERLEAD (MM) -- 20, 40CONTROLLER TYPE: X
Xsel-K-1-60a	SINGLE AXIS ABSOLUTE K-TYPE, GENERAL TYPE(30D)RCS2, (30R)RS *ADD OPTION AFTER A: B(BRAKE), C(C.SENSOR)HA(HIGH-G), L(LIMIT SWITCH), M(MASTER-AXIS), S(S
Rcs2sa4di2025100	SLIDER / MOTOR BUILT-IN TYPE, 20W, INCREMENTAL ENCODER, LEAD 2.5MM
Rcacr-Sa4c-A-20-5-300	SLIDER / CLEANROOM / COUPLING TYPE, 20W ABSOLUTE ENCODER
Isda-L-I-400-20-500	DUST-PROOF TYPE, LARGE FRAME, 400W(P) HIGH-PRECISION TYPE, PRICES ARE THE SAME AS ISDA I = INCREMENTAL, (A) ABSOLUTE ENCODER--\$180 ADDERLEAD (MM) -- 2
Isa-Lxuw-I-400-20-1600	LARGE X-AXIS / MID-SUPPORT, DOUBLE SLIDER TYPE, 400W(P) HIGH-PRECISION TYPE, ISA AND ISPA ARE THE SAME PRICE I = INCREMENTAL, (A) ABSOLUTE ENCODER--\$1
Rcs2-Rgs4d-I-30-3-100	ROD / SINGLE GUIDE / MOTOR BUILT-IN TYPE, 30W, INCREMENTAL ENCODER, LEAD 3MM
Isa-Lxuw-I-400-20-1100	LARGE X-AXIS / MID-SUPPORT, DOUBLE SLIDER TYPE, 400W(P) HIGH-PRECISION TYPE, ISA AND ISPA ARE THE SAME PRICE I = INCREMENTAL, (A) ABSOLUTE ENCODER--\$1
Rcp2-Ba7-I-Pm-54-1100	SLIDER / BELT TYPE(U) UNDERNEATH MOTOR MOUNTED TYPE (I) INCREMENTAL, (A) ABSOLUTE
Rcs2-Sa4c-I-20-10-350	SLIDER / COUPLING TYPE, 20W, INCREMENTAL ENCODER, LEAD 10MM
Rcs2-A5r-I-20-6-150	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL
Icsa2-Ych-I-30-10b	ICS(P)A-YZ SLIDER MOUNT 200W X 200W I-INCREMENTAL ENCODER
Rcs-Smr-A-100-M-800	SLIDER TYPE, ABSOLUTE ENCODER, 100W, MEDIUM
Rcp2-Ssr-I-Pm-12-100	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A)

	ABSOLUTELEAD (MM) -- 3, 6, 12
Rcaw-Ra4r-A-20-6-50	ROD / FOLDED MOTOR TYPE, 20W DUST/SPLASH-RESISTANT TYPE IP54ABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Fs-11lo-0-1800	GUIDE MODULE, SINGLE SLIDER
Rcargs3di2025150	(A3) ACON/RACON/ASEL, (A3) ASEP
Rcp2-Sa7-I-Pm-4-600	SLIDER TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 4, 8, 16
Rcp2cr-Sa7c-I-56p-4-350	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, LEAD 4MM
Rcargd3ri2025150	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20W INCREMENTAL ENCODER
Rcp2-Sa7r-I-56p-4-350	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL ENCODER, LEAD 4MM
Icsa2-Bf1h-I-100-50	I=INCREMENTAL ENCODER
Icsa2-Sa1m-I-20-20	ICS(P)A-XY SLIDER MOUNT 60W X 60W I=INCREMENTAL ENCODER
Rcp2-Gr3ss-I-28p-30-10-P1	3 FINGER GRIPPER, SLIDE TYPE, INCREMENTAL ENCODER10MM STROKE (5MM EACH SIDE)MAX. GRIPPING FORCE: 22N
Lsa-S8hs-I-100-720	LINEAR SERVO ACTUATOR, SHAFT / HI-THRUST / SINGLE SLIDER TYPE INCREMENTAL ENCODER, 100WCONTROLLER TYPE: XSEL-P/Q, SCON, SSELCONTROLLER NOT INCLUDED
Isa-Wxmx-I-750-25-1800	SUPER-LARGE X-AXIS / MID-SUPPORT TYPE, 750W, INCREMENTAL, LEAD 25MM
Rca2-Sa6r-I-30-12-200	SLIDER / FOLDED MOTOR TYPE, 30WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE O
Rca-Rgs4c-A-20-3-150	ROD / SINGLE GUIDE / COUPLING TYPE, 20WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Ix-Inn6020-5I-Qx4	ARM 600MM, Z-AXIS 200MM, XSEL-PX/QX(4-AXIS)
Iswa-M-I-100-5-400	SPLASH-PROOF TYPE, MEDIUM FRAME, 100W(P) HIGH-PRECISION TYPE, PRICES ARE THE SAME AS ISWA I = INCREMENTAL, (A) ABSOLUTE ENCODER--\$180 ADDERLEAD (MM) -
Rcp2-Ssr-I-Pm-3-100	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcp2cr-Sm-I-Pm-5-300	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20

Isa-Sxm-0-0-1500	ISA-GUIDE-MODULE
Rcp2-Sa7c-I-56p-4-350	SLIDER TYPE, INCREMENTAL ENCODER, LEAD 4MM
Rcaw-Ra3c-I-20-5-200	ROD / COUPLING TYPE, 20WDUST/SPLASH-RESISTANT TYPE IP54INCREMENTAL ENCODERLEAD (MM) -- 2.5, 5, 10
Ns-Lxms-I-400-20-1400	LARGE ROTATING NUT TYPE, HORIZONTAL / SINGLE SLIDER, 400W, INCREMENTAL ENCODER, LEAD 20MM
Isa-Sxm-I-60-4-150	SMALL X-AXIS TYPE, 60W(P) HIGH-PRECISION TYPE, ISA AND ISPA ARE THE SAME PRICE I = INCREMENTAL, (A) ABSOLUTE ENCODER--\$180 ADDERLEAD (MM) -- 4, 8, 16
Rcp2-Ba6-I-Pm-54-550	SLIDER / BELT TYPE(U) UNDERNEATH MOTOR MOUNTED TYPE (I) INCREMENTAL, (A) ABSOLUTE
Rcs2-Rgs5c-A-100-4-100	ROD / SINGLE GUIDE / COUPLING TYPE, 100W, ABSOLUTE ENCODER, LEAD 4MM
Icsa2-Z2ch-I-20-30b	ICS(P)A-XZ BASE MOUNT 200W X 200W I=INCREMENTAL ENCODER
Rcs2-A5r-I-20-6-200	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL
Icsa2-Z2ch-I-30-10b	ICS(P)A-XZ BASE MOUNT 200W X 200W I=INCREMENTAL ENCODER
Isdacr-Mx-I-200-20-1000	CLEANROOM TYPE, MEDIUM FRAME W/MID-SUPPORT, 200W, INCREMENTAL, LEAD 20MM
Xsel-J-1-750i	SINGLE AXIS INCREMENTAL J-TYPE, COMPACT TYPE(30D)RCS2, (30R)RS *ADD OPTION AFTER I: B(BRAKE), C(C.SENSOR)HA(HIGH-G), L(LIMIT SWITCH), M(MASTER- AXIS),
Lsa-S10sm-I-200-870	LINEAR SERVO ACTUATOR, SHAFT / MULTI SLIDER TYPE, 200W INCREMENTAL ENCODERCONTROLLER TYPE: XSEL-P/Q, SCON, SSELCONTROLLER NOT INCLUDED
Rcp2cr-Ss8c-I-56p-10-950	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE, INCREMENTAL ENCODER, LEAD 10MM
Fs-12wm-I-100-1500	CONTRO
Fs-12wm-I-200-1300	CONTRO
Isdacr-Wx-I-600-20-1000	CLEANROOM TYPE, WIDE FRAME W/MID-SUPPORT, 600W, INCREMENTAL, LEAD 20MM
Ix-Nnc2515-5I-Jx-N1	ARM 250MM, Z-AXIS 150MM, XSEL-JX, 200V
Rcp2-Rfa-I-Pm-2.5-50	ROD / HIGH-THRUST TYPEINCREMENTAL ENCODERLEAD (MM) -- 2.5, 5, 10
Rcs2sa4ri2025350	SLIDER / FOLDED MOTOR TYPE, 20W, INCREMENTAL ENCODER, 2.5MM
Rcs2-Sa6c-I-30-3-400	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q

Ns-Mxmm-I-200-20-1300	MEDIUM ROTATING NUT TYPE, HORIZONTAL / MULTI SLIDER, 200W, INCREMENTAL ENCODER, LEAD 20MM (XSEL-P/Q/SCON/SSEL)
Rcs2-Ra4r-A-20-3-200	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Lsa-S10sm-I-200-240	LINEAR SERVO ACTUATOR, SHAFT / MULTI SLIDER TYPE, 200W INCREMENTAL ENCODERCONTROLLER TYPE: XSEL-P/Q, SCON, SSELCONTROLLER NOT INCLUDED
Ssel-C-1-150i-Np-2-1	CONTROLLER, SINGLE AXIS, INCREMENTAL, PROGRAM TYPE, DC 24V, I/O CABLE- 2M, 100V-400W
Rca2-Ta7r-I-30-3-100	TABLE / FOLDED MOTOR TYPE, 30WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OP
Rca-A4r-I-20-5-150	ARM / FOLDED MOTOR TYPE WITH BRAKE, 20WINCREMENTAL ENCODERLEAD (MM) -- 5, 10,(*) CABLE OPTION (MB) MOTOR BOTTOM(STANDARD), (MR) RIGHT, (ML) LEFT*LIST
Rca-Sa6r-I-30-3-50	SLIDER / FOLDED MOTOR TYPE, 30WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OP
Rcs2-Sa4d-A-20-2.5-50	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSE
Rcs2-Sra7bd-I-60-4-50	ROD / SHORT BODY TYPE, INCREMENTAL ENCODER, 60W, LEAD 4MM
Xsel-Ket-1-200i	SAFETY CATEGORY 4, CE CERTIFIED(30D)RCS2, (30R)RS *ADD OPTION AFTER I: B(BRAKE), C(C.SENSOR)HA(HIGH-G),
Rcs2w-Ra4r-A-30-3-200	ROD / FOLDED MOTOR TYPE, 30W , DUST/SPLASH-RESISTANT TYPE IP54, ABSOLUTE LEAD 3MM
Rcs2-Sa7r-I-60-4-450	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XS
Rcs2sa4da2025100	SLIDER / MOTOR BUILT-IN TYPE, 20W, ABSOLUTE ENCODER, LEAD 2.5MM
Ix-Inn7040-5I-Qx4	ARM 700MM, WITH XSEL-P/Q(4-AXIS) 3-PHASE 200V
Rca-Rgs3d-I-20-5-50	ROD / SINGLE GUIDE / MOTOR BUILT-IN TYPE, 20WINCREMENTAL ENCODERLEAD (MM) -- 2.5, 5, 10
Rcs2-Sa6c-I-30-3-100	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcp2-Ssr-A-Pm-12-500	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcp2-Sm-A-Pm-10-300	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20

Scon-C-100a-Np-2-1	CONTROLLER, POSITIONER TYPE, ABSOLUTE, EXISTING TYPE, I/O CABLE- 2M, 100V-200W
Rcp2-Hs8c-I-86p-30-650	SLIDER / HIGH-SPEED TYPE, STEEL BASE INCREMENTAL ENCODER LEAD (MM) -- 30
Tt-C3-I-2020-05b-Npn	TABLETOP ROBOT, CANTILEVER TYPE, 3AXIS, X: 200MM/Y:200MM/Z:50MM
Rcp2cr-Sa5c-I-42p-6-150	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, LEAD 6MM
Rcp2-Sa6r-A-Pm-12-300	SLIDER / FOLDED MOTOR TYPE, ABSOLUTE, LEAD 12MM
Rcp2-Ss8c-I-56p-5-100	SLIDER TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 5MM
Isa-Lzm-I-200-10-10-250	LARGE VERTICAL-AXIS LONG SLIDER TYPE WITH BRAKE, 200W(P) HIGH-PRECISION TYPE, ISA AND ISPA ARE THE SAME PRICE I = INCREMENTAL, (A) ABSOLUTE ENCODER--\$
Ns-Lxms-I-400-20-1500	LARGE ROTATING NUT TYPE, HORIZONTAL / SINGLE SLIDER, 400W, INCREMENTAL ENCODER, LEAD 20MM
Rcp2cr-Sa6-I-Pm-3-350	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 12MM
Rcs2cr-Sa4c-I-20-5-50	SLIDER / CLEANROOM / COUPLING TYPE, 20W, INCREMENTAL ENCODER, LEAD 5MM
Rcs2-Sa5c-I-20-3-250	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcp2cr-Sm-I-Pm-10-800	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE, INCREMENTAL, LEAD 10MM
Isa-Sxm-0-0-700	ISA GUIDE MODULE
Rca-Rgd4r-I-30-6-50	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20W INCREMENTAL ENCODER LEAD (MM) -- 3, 6, 12
Rcs2-Rt6r-I-60-18-300-T2-X10-L	SERVO MOTOR ROTARY TYPE INCREMENTAL ENCODER LIMIT
Rcacr-Sa5c-I-20-3-200	SLIDER / CLEANROOM / COUPLING TYPE, 20W INCREMENTAL ENCODER
Rcp2-Ba7-A-Pm-54-1150	SLIDER / BELT TYPE(U) UNDERNEATH MOTOR MOUNTED TYPE (I) INCREMENTAL, (A) ABSOLUTE
Rcs-Ra55-A-60-Gn-L-300	ROD TYPE, ABSOLUTE ENCODER, 60W, LOW
Rcp2cr-Sa6-I-Pm-3-450	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 12MM
Rca-Rgd4d-I-30-12-250	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 30W INCREMENTAL ENCODER
Rcargd3di2025200	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 20W INCREMENTAL ENCODER

Rcp2-Hsmr-I-Pm-30-300	SLIDER / HIGH-SPEED / FOLDED MOTOR TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 30MM
Rcs2-A6r-I-30-6-50	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL
Rca-Sa4r-A-20-5-250	SLIDER / FOLDED MOTOR TYPE, 20WABSOLUTE ENCODERLEAD (MM) -- 2.5, 5, 10(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OPT
Icsa2-Ycm-I-40-30b	ICS(P)A-YZ SLIDER MOUNT 100W X 100W I-INCREMENTAL ENCODER
12g2-60-300-C3	ACTUATOR INLINE 300MM STROKE W/60W DC SERVO MOTOR
Isdacr-Lx-I-200-20-2100	CLEANROOM TYPE, LARGE FRAME W/MID-SUPPORT, 200W, INCREMENTAL, LEAD 20MM
Rcp2cr-Sa6c-I-42p-6-150	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, LEAD 6MM
Rca-Rgd3d-I-20-5-100	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 20WINCREMENTAL ENCODERLEAD (MM) -- 2.5, 5, 10
Rcs2w-Ra4c-I-30-3-200	CONTROLLE
Rcp2-Ssr-I-Pm-12-500	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Ssel-C-1-400i-Np-2-1	CONTROLLER, SINGLE AXIS, INCREMENTAL, PROGRAM TYPE, DC 24V, I/O CABLE- 2M, 100V-400W
Icsa2-Zgh-I-30-40b	ICS(P)A-XZ BASE MOUNT 400W X 400W I=INCREMENTAL ENCODER
Rcp2cr-Sa5-A-Pm-3-500	SLIDER / CLEANROOM TYPE CLASS 10, ABSOLUTE, LEAD 3MM
Rcp2w-Sa16-I-Pm-4-50	SLIDER / WATER-PROOF TYPE IP67INCREMENTAL ENCODERLEAD (MM) -- 4, 8
Rcs2w-Ra4r-I-30-3-250	ROD / FOLDED MOTOR TYPE, 30W, DUST/SPLASH-RESISTANT TYPE IP54, INCREMENTAL LEAD 3MM
Icsa2-S1c1h-I-30-30	ICS(P)A-XY SLIDER MOUNT 100W X 100W I=INCREMENTAL ENCODER
Rcp2cr-Sa6-I-Pm-6-400	SLIDER / CLEANROOM TYPE CLASS 10(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs2-Sa6d-I-30-3-500	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XS
Rcacr-Sa6c-A-30-6-200	SLIDER / CLEANROOM / COUPLING TYPE, 30W ABSOLUTE ENCODER
Icsa2-S2c1h-I-40-10	ICS(P)A-XY SLIDER MOUNT 200W X 200W I=INCREMENTAL ENCODER
Isdacr-Lx-I-200-20-1900	CLEANROOM TYPE, LARGE FRAME W/MID-SUPPORT, 200W, INCREMENTAL, LEAD 20MM

Rcp2w-Sa16-I-Pm-4-600	SLIDER / WATER-PROOF TYPE IP67, INCREMENTAL ENCODER, LEAD 4MM
Rcp2-Ss7c-I-42p-6-450	SLIDER TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 6MM
Ns-Mxmm-I-200-20-1100	MEDIUM ROTATING NUT TYPE, HORIZONTAL / MULTI SLIDER, 200W, INCREMENTAL ENCODER, LEAD 20MM (XSEL-P/Q/SCON/SSEL)
Rca2-Ta7r-I-30-12-125	TABLE / FOLDED MOTOR TYPE, 30W, INCREMENTAL ENCODER, LEAD 12MM
Rcacr-Sa4c-I-20-5-100	SLIDER / CLEANROOM / COUPLING TYPE, 20W INCREMENTAL ENCODER
Tt-C2-I-2020-Npn	TABLETOB ROBOT, CANTILEVEL TYPE, 2-AXIS, X: 200MM/ Y: 200MM
Rcp2-Sa6r-I-Pm-3-100	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rca-A5r-A-20-12-50	ARM / FOLDED MOTOR TYPE WITH BRAKE, 20WABSOLUTE ENCODER *USE W/ASEL-ABSOLUTE ONLY LEAD (MM) -- 6, 12, (*) CABLE OPTION (MB) MOTOR BOTTOM(STANDARD), (MR
Rcp2-Rfw-I-Pm-2.5-150	ROD / HIGH-THRUST / SPLASH RESISTANT TYPEIP54INCREMENTAL ENCODERLEAD (MM) -- 2.5, 5, 10
Ix-Hnn7020-5I-Kx-N1	ARM 700MM, Z-AXIS 200MM, XSEL-KX, 200V
Rcp2-Sa7-A-Pm-16-400	SLIDER TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 4, 8, 16
Rcp2cr-Sm-A-Pm-20-300	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE, ABSOLUTE, LEAD 20MM
Is-S-Y-M-8-60-200	SERVO ACTUATOR Y-AXIS
Isdacr-L-I-400-20-500	CLEANROOM TYPE, LARGE FRAME, 400W(P) HIGH-PRECISION TYPE, PRICES ARE THE SAME AS ISDACR I = INCREMENTAL, (A) ABSOLUTE ENCODER--\$180 ADDERLEAD (MM) --
If-Ma-I-200-700	CONTROLLER NOT INCLUDED
Rcp2cr-Ss8c-I-56p-20-950	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE, INCREMENTAL ENCODER, LEAD 20MM
Ix-Nnc1505-3I-Px4	ARM 150MM, Z-AXIS 50MM, XSEL-PX/QX(4-AXIS)
Rcs2-Ra4c-A-30-3-250	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcs-Ra55-A-60-Gs1-L-100	ROD / SINGLE GUIDE TYPE, 60W, ABSOLUTE ENCODER, 1 GUIDE POSITION, LOW
Rca-Ra4r-A-20-12-50	ROD / FOLDED MOTOR TYPE, 20WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY

Rcp2-Sa5r-I-42p-12-500	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL ENCODER, LEAD 12MM
Icsa2-Be1m-I-30-40	XY BASE MOUNT (P) HIGH-PRECISION TYPE, ICSA ICSPA ARE THE SAME PRICE I = INCREMENTAL ENCODER
Rca-Sa6c-A-30-6-500	SLIDER / COUPLING TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12
Isa-Lxm-I-200-10-250	LARGE X-AXIS LONG SLIDER TYPE, 200W(P) HIGH-PRECISION TYPE, ISA AND ISPA ARE THE SAME PRICE I = INCREMENTAL, (A) ABSOLUTE ENCODER--\$180 ADDERLEAD (MM)
Ns-Lzms-I-400-20-900	ROTATING NUT TYPE, VERTICAL / SINGLE SLIDER WITH BRAKE I = INCREMENTAL ENCODER, 400W(A) ABSOLUTE ENCODER--\$650 ADDERLEAD (MM) -- 20, CONTROLLER TYPE:
Rca-Rgs3c-I-20-10-150	ROD / SINGLE GUIDE / COUPLING TYPE, 20W, INCREMENTAL
Ix-Unn3015-5l-Jx-N1	ARM 300MM,Z-AXIS 150MM, XSEL-JX, 200V
Ix-Nnn5020-5l-Kx-N1	ARM 500MM, Z-AXIS 200MM, XSEL-KX, 200V
Rcp2-Ba6-I-42p-54-500	SLIDER / BELT TYPEINCREMENTAL ENCODER(U) UNDERNEATH MOTOR MOUNTED TYPE LEAD (MM) -- 54
Icsa2-Zgh-I-40-30b	ICS(P)A-XZ BASE MOUNT 400W X 400W I=INCREMENTAL ENCODER
Isa-Lym-I-200-10-250	LARGE Y-AXIS LONG SLIDER TYPE, 200W(P) HIGH-PRECISION TYPE, ISA AND ISPA ARE THE SAME PRICE I = INCREMENTAL, (A) ABSOLUTE ENCODER--\$180 ADDERLEAD (MM)
Rcp2-Ssr-I-Pm-6-200	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcaw-Ra3d-I-20-5-150	ROD/ MOTOR BUILT-IN TYPE, 20WDUST/SPLASH-RESISTANT TYPE IP54INCREMENTAL ENCODERLEAD (MM) -- 2.5, 5, 10
Isa-Lxmx-I-200-20-1000	LARGE X-AXIS / MID-SUPPORT TYPE, 200W, INCREMENTAL, LEAD 20MM
Ix-Nnn6020-5l-Px4	ARM 600MM, Z-AXIS 200MM, XSEL-PX/QX(4-AXIS)
Rcp2-Sa6r-I-42p-3-250	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL ENCODER, LEAD 3MM
Rca-A5r-A-20-6-150	ARM / FOLDED MOTOR TYPE WITH BRAKE, 20WABSOLUTE ENCODER *USE W/ASEL-ABSOLUTE ONLY LEAD (MM) -- 6, 12, (*) CABLE OPTION (MB) MOTOR BOTTOM(STANDARD), (MR
Ixnnn2515-5l-Jx-P1-Eee-5-2	CONTROLLER SCARA ROBOT W/4AXIS
Icsa2-Z2ch-I-40-30b	ICS(P)A-XZ BASE MOUNT 200W X 200W I=INCREMENTAL ENCODER
Isa-Wxm-I-750-25-600	SUPER-LARGE X-AXIS SLIDER TYPE, 750W(P) HIGH-PRECISION TYPE, ISA AND ISPA ARE THE SAME PRICE I = INCREMENTAL, (A) ABSOLUTE ENCODER--\$250 ADDERLEAD (MM)

Rcs2-Rgd4c-I-30-3-150	ROD / DOUBLE GUIDE / COUPLING TYPE, 30W, INCREMENTAL ENCODER, LEAD 3MM
Rcp2-Sa7r-A-Pm-4-800	SLIDER / FOLDED MOTOR TYPE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 4, 8, 16
Rcs-Ra55r-A-60-Gn-L-200	ROD / FOLDED MOTOR TYPE, 60W, ABSOLUTE ENCODER, LOW
Rcs-Sa5-A-20-L-400	SLIDER TYPE, ABSOLUTE ENCODER, 20W, LOW
Ns-Lxms-I-400-20-1600	LARGE ROTATING NUT TYPE, HORIZONTAL / SINGLE SLIDER, 400W, INCREMENTAL ENCODER, LEAD 20MM
Rcacr-Sa5c-I-20-3-300	SLIDER / CLEANROOM / COUPLING TYPE, 20W INCREMENTAL ENCODER
Rcp2-Smr-A-Pm-5-800	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 5, 10, 20N = NO CABLE, ACTUATOR ONLY
Rcacr-Sa4c-I-20-5-250	SLIDER / CLEANROOM / COUPLING TYPE, 20W INCREMENTAL ENCODER
Xsel-P-5-200i	5-AXIS, INCREMENTAL, CE CERTIFIED(P) STANDARD (Q) GLOBAL-SAFETY CATEGORY 4(30D)RCS2, (30R)RS *ADD OPTION AFTER I: B(BRAKE), C(C.SENSOR)HA(HIGH-G), L(L
Rcs2cr-Sa5c-A-20-3-150	SLIDER / CLEANROOM / COUPLING TYPE, 20W, ABSOLUTE ENCODER, 3MM
Rcs2-Rgs5c-I-100-4-150	ROD / SINGLE GUIDE / COUPLING TYPE, 100W, INCREMENTAL ENCODER, LEAD 4MM
Rcs2-Sa6c-I-30-3-250	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Rcs2-Ss8r-A-150-10-150	SLIDER / FOLDED MOTOR TYPE 150W, STEEL BASE, ABSOLUTE ENCODER, LEAD 10MM
Isd-S-0-900-Cr	ISD-CR GUIDE MODULE
Rca2-Sa6r-I-30-6-100	SLIDER / FOLDED MOTOR TYPE, 30W INCREMENTAL ENCODER LEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE O
Rcs2-Sa5r-A-20-3-100	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/
Rcp2cr-Sm-A-Pm-10-500	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE, ABSOLUTE, LEAD 10MM
Rca2-Sa6r-I-30-6-250	SLIDER / FOLDED MOTOR TYPE, 30W INCREMENTAL ENCODER LEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE O
Ix-Nnn5030-5l-Kx-P1	ARM 500MM, Z-AXIS 300MM, XSEL-KX, 200V

Rcawra3ri2025150	ROD / FOLDED MOTOR TYPE, 20W DUST/SPLASH-RESISTANT TYPE IP54 INCREMENTAL ENCODER
Rca-Sa5r-A-20-3-500	SLIDER / FOLDED MOTOR TYPE, 20WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OPTIO
Ssel-C-1-30da-Np-2-1	PROGRAM TYPE, SA6, 100V
Rcs2-Rgd4c-A-30-3-200	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL /
Lsa-S8hm-I-100-240	LINEAR SERVO ACTUATOR, SHAFT / HI-THRUST / MULTI SLIDER TYPE INCREMENTAL ENCODER, 100WCONTROLLER TYPE: XSEL-P/Q, SCON, SSELCONTROLLER NOT INCLUDED
Rcp2cr-Sa5-I-Pm-3-150	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 3MM
Rcaw-Ra4r-I-20-3-250	ROD / FOLDED MOTOR TYPE, 20WDUST/SPLASH-RESISTANT TYPE IP54INCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12
Rcp2-Rfw-I-Pm-2.5-100	ROD / HIGH-THRUST / SPLASH RESISTANT TYPEIP54INCREMENTAL ENCODERLEAD (MM) -- 2.5, 5, 10
Isa-Lxmx-I-200-20-1400	LARGE X-AXIS / MID-SUPPORT TYPE, 200W, INCREMENTAL, LEAD 20MM
Rcp2w-Sa16-I-Pm-4-350	SLIDER / WATER-PROOF TYPE IP67, INCREMENTAL ENCODER, LEAD 4MM
Xsel-K-1-750a	SINGLE AXIS ABSOLUTE K-TYPE, GENERAL TYPE(30D)RCS2, (30R)RS *ADD OPTION AFTER A: B(BRAKE), C(C.SENSOR)HA(HIGH-G), L(LIMIT SWITCH), M(MASTER-AXIS), S(S
Rcs2-Rgd4r-I-30-3-150	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 30W, INCREMENTAL ENCODER, LEAD 3MM
Rcs2cr-Sa4c-I-20-5-350	SLIDER / CLEANROOM / COUPLING TYPE, 20W, INCREMENTAL ENCODER, LEAD 5MM
Rcp2-Ss8c-I-56p-10-200-P1-M-B	SLIDER TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 10MM
Rcs-Ra55-A-60-Gd-L-50	ROD / DOUBLE GUIDE TYPE, 60W, ABSOLUTE ENCODER, LOW
Lsa-S8hs-I-100-780	LINEAR SERVO ACTUATOR, SHAFT / HI-THRUST / SINGLE SLIDER TYPE INCREMENTAL ENCODER, 100WCONTROLLER TYPE: XSEL-P/Q, SCON, SSELCONTROLLER NOT INCLUDED
Rcp2-Sm-I-Pm-10-700	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 5, 10, 20
Rca-Sa6r-I-30-3-150	SLIDER / FOLDED MOTOR TYPE, 30WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OP

Isda-Lx-I-400-20-1400	DUST-PROOF TYPE, LARGE FRAME W/MID-SUPPORT, 200W, INCREMENTAL, LEAD 20MM
Rcp2-Ba6-I-42p-54-1000	SLIDER / BELT TYPE INCREMENTAL ENCODER(U) UNDERNEATH MOTOR MOUNTED TYPE LEAD (MM) -- 54
Rcp2cr-Sa6-I-Pm-6-350	SLIDER / CLEANROOM TYPE CLASS 10(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12
Rcp2-Ssr-I-Pm-12-400	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12
Rcp2cr-Sa5-I-Pm-6-400	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL, LEAD 6MM
Rcp2cr-Sm-I-Pm-10-1000	SLIDER / CLEANROOM TYPE CLASS 10, STEEL BASE, INCREMENTAL, LEAD 10MM
Ix-Unn3515-5I-Jx-P1	ARM 350MM, Z-AXIS 150MM, XSEL-JX, 200V
Rcp2-Hs8c-I-86p-30-450	SLIDER / HIGH-SPEED TYPE, STEEL BASE INCREMENTAL ENCODER LEAD (MM) -- 30
Rca-Ra3r-I-20-2.5-150	ROD / FOLDED MOTOR TYPE, 20W INCREMENTAL ENCODER LEAD (MM) -- 2.5, 5, 10
Rcp2-Ssr-A-Pm-6-400	ACTUATOR ONLY, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTE LEAD (MM) -- 3, 6, 12
Rcs2-Sa6d-A-30-3-150	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-
Ix-Nnw6020-5I-Px4	ARM 600MM, Z-AXIS 200MM, XSEL-PX/QX(4-AXIS)
Rcs2-Ss8r-A-100-10-250	SLIDER / FOLDED MOTOR TYPE 100W, STEEL BASE, ABSOLUTE ENCODER, LEAD 10MM
Isa-Wxm-I-750-25-400	SUPER-LARGE X-AXIS SLIDER TYPE, 750W(P) HIGH-PRECISION TYPE, ISA AND ISPA ARE THE SAME PRICE I = INCREMENTAL, (A) ABSOLUTE ENCODER--\$250 ADDER LEAD (MM)
Rca2-Sa6r-I-30-3-500	SLIDER / FOLDED MOTOR TYPE, 30W INCREMENTAL ENCODER LEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE O
Fs-12wm-I-100-100-1500	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T
Ix-Unn3015-5I-Kx-P1	ARM 300MM, Z-AXIS 150MM, XSEL-KX, 200V
Rcp2-Ba7-A-Pm-54-950	SLIDER / BELT TYPE(U) UNDERNEATH MOTOR MOUNTED TYPE (I) INCREMENTAL, (A) ABSOLUTE
Rcp2-Ss7c-I-42p-12-350	SLIDER TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 12MM
Isdacr-Wx-I-600-20-1900	CLEANROOM TYPE, WIDE FRAME W/MID-SUPPORT, 600W, INCREMENTAL, LEAD 20MM
	SLIDER / BELT TYPE(U) UNDERNEATH MOTOR MOUNTED TYPE

Rcp2-Ba7-I-Pm-54-1200	(I) INCREMENTAL, (A) ABSOLUTE
Rcs2-Rgs4c-A-30-3-250	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL /
Ns-Mxmm-I-200-20-500	MEDIUM ROTATING NUT TYPE, HORIZONTAL / MULTI SLIDER, 200W I = INCREMENTAL ENCODER(A) ABSOLUTE ENCODER--\$650 ADDERLEAD (MM) -- 20, 30CONTROLLER TYPE (N
Ix-Unn3015-5I-Kx-N1	ARM 300MM,Z-AXIS 150MM, XSEL-KX, 200V
Rcp2-Sa7r-I-56p-8-750	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL ENCODER, LEAD 8MM
Ns-Lxmxs-I-400-20-3000	ROTATING NUT TYPE, HORIZONTAL/MID-SUPPORT/SINGLE SLIDER, INCREMENTAL ENCODER, LEAD 20MM
Rcs-Ra55r-I-60-Gd-L-300	ROD / FOLDED MOTOR / DOUBLE GUIDE TYPE, 60W, INCREMENTAL ENCODER, LOW
Ns-Mxmm-I-200-20-1200	MEDIUM ROTATING NUT TYPE, HORIZONTAL / MULTI SLIDER, 200W, INCREMENTAL ENCODER, LEAD 20MM (XSEL-P/Q/SCON/SSEL)
Rca-Sa5r-I-20-3-300	SLIDER / FOLDED MOTOR TYPE, 20WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OP
Lsa-S8sm-I-100-540	LINEAR SERVO ACTUATOR, SHAFT / MULTI SLIDER TYPE, 100W INCREMENTAL ENCODERCONTROLLER TYPE: XSEL-P/Q, SCON, SSELCONTROLLER NOT INCLUDED
Rcp2-Sa7-A-Pm-16-500	SLIDER TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 4, 8, 16
Isa-Lzm-I-400-10-550	LARGE VERTICAL-AXIS LONG SLIDER TYPE WITH BRAKE, 400W(P) HIGH-PRECISION TYPE, ISA AND ISPA ARE THE SAME PRICE I = INCREMENTAL, (A) ABSOLUTE ENCODER--\$
Rcp2-Sa7-I-Pm-16-700	SLIDER TYPE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 4, 8, 16
Ix-Nnn3515-5I-Kx-P1	ARM 350MM, Z-AXIS 150MM, XSEL-KX, 200V
Rcp2-Ss-A-Pm-6-500	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs2-Rgd4r-A-20-3-200	ROD / DOUBLE GUIDE / FOLDED MOTOR TYPE, 20W, ABSOLUTE ENCODER, LEAD 3MM
Rcaw-Ra3r-I-20-5-150	ROD / FOLDED MOTOR TYPE, 20WDUST/SPLASH-RESISTANT TYPE IP54INCREMENTAL ENCODERLEAD (MM) -- 2.5, 5, 10
Rcp2-Ss-A-Pm-6-400	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rca2-Sa6r-I-30-3-550	SLIDER / FOLDED MOTOR TYPE, 30WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML)

	MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE O
Sel-G-2-Ac-200.200-Eu	CONTROLLER SUPER SEL TYPE EU 6.3A 100VAC
Rcp2-Ss7r-I-42p-12-150	SLIDER / FOLDED MOTER TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 12MM
Lsa-S8sm-I-100-360	LINEAR SERVO ACTUATOR, SHAFT / MULTI SLIDER TYPE, 100W INCREMENTAL ENCODERCONTROLLER TYPE: XSEL-P/Q, SCON, SSELCONTROLLER NOT INCLUDED
Rcp2cr-Sa7-A-Pm-8-100	SLIDER / CLEANROOM TYPE CLASS 10, ABSOLUTE, LEAD 8MM
Rca-Rgd4d-A-30-3-50	ROD / DOUBLE GUIDE / MOTOR BUILT-IN TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12*COMPATIBLE CONTROLLER: ASEL-ABSOLUTE ONLY
Rca2-Sa4r-I-20-10-400	SLIDER / FOLDED MOTOR TYPE, 20WINCREMENTAL ENCODERLEAD (MM) -- 2.5, 5, 10 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE
Icsa2-Be1h-I-30-20	I=INCREMENTAL ENCODER
Rcp2-Sa7r-I-56p-8-250	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL ENCODER, LEAD 8MM
Rcs2cr-Sa6c-A-30-3-600	SLIDER / CLEANROOM / COUPLING TYPE, 30W, ABSOLUTE ENCODER, 3MM
Rcp2-Sa6r-A-Pm-12-350	SLIDER / FOLDED MOTOR TYPE, ABSOLUTE, LEAD 12MM
Xsel-K-1-400i	SINGLE AXIS INCREMENTAL K-TYPE, GENERAL TYPE(30D)RCS2, (30R)RS *ADD OPTION AFTER I: B(BRAKE), C(C.SENSOR)HA(HIGH-G), L(LIMIT SWITCH), M(MASTER- AXIS),
Isa-Lxm-I-200-10-350	LARGE X-AXIS LONG SLIDER TYPE, 200W(P) HIGH-PRECISION TYPE, ISA AND ISPA ARE THE SAME PRICE I = INCREMENTAL, (A) ABSOLUTE ENCODER--\$180 ADDERLEAD (MM)
Isa-Lym-I-400-20-750	LARGE Y-AXIS LONG SLIDER TYPE, 400W(P) HIGH-PRECISION TYPE, ISA AND ISPA ARE THE SAME PRICE I = INCREMENTAL, (A) ABSOLUTE ENCODER--\$180 ADDERLEAD (MM)
Rcp2-Sa7r-I-56p-16-250	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL ENCODER, LEAD 16MM
Ix-Inn8020-5I-Qx4	ARM 800MM, WITH XSEL-P/Q(4-AXIS) 3-PHASE 200V
Rcs-Sm-I-100-M-600	SLIDER TYPE, INCREMENTAL ENCODER, 100W, MEDIUM
Rca-Sa6c-A-30-3-550	SLIDER / COUPLING TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12
Rca-Sa6c-A-30-3-400	SLIDER / COUPLING TYPE, 30WABSOLUTE ENCODERLEAD (MM) -- 3, 6, 12
Rcp2-Smr-I-Pm-10-1000	ACUATOR ONLY, STEEL BASE, INCREMENTAL, LEAD 10MM

Ns-Mxmm-I-200-20-900	MEDIUM ROTATING NUT TYPE, HORIZONTAL / MULTI SLIDER, 200W I = INCREMENTAL ENCODER(A) ABSOLUTE ENCODER--\$650 ADDERLEAD (MM) -- 20, 30CONTROLLER TYPE (N
Lsa-S8hs-I-100-240	LINEAR SERVO ACTUATOR, SHAFT / HI-THRUST / SINGLE SLIDER TYPE INCREMENTAL ENCODER, 100WCONTROLLER TYPE: XSEL-P/Q, SCON, SSELCONTROLLER NOT INCLUDED
Rca-Sa4r-A-20-5-50	SLIDER / FOLDED MOTOR TYPE, 20WABSOLUTE ENCODERLEAD (MM) -- 2.5, 5, 10(*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE OPT
Rcs2w-Ra4r-A-30-3-150	ROD / FOLDED MOTOR TYPE, 30W , DUST/SPLASH-RESISTANT TYPE IP54, ABSOLUTE LEAD 3MM
Xsel-P-1-200i	SINGLE AXIS, INCREMENTAL, CE CERTIFIED(P) STANDARD (Q) GLOBAL-SAFETY CATEGORY 4(30D)RCS2, (30R)RS *ADD OPTION AFTER I: B(BRAKE), C(C.SENSOR)HA(HIGH-G)
Rca-Rgs3d-I-20-2.5-50	ROD / SINGLE GUIDE / MOTOR BUILT-IN TYPE, 20WINCREMENTAL ENCODERLEAD (MM) -- 2.5, 5, 10
Ssel-C-2-200a-A-Np-2-1	2-AXIS, ABSOLUTE, PROGRAM TYPE
Rcs2w-Ra4r-A-30-3-50	CONTROLLER NOT INCLUDED(T1) XSEL-J/K
Rcs-Ra55-I-60-Gs1-L-150	ROD / SINGLE GUIDE TYPE, 60W, INCREMENTAL ENCODER, 1 GUIDE POSITION, LOW
Rcs-Sm-I-100-M-150-S	ACTUATOR SLIDER TYPE 100WATT INCREMENTAL ENCODER
Isda-M-I-100-5-700	DUST-PROOF TYPE, MEDIUM FRAME, 100W(P) HIGH-PRECISION TYPE, PRICES ARE THE SAME AS ISDA I = INCREMENTAL, (A) ABSOLUTE ENCODER--\$180 ADDERLEAD (MM) --
Ix-Hnn8040-5I-Kx-N1	ARM 800MM, Z-AXIS 400MM, XSEL-KX, 200V
Rcs-Smr-A-100-M-300	SLIDER TYPE, ABSOLUTE ENCODER, 100W, MEDIUM
Rcp2-Ss-I-Pm-6-200	SLIDER TYPE, STEEL BASE(I) INCREMENTAL, (A) ABSOLUTELEAD (MM) -- 3, 6, 12
Rcs2-Rgs5c-A-100-4-200	ROD / SINGLE GUIDE / COUPLING TYPE, 100W, ABSOLUTE ENCODER, LEAD 4MM
Rcp2-Sa6r-I-Pm-12-500	SLIDER / FOLDED MOTOR TYPE, INCREMENTAL, LEAD 12MM
Rca2-Sa5r-I-20-6-450	SLIDER / FOLDED MOTOR TYPE, 20WINCREMENTAL ENCODERLEAD (MM) -- 3, 6, 12 (*) CABLE OPTION (ML) MOTOR FOLDED LEFT(STANDARD), (MR) RIGHT**LIST MULTIPLE O
Rcp2cr-Sa7c-I-56p-8-750	SLIDER / CLEANROOM TYPE CLASS 10, INCREMENTAL ENCODER, LEAD 8MM
Rcs2cr-Sa7c-I-60-4-100	SLIDER / CLEANROOM / COUPLING TYPE, 60W, INCREMENTAL ENCODER, LEAD 4MM

Rcs2-Rgd4c-I-30-3-100	ROD / DOUBLE GUIDE / COUPLING TYPE, 30W, INCREMENTAL ENCODER, LEAD 3MM
Rcs2-Rgs5c-I-60-4-300	ROD / SINGLE GUIDE / COUPLING TYPE, 60W, INCREMENTAL ENCODER, LEAD 4MM
Xsel-J-1-150i	SINGLE AXIS INCREMENTAL J-TYPE, COMPACT TYPE(30D)RCS2, (30R)RS *ADD OPTION AFTER I: B(BRAKE), C(C.SENSOR)HA(HIGH-G), L(LIMIT SWITCH), M(MASTER-AXIS),
Rcs2-Sa5c-A-20-3-250	CONTROLLER NOT INCLUDED(T1) XSEL-J/K, (T2) SCON / SSEL / XSEL-P/Q
Ix-Nsn6016-5I-Px4	ARM 600MM, Z-AXIS 160MM, XSEL-PX/QX(4-AXIS)
Rcp2-Rtcsi-I-20p-30-360-P1	ROTARY-SMALL/FLAT TYPE, MULTIPLE ROTATION SPECIFICATION, GEAR RATIO: 30
Rcacr-Sa6d-A-30-3-600	SLIDER / CLEANROOM / MOTOR BUILT-IN TYPE, 30W ABSOLUTE ENCODER
Rcp2-Hsmr-I-Pm-30-900	SLIDER / HIGH-SPEED / FOLDED MOTOR TYPE, STEEL BASE, INCREMENTAL ENCODER, LEAD 30MM