

Interpump

Garanti: 12 ay
Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.
Interpump Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Interpump Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.



Ürün	Açıklama
Pumpe Serie 47 Type Ws 1630	Art nr. M42001314 Customs tariff number: 84135069 Three-plunger pump Pump head material: brass Drive side: right Operating pressure max .: 160 bar Delivery volume max .: 30 l / min Drive speed: 1450 1 / min Drive power: 9.2 kW / (12.5 hp) Weight: 15kg
Fe 5101	Pumpe Serie FE Type M42001112 Customs tariff number: 84135069 Special pump with extremely low delivery rate Drive shaft: right Operating pressure max .: 100 bar Delivery volume: 1.0 l / min Drive speed: 1450 1 / min Drive power: 0.21 kW / (0.28PS) Weight: 5.2 kg
0210PE5050SE	
13346010	
169	
173	
2414B-P	
2700KPP02000	

[3181](#)[36.2035.51](#)[36.7127.01](#)[47.1201.41](#)[69.0400.09](#)[69.0503.54 POS:30](#)[69.2115.51](#)[69.2196.66](#)[76120022](#)[90.1656.00 POS:11](#)[90.1672.00](#)[90.2160.00](#)[90.2210.00](#)[90.2770.00](#)[90.2774.00](#)[90.3573.00](#)[90.3585.00](#)[90.3835.00](#)[90.3857.00](#)[90.3880.00](#)[90.3885.00](#)[90.4065.00](#)[90.4131.00](#)[90.5233.00](#)[90.9162.00](#)[90382000](#)[90405500](#)[96.7286.00](#)[96.7565.00 POS:31](#)[AT0055CL](#)

AT0088CL
BO10NM66Q
DRUCKREGELVENTIL HM
Druckseite KT36 - KT40 - WK8/36.7143.01
FE5108
H 283
HM:755/100 M3/H 3HP
HT 4721
HT4723
HT6313
HT6639
IP47040509
IP90230000
IP90231000
IP90358500
IP90361600
IP90506700
IP94
IP96728600
IPKIT182
KIT123
KIT28
KIT37
KIT41
KIT43
KS 40-1200-INOX-rechts
M40501002
M40602001
M42001008
M42001009

M42001030,T521
M42001061
M42001081
M42001223
M42001231
M49815004
M51042
M51042F
M51062
M60082F
P81Z1P25742
QUIKY-HU 2/70 EU
QUIKY-HU 8/70 EU
RS 500
SSE2041
VHT 6313
VHT6968
VHT7095
W 2141
W-12
W 132
W 1507VH
W 1550
W 3-SC
W 928
WK8
WM1615C
WS 201
WS 202
WS 202 Atex

WS151	
WS252 ATEX	
EH 2009 pump	CAREL UA200ZD400
AB150	Ohne motor
W4015-300 BAR	
104 REPAIR KIT KIT82	
104 REPAIR KIT SEAL 32*42*7	
70.2217.66	Center ring KEZ ø 36
90.5180.00	Support ring
M42001314	Pump Series 47 Type WS 1630 Customs tariff number: 84135069 Triple-plunger pump Pump head material: brass Drive side: right Maximum operating pressure: 160 bar Maximum delivery volume: 30 l/min Drive speed: 1450 rpm Drive power: 9.2 kW / (12.5 HP) Weight: 15kg
pos. 22 - 26 18mm	
pos.43	
pos.46	
pos.30	
pos33	
pos.12	
New Pump - SW1B1514	
24078463	
M42001371	Pump AB 80 - ø 35 - PTO, series 68 The pump head is made of grey cast iron and has a high-quality Polymer coating as corrosion protection. Left drive shaft: 1 3/8" splined shaft Drive shaft right: cyl. ø 35 mm Max. operating pressure: 60 bar Maximum flow rate: 75 l/min Drive speed: 550 rpm Drive power: 8.6 kW / (11 hp) Weight: 41 kg
M40502140	Safety valve SX 2-200 bar-stainless steel Customs tariff number: 84818059 The safety valve is made entirely of stainless steel This valve is set to the maximum pressure you require. Operating pressure (+20%) set and sealed. Max. flow: 190l/min Thread: 1/2" Weight: 1.6 kg
modello vht 6313	
Type SW1B 1511	M50000021 Pump series SW1 type SW1B 1511 For seawater Customs tariff number: 84135069 Stainless steel pump head Material grade: 1.4435 / AISI 316L Drive side: right Maximum operating pressure: 150 bar Maximum flow rate: 11 l/min Drive speed: 1450 rpm. Drive power: 3 kW Weight: 6 kg

M50000022	Pump series SW 1 type SW 1B 1514 For seawater Stainless steel pump head Material grade: 1.4435 / AISI 316L Drive side: right Maximum operating pressure: 150 bar Maximum flow rate: 14 l/min Drive speed: 1450 rpm. Drive power: 4 kW Weight: 6 kg
SW 1B1514	
repair kit for SW 1B1514	
66.0819.66	
97.7405.00	
51030022	
34004401	
W w944	
601k5360000	
Zman060	
10740601	
90.1625.00	
6434025	
36.7131.01	
90.1565.00	
47.0405.09	
36.3187.51	
90.5022.00	
52040009	
Kf 40	
36.7130.01	
6434097	
45g2008	
34.0065.01	
36.7065.01	
66.0501.66	
Ztool	
34002301	

47.0217.35
90.2310.00
66.0204.35
Zman100
90.1648.00
91.8378.00
34007901
90.2360.00
W 827
10.7396.01
Rmax1500
Ws 104 Dx
31290571300/Cm
47.0816.66
37000h00130_60epe00g24v7 S/N:266/11-72
Fe 5108
Ws104
47.0815.66
10.7395.01
6434023
69.0304.01 Pos:22
69.0205.35 Pos:18
90.2250.00
Model: Ws202
51.0400.09
90358200
6434083
66.0300.01
34003801
Pump Series 47.SS Type SSE 2021 Customs tariff number: 84135069 Stainless steel pump head Material quality: 1.4435

Type Sse 2021	/ AISI 316L Delivery temperature max: 85 ° C Form: at 85 ° C min. 3 bar Drive side: right Operating pressure max .: 200 bar Delivery volume max .: 21 l / min Drive speed: 1450 l / min. Drive power: 8.01 kW / (10.9 hp) Weight: 14.5 kg Country of origin: Italy
34006201	
Kit123	
90.3616.00	
36.2010.76	
34003701	
34005101	
34004301	
199k2190000	
36.2011.66	
34012701	
47.2176.66	
66.0404.09	
69.0100.22	
34006901	
90.2350.00	
34000201	
T1750	
W140 Vh	
47.2177.66	
90.2300.00	
63.2100.51	
44040109	
90.2262.00	
34008801	
44030022	
90.9126.00	
44.2115.70	

[47.0300.01](#)

[10.0297.70](#)

[66.2174.66](#)

[90.3572.00](#)

[Tt1513c](#)

[36.2009.51](#)