



Intralox

Garanti: 12 ay
Bu ¼r¼ne ait T¼rkiye ii kapı teslim fiyat ve teslim s¼resi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Intralox** Markası, tedarik s¼resi iin l¼tfen bizimle iletiŐime geiniz.

Firmamız Intralox T¼rkiye Distrib¼t¼r¼ veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen ¼r¼nlerde sadece Orjinal ve yeni ¼r¼n teklifi sunmaktadır. Bu sitede g¼sterilen ¼zel marka adları ve ticari markalar ilgili sahiplerinin m¼lkiyetindedir, talep durumunda kaldırılmaktadır.

¼r¼n	Aıklama
S3f5xxchk1ng	GEAR SERIES 2400 3.9 "/ 99 MM (12T) AZETAL NATURE WITH 40 MM SQUARE HOLE H. S. 8483.90.89 Country of origin: United States of America
7465	Ribbon: Series 2400 Radius Flush Grid Acetal Blue Width: 406 mm (+/- 1 mm) (30.5 links) Length: 5.01 meters (196 rows) Hinge rods: acetal white
10743	
10856	
1100	
1171	
12346	
1258	
1491	
16391	
169251	
184004	
192226	

19253
221088
2239
2877
29216
2931
2955
36753
3954
400
4063 [MCP000512]
4063 [MCP000513]
4227
54500
72892
75011
8180
900
A1D943BCS1LT
A1D943BCU1LT
A1E244DCF1LT
A2F551BCP1LA
A2F551BCP1LV
A3BXXX040MNM
A3EXXX060MMT
F1F552C7ICLA
G1F5AUXXD2LA
M1D844DXAJLE
M1D844DXGXLE
M1D844DXJXLE
R1USX0156ILZ
S3D4XXCPL2NG
S3D4XXCYL2NG
S3D4XXDDE7NG
S3D8G5CPK1LE
S3D8G5CPK1NG

S3D8XXCPK1NG	
S3D9XXCFK1NG	
S3D9XXDBK1NG	
S3E1I6CGK1LS	
S3E1I6CNK1LS	
S3E1I6CVJ7LS	
S3E1XXCGK1NG	
S3E1XXCKK1NG	
S3E1XXCNK1NG	
S3F5G5CNK1NG	
S3F5G5CNK1YQ	
S3F5XXCYJ2NG	
S3F5XXCYJ5NG	
S3F9XXDCL2MB	
S4D9XXDUL2MT	
S800_FT_PP	
S909XXDBL2NN	
WW-45	
XS6H6J6DDL2TS	
S3F5XXCHK1NG	GEAR SERIES 2400 3.9"/99MM (12T) NATURAL ACETAL WITH 40 MM SQUARE HOLE H.S. 8483.90.89 Country of origin: United States of America
S3E1H2CKK1LS	GEAR SERIES 1100 117MM (24T) EZ TRACKING ACETAL GRAY WITH 40MM SQUARE HOLE. PLEASE NOTE: For use with FLAT TOP belts, ordered AFTER 07/01/2003 and ALL FLUSH GRID tapes. H.S. 8483.90.89 Country of origin: United States of America
22467	Tape: Series 100 Flush Grid White Polypropylene Width: 297mm (+/- 1mm) (47.0 links) Length: 8.02 meters (315 rows) Hinge rods: natural polypropylene H.S. 3926.90.97 Country of origin: Netherlands
Series1100	1.5"x40mm square hub 24 teeth 4.6" 117mm PD
S1100 Acetal	37cm x 10meter
S3E1I6CGK1LS	GEAR SERIES 1100 3.8"/97MM (20T) EZ TRACKING / EZ CLEAN ACETAL GRAY AT 40 MM SQUARE HOLE. PLEASE NOTE SHE: For use with FLAT TOP straps, ordered AFTER 07/01/2003 and ALL FLUSH GRID tapes bandwidth at 21°C
A4D4R7XXXFNK	FINGER TRANSFER PLATE SERIES 400/1200 IN 2 MATERIALS FOR GLASS APPLICATIONS. WITH SHORT FINGERS AND LONG PLATE. WITHOUT EQUIPMEN
A4D4R7XXXFNK-11	Finger transfer plate, series 1200
A3AXXX040MMT	SEGER RING MADE OF STAINLESS STEEL (V2A) FOR 40 MM SQUARE SHAFT (DIN 471, 55 x 2 MM, A2)

S3H2G5CZK1TE	THERMODRIVE 8050 GEAR 165MM/6.5" (10Z) EZ-CLEAN ACETAL LIGHT BLUE WITH 40 MM SQUARE HOLE
A3EXXX040MMT	SPLIT CLAMPING RING MADE OF STAINLESS STEEL (V2A) FOR HEAVY LOADS FOR 40 MM SQUARE SHAFT
SAXXACXXK1QW	Gear spacer 1"/25.4 mm wide Detectable Acetal Blue with 40mm square bore
SAXXAAXXK1QW	Gear spacer 1.5"/38.1 mm wide Detectable Acetal Blue with 40mm square bore
D1H2A2CZK1MV	THERMODRIVE 8050 6.5"/165MM SUPPORT WHEEL NATURAL POLYETHYLENE WITH 40 MM SQUARE HOLE
3457	Belt: ThermoDrive Series 8050 Flat Top E (7mm) Polyurethane Blue Tape ends: prepared ends (for ThermoDrive splice) Width: 580mm (+/-2mm) Length: 5.5 meters (111 rows) This tape requires a ThermoDrive splice System spot to front the tape ends to combine use.
D6XXA3CUF9MV	FLANGE ROLLER 152MM PE 1000 WITH 1-9/16" (39.7MM) ROUND BORE
D6XXA4CUF9MV	STRAIGHT ROLL 152MM PE 1000 WITH 1-9/16" (39.7MM) ROUND BORE
S6G9XXCKK1NN	SERIES 1000 4.6" (24T) GREY GLASS FILLED NYLON SPLIT SPROCKET WITH 40 MM SQUARE BORE
A4D4R0XXFNK	FINGER TRANSFER PLATE SERIES 400/4500/1200 IN 2 MATERIALS FOR GLASS APPLICATIONS. WITH MIDDLE FINGERS AND LONG PLATE. WITHOUT ACCESORIES.
A1D943BCT1LT	Series 900 Mold To Width Raised Rib Acetal Blue 46 mm/1.8" wide (packaging unit: approx. 3 Meter)
hermoDrive Serie 8140 Flat Top E	(10.5mm) Polyurethane A23 Blue Tape ends: prepared ends (for ThermoDrive splice) Width: 600mm (+/-2mm) Length: 20.4 meters (517 rows) bandwidth at 21°C This tape requires a ThermoDrive splice System spot to front the tape ends to combine use. A Series 8140 Deck Insert is required when using a ThermoDrive Streamline Splicer. ThermoDrive Gen 2 Splicers cannot be used to splice this belt.
486169	Tape: Series 1500 Flush Grid Polypropylene Blue Width: 2151mm (+/-9mm) (42.25 links) Length: 3.0 meters (236 rows) Hinge Bars: Acetal Blue bandwidth at 21°C
Band: ThermoDrive Serie 8050 Flat Top E	(7mm) Polyurethane Blue Band ends: prepared ends (for ThermoDrive splicing) Width: 500mm (+/-2mm) Length: 2.0 meters (41 rows) This tape requires a ThermoDrive splicing system on site to secure the tape ends to combine use.
Band: ThermoDrive Serie 8050 Flat Top E	(7mm) Polyurethane Blue Band ends: prepared ends (for ThermoDrive splicing) Width: 600mm (+/-2mm) Length: 2.0 meters (41 rows) This tape requires a ThermoDrive splicing system on site to secure the tape ends to combine use.
Band: ThermoDrive Serie 8050 Flat Top E	(7mm) Polyurethane Blue Band ends: prepared ends (for ThermoDrive splicing) Width: 800mm (+/-2mm) Length: 2.0 meters (41 rows) This tape requires a ThermoDrive splicing system on site to secure the tape ends to combine use.
SEPAMATIC 4000 TAPE PU DEB AA	
1100 flush grid	to the drive gear
90622	Band: Series 400 Roller Top Polypropylene Gray Width: 1265 mm (+/-4 mm) (150.0 links) Length: 70.0 meters (1377 rows) Hinge bars: Abrasion-resistant natural nylon
S6D4XXDGL2LZ	Gear Series 400 257 mm (16T) Split HR Nylon Golden Brown with 60mm square hole

62317	Band: Series 400 Transverse Roller Top Polypropylene Grey Width: 1265 mm (+/-4 mm) (150.0 links) Length: 30.0 meters (589 rows) Hinge bars: Abrasion-resistant natural nylon
S3E2XXCHK1NG	GEAR SERIES 1400/4000 3.9"/99MM (12T) AZETAL NATURAL WITH 40 MM SQUARE BORE
1269336	Strap: Series 400 Roller Top Polypropylene Grey Width: 156 mm (+/-1 mm) (18.0 links) Length: 5.34 meters (105 rows) Hinge rods: Abrasion-resistant nylon natural
SERI 2900 SPIRALOX	SPIRALOX DD V2 ASETAL BLUE WIDTH:566MM
S800-FT	Pattern: 3 plain links / one claw link Pitch: 2" Claw height: 100 mm Claw length: 152 mm Claw length: 152 mm Band width: 695 mm Length: 20 meters
S3D4XXCYK1NG	GEAR SERIES 400 163 MM (10T) ACETAL NATURAL WITH 40 MM SQUARE BORE
S4033 7.5-in ProTrax™ Sideflexing Flat Top	
Band: Serie 400 Transverse Roller Top	15085 Polypropylene Grey Width: 761 mm (+/-2 mm) (90.0 links) Length: 10.0 meters (196 rows) Hinge rods: Abrasion-resistant natural nylon
From the Gears with Visual	
S3D9G5CJE7NG	Gear series 900 104 mm (12 teeth) acetal NATUR EZ CLEAN WITH 38.1 (1.5") SQUARE DRILL
S4D4XXDDL2MT	SCHEME SERIES 400 198 MM (12T) SPLIT (V2A toothed ring) with 60 mm SQUARE DRILL
Serie 400 Flush Grid 912 Mm	
A3exxx040mmt	
Model: Cpp 004	
S6f9xxdcl2mb	
Serie 1100 5.00 Meter	
400 Flush Grid Polypropylen Grau	
Band: Serie 1700 Flush Grid Nub Top Nylon	
8026 Flat Top E	
48348306	
1600belt	BELT
Model: Tni 001	
8800	
A2e549dxx1ls	
S1400 Band Modulare S1400 Flat Top Blue Acetal Mtw Breite 85mm Intralox	
S1001??1000 X 30.000	
S3d9xxdbk1ng Pip	
85*317 Silicon Conveyeur	

S3d9xxcvk1ng
Series 1100 Fllush Grid Transporter Belt
Serie 1100 Flush Grid Friction Top
900 Flat Top (20m)
S3f5xxcyk1ng
85*317 Silicon Conveyeur 1
Fg 1000-85
Series 900-Flash Grid Acetal Gr
400 S0400 08 T5-12 Sprocket F 132 In 60mm
Arb Typ
S3e1xxcnk1ng Pip
Serie 1100 Flush Grid Friction Top - 1699 Mm (+/-6 Mm) (201.0 Glieder)
Model: Pdp 001
S.2400 Star Acetal Nat 130 Mm (Z=16, 40x40)
Model: Tnm 010
S3d8g5czk1ng
Band: Serie 1400 Embedded Diamond Top
F1d8dgc8iesu
Model: Prt 060
Split Sprocket Series 400no Of Teeth - 10chordal Action - 4,89%bore Size - 60 Sq.Mm
S1400 Modular Tape Flat Top Blue Acetal Mtw 85mm Wide
Serie 1100 Flush Grid Polypropylen Grau
B4d4maxxxmt
85*240 Silicon Conveyeur
Serie 900 Flush Grid Azetal Weiss
S3d8xxcpk1ng Zahnrad Serie 800 132 Mm (8z) Azetalnatur Mit 40 Mm Vierkantbohrung
Series 1100 Style Flush Grid Material Asetel Width 76
S3f5xxcnk1ng Zahnrad Serie 2400 5.1"/130 Mm (16z)azetal Natur Mit 40 Mmvierkantbohrung
S3e1xxcej5ng
Model: Tap 010
56279
Serie 900 Flush Grid Polypropylen Weiss
85*240 Silicon Conveyeur Attached Image

S3e1i6cfm3ls	
S3e1h2cfk1ls	
Serie 100 Flush Grid Polypropylen Blau	
Darb4500	
A1d941dcb1lb Serie 900 Mold To Width Flush Grid [flush Grid]	
900 Flat Top	
Serie 900 Flat Top Azetal Blau	
Series 900 Sprocet (Z=12)	
Band: Serie 2400 Radius Flush Grid W/Hd	
S6e2xxcrj6nn	
Model: Cpp 001	
Model: Pax 001	
A4d4r5xxxfnk	
S3e1xxckk1ng Zahnrad Serie 1100 117 Mm (24z) Azetalnatur Mit 40mm Vierkantbohrung	
Model: Pax 003	
Int900196x30	BELT
Serie 900 155 Mm (18z) Azetal	
S2800	
S3e1i6cvj7ls Zahnrad Serie 1100 155 Mm (32z) Eztacking/Ez Clean Azetal Grau Mit 40 Mmrundbohrung	
Arb™ 90-Degree Transfer S400 Conveyor Belt	
Sprocket Series 400no Of Teeth - 10chordal Action - 4,89%bore Size - 60 Sq.Mm	
16t 51pd 130mm	
S3d9xxdbj5ng	
S1100 3.1 P.D.	
96033	
Serie 400 Flush Grid 635 Mm	
Conveyor Belt Hold Down Guides (2.2 Only), Polypropylene Material	
Gear For S1001??	
900 Flat Top Band	
Arb? 90-Degree Transfer S400	
20t S2400 6,4pd 163mm	
Series800	CONVEYOR BELT
S800 Ez	

A1d944dcb1lb Serie 900 Mold To Width Flat Top Polypropylen [flat Top]
Serie 1100 Flush Grid Friction Top - 1420 Mm (+/-5 Mm) (168.0 Glieder)
S4d4xxcyl2mt
Serie 850
A1d941dcb1lb
Series:900
S3d9xxcjk1ng
Series 1500 Flush Grid Acetal
Model: Tap 020
S4d9xxdul2mt Pip
S800 Ft Pp Belt 19000x700mm For 2 Conveyors
Serie 900 Flush Grid Polypropylen Grau
A4d9r3xxxfls
Serie 900 Flush Grid Polyö;Thylen Natur
1400 Z.18
R2usx0500flj
At00202324
S6e2xxcnk1nn
51100 Kettenrad 51 Pd 130mm (51100 Ez Frask)
Model: Tap 001
S3d4xxcyk1le
Serie 900 Flush Grid Hhr Nylon
S3d8g5dck1ng
Series 1100/Flasg Grid,B= 113 In.=28702mm
S3e1xxcek1ng
Serie 1400 Flat Top Polypropylen Grau
S3f5xxcnk1ng
S400 Pp W1882mm 88rows
S3e1i6cnk1ls
Zahnrad Serie 400 132 Mm
M1d844dxajle Randmodul Serie 800 Flat Toppolypropylen Blau 33 Mm Breit
A1g944bcs1ls Mtw Band
Conveyor Belt Intralox Hold Down Guides (2.2 Only), Material Acrilat

106554
Zahnrad Serie 800 132 Mm
S3e1xxcgk1ng Pip
Serie 900 Flat Top Polypropylen Grau
S1100 Ez-Trakk
Serie 1100 Flat Top Polypropylen Grau
Band: Serie 400 Raised Rib With Slidelox
Serie 1500 Flush Grid Azetal Blau
S1001??1300 X 10.000
M1d844dxgxl Randmodul Serie 800 Flat Toppolypropylen Blau 102 Mm Breit
Serie 1100 Flush Grid Polypropylen Grau - 2865 Mm (+/-10 Mm) (339.0 Glieder)
S1400
S3d9xxcvl2ng
S3d9xxcj1ng Zahnrad Serie 900 104 Mm (12z) Azetalnatur Mit 40 Mm Vierkantbohrung
Band: Serie 400 Raised Rib With Slidelox (147.0 Glieder)
Band: Serie 400 Flush Grid With Slidelox
Serie 1100
Modular Tape Width: 50 Please look at the attachment
Series 900 2-49
A4f4r2xxxfls
A4d4r7xxxfnk
Serie 1500 Flush Grid Polypropylen Blau
M1d844dxjxl Randmodul Serie 800 Flat Toppolypropylen Blau 152 Mm Breit
Model: Pax 002
A1d944dcb1lb
A1g944bcs1ls
R2hsx0052ilv
S1001??400 X 15.000
Serie 900 Flat Top Hhr Nylon
S3d8g5cpk1le Zahnrad Serie 800 132 Mm (8z) E-Z Cleanpolypropylen Blau Mit 40 Mmvierkantbohrung