

Isotech

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Isotech Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Isotech Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Kleinkalibrieranlage Typ Isotech Isis	
Pegasus S 1200 Onsite-Version	
852-09-05	
C10-OI 1I	
Kleinkalibrieranlage Isotech Hyperion 2140 B Modell 936	
Dakks-Kalibrierung	
(Optional) Dakks Calibration	DAkkS calibration of a standard thermometer in the range -38 ° C to 660 ° C DAkkS calibration of a working standard thermometer to the Fixed points of the ITS-90. Achievable measurement uncertainties: Mercury -38.8344 ° C 3.5mK Water trip point 0.01 ° C 2.5mK Gallium 29.7646 ° C 2.5mK Tin 231.928 ° C 7.0mK Zinc 419.527 ° C 12mK Aluminum 660.323 ° C 20mK The achievable measurement uncertainties depend on the DUT. Some typical measurement uncertainties can be found at: www.kalibrierdienst-klasmeier.de/mu The fixed points are determined according to the temperature ranges of the ITS 90 selected. This will be done before the calibration Working standard thermometer sufficiently aged. Hydrostatic pressure effects in the fixed-point cells
Jupiter S 650 Vor-Ort-Version	
Kleinkalibrieranlage Typ Isotech Jupiter B Plus	
Carrying Case For The Tti-10 931-22-101	

Ürün	Açıklama
Isotech Isis	
935-14-61/Db	
Mz7x15	
935-14-72/Tti7	
lpm3005	
Dp75x01	
Europa (Range: -45 ?140)	
935-14-91/S Temperature Range 0;C To 1300;C	
Lpd340	
Jupiter Basic Model	
Tti Semi Standard Pt100 Probe For Tti-10 Temperature Range -148 To 842;F (-100 To 450;C) 935-14-11	
935-14-95h/Bw	
Artikel Nr.: 923	
Hyperion Basic Model	
Europa S Onsite-Version	
C6142t	
Semi Standard 909/100h	
Isotech Jupiter Sn Plus	
Tti Semi Standard Pt100 Probe For Tti-10 Temperature Range: -50;C To 250;C 935-14-61tti	
Transportkoffer	
Pegasus Basic Model	
Modell Isotech Neptun 915 H	
4852	

Ürün	Açıklama
Standard Kalibrierteinsatz Hyperion Amp; Drago	
935-14-72/Bw	Platinum Resistance Thermometer 935-14-72 / BW Temperature range: -50 ° C to 670 ° C Diameter: 6mm Length: 375mm Item No .: 935-14-72 / BW
006-A	
Isotech Pegasus Plus Sn 1200	
Isotech Jupiter B Plus	
Rs 697-4049	
Normalthermoelement Modell 1600 Typ S 600mm	
931-22-111	
853-04-02	
Ips 3610d	
Ds125	
935-14-91-R-300	
Tti-10 Prö;Zision-2-Kanal Handmessgerö;T Pt100	
Pegasus Plus B 1200	
935-14-95h/Tti	