



## Jdt

Garanti: 12 ay  
Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Jdt** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

*Firmamız Jdt Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.*

rn	Aıklama
<a href="#">0020130001</a>	> Theipa <flat lock-HO- 30 x108 mm Weight / item: 24.5 kg CTC: 73269094 DIN 22258-1, turquoise
<a href="#">0020234005</a>	> Theipa <Blockschloss-HO- 34 x126 mm DIN 22258-3, Zn / Ni, turquoise Weight / Pos .: 47.7 kg CTC: 73269094
<a href="#">0020230004</a>	> Theipa <Blockschloss-HO- 30 x108 mm DIN 22258-3, Zn / Ni, turquoise Weight / Pos .: 34 kg
<a href="#">0020230004</a>	Theipa <Blockschloss-HO- 30 x108 mm DIN 22258-3, Zn / Ni, turquoise Weight / Pos .: 34 kg CTC: 73269094
<a href="#">NORM8 round steel chain TK 6-8</a>	0310106003 Surface RAL 9005 painted black Nominal size 6x18 mm according to EN 818-2 WLL 1.12 t Weight / item: 166 kg
<a href="#">NORM8 round link chain TK 8-8</a>	0310108903 Surface RAL 9005 painted black Nominal size 8x24 mm according to EN 818-2 WLL 2.0 t Weight / item: 278 kg
<a href="#">NORM8 round link chain TK 13-8</a>	0310113003 Surface RAL 9005 painted black Nominal size 13x39 mm according to EN 818-2 WLL 5.3 t Weight / item: 158 kg
<a href="#">NORM8 U-lock TBS 6-8 with clamping sleeve</a>	0352106000 WLL 1.12 t according to EN 1677-1 Surface RAL 3000 flame red powder-coated Weight / item: 1.6 kg
<a href="#">NORM8 U-lock TBS 10-8 with clamping sleeve</a>	0352110000 WLL 3.15 t according to EN 1677-1 Surface RAL 3000 flame red powder-coated Weight / item: 12 kg
<a href="#">MK 6X18TK</a>	6KLB-6-8E 6249503101060 03Z802174 CHAIN, GRADE 8, 1.12 TON, 6 MM, EN 818-2

<a href="#">MK 8X24TK</a>	8KLB-8-8E 6249703101080 03Z802176 CHAIN, GRADE 8, 2 TON, 8 MM, EN 818-2
<a href="#">MK 13X39TK</a>	13KLB-13-8E 6249903101130 03Z802157 CHAIN, GRADE 8, 5.3 TON, 13 MM, EN 818-2
<a href="#">NORM8 round link chain TK 10-8</a>	Surface RAL 9005 painted black Nominal size 10x30 mm according to EN 818-2 WLL 3.15 t Weight/Item: 93.6 kg CTC:73158200
<a href="#">ENORM round steel chain EK 18-10</a>	0310218003 Surface RAL 5021 water blue powder-coated Nominal size 18x54 mm according to PAS 1061 WLL 12.5 t Weight/Item: 76.6 kg
<a href="#">ENORM clevis hook EGH 18-10</a>	WLL 12.5 t according to EN 1677-2 Surface RAL 5021 water blue powder-coated Weight/Item: 54.4 kg CTC:73269094
<a href="#">EGKS 16-10</a>	
<a href="#">Ø16X42 PİM SHACKLE BOLT</a>	
<a href="#">THEIPA POINT 4.0 stop swivel</a>	Make: J.D.T Thread: M24x30 Tragf. 90° 4.0t Item number TP 4 M24X30
<a href="#">0381404000</a>	Stop swivel >THEIPA Point< 4 M 24 x 30 mm WLL 4,0 t
<a href="#">0381401003</a>	Stop swivel >THEIPA Point< 1.4 M 24 x 30 mm WLL 1.7 t M24x30 A2
<a href="#">GP276628</a>	H-Ring M16x30 D36.5 T96 A13 P WLL1.4
<a href="#">0381705000</a>	Anchor point TAPS 5 for welding
<a href="#">0381417000</a>	Stop swivel >THEIPA Point< 17 M 45 x 60 mm WLL 17.0 t
<a href="#">0381404000</a>	Stop swivel >THEIPA Point< 4 M 24 x 30 mm WLL 4.0 t
<a href="#">0381410001</a>	
<a href="#">Tp10-M36x50mm</a>	
<a href="#">0381404003 (Tp 4.0 M30x35)</a>	
<a href="#">0381420000 (Tp 17 M64x96)</a>	
<a href="#">0381402000 (Tp 2.5 M20x30)</a>	
<a href="#">Tp2,5 (M20x30 Wll2,5t)</a>	
<a href="#">Wg 6</a>	
<a href="#">Tp12.5 M48x72</a>	
<a href="#">0381801000</a>	
<a href="#">Fp 4s, M24x80</a>	
<a href="#">0381412003 (Tp 12.5 M42x50)</a>	
<a href="#">Tbs 6</a>	
<a href="#">0381410000</a>	
<a href="#">0381417002</a>	
<a href="#">0381410000 (Tp 10 M36x50)</a>	
<a href="#">03814-08001</a>	
<a href="#">Tp1.4 M16x20 Mm</a>	
<a href="#">0381402000</a>	
<a href="#">03814-12001 (Tp12.5, M48*72)</a>	

<a href="#">Fp2,5 M20x70</a>
<a href="#">0360306000 (Gh6-8 Sf)</a>
<a href="#">0381400000</a>
<a href="#">Tp0.7 M8x12mm</a>
<a href="#">0381417001 (Tp 17 M48x60)</a>
<a href="#">0381412003</a>
<a href="#">Tp1.4 M16x20</a>
<a href="#">0381401000</a>
<a href="#">Tk6 -2m</a>
<a href="#">0394506000 (Gh 65 F)</a>
<a href="#">Tp12.5 M42 X 60</a>
<a href="#">0381420000</a>
<a href="#">0381404000 (Tp 4.0 M24x30)</a>
<a href="#">0381412001</a>
<a href="#">0381406000</a>
<a href="#">0381404000</a>
<a href="#">0381417002 (Tp 17 M56x78)</a>
<a href="#">Tp12.5 M48 X 72</a>
<a href="#">Tp6,7 (M30x35 WII 6,7t)</a>