

## Kadant

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için [info@yursat.com.tr](mailto:info@yursat.com.tr) e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

**Kadant** Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

*Firmamız Kadant Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.*

| Ürün                          | Açıklama                                                                                                                                                                                                                                                                                                                                                                                                                                            |
|-------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <a href="#">GA006002506</a>   | Design = 1-channel<br>Inner Tube Type = None<br>Type of suspension = self-supporting<br>Medium = Air, coolant, hydraulic oil<br>Temperature = 120°C<br>Seal Head Size = 0.25"<br>Rotor Size & Type = 0.25" BSP (ISO 228) RH<br>Nipple material = corrosion resistant<br>Medium connection M = 0.25" NPT RH<br>Seal ring material = Q5/Z11<br><br>Ursprungsland: IT<br>Zolltarifnummer: 84842000<br>Gewicht / Stück: 0.28 KG                         |
| <a href="#">GFLA009028405</a> |                                                                                                                                                                                                                                                                                                                                                                                                                                                     |
| <a href="#">995.533/0006</a>  | Design = 1-channel<br>Type of suspension = self-supporting<br>Medium = water < 110C<br>Pressure = 13 BARG<br>Temperature = 105°C<br>Speed (RPM) = 3500<br>Seal Head Size = 0.75"<br>Rotor Size & Type = 0.75" BSP (ISO 228) RH<br>Nipple material = corrosion resistant<br>Medium connection M = 0.75" BSP (ISO 228) RH<br>Sealing ring material = compact mechanical seal<br>tungsten carbide versus carbon graphite,<br>Secondary sealing: AFLAS® |
| <a href="#">995.550/0001</a>  | Kadant Johnson 2" Sealing Head 4200RXA (RH)<br>Country of origin: NL<br>Customs tariff number: 84199085<br>Weight / piece: 12.5 KG<br>Delivery time: 25 working days<br>Design = 1-channel, self-supporting, ball bearing, for water<br>pmax = 13 barg, tmax = 105°C, nmax = 750 rpm                                                                                                                                                                |

| Ürün           | Açıklama                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                | Rotor size and type = 2" BSP (ISO 228) RH<br>Rotor material = corrosion resistant<br>Medium connection M = 2" BSP (ISO 228) RH<br>Sealing ring material = carbon graphite versus tungsten carbide<br>secondary sealing made of AFLAS®                                                                                                                                                                                                                                                                                                       |
| 995.550/0002-  | Kadant Johnson 2" Sealing Head 4200RXA (LH)<br>Country of origin: NL<br>Customs tariff number: 84199085<br>Weight / piece: 12.5 KG<br>Delivery time: 25 working days<br>Design = 1-channel, self-supporting, ball bearing, for water<br>pmax = 13 barg, tmax = 105°C, nmax = 750 rpm<br>Rotor size and type = 2" BSP (ISO 228) LH<br>Rotor material = corrosion resistant<br>Medium connection M = 2" BSP (ISO 228) RH<br>Sealing ring material = carbon graphite versus tungsten carbide<br>secondary sealing made of AFLAS®               |
| 995.231/0001   | Kadant Johnson rotary union 4500WXAF<br><br>Design = 1-channel, self-supporting, ball bearing for water<br>Design according to CAD NL11690 (retaining pins made of stainless steel)<br>pmax. = 10 barg, tmax. = 105°C<br>Seal head size = 5"<br>Rotor size and type = 5" fixed flange<br>(OD= 279,400 mm, LK= 225.00 mm, n= 6x & 8x 21,500 mm)<br>Rotor material = ductile iron<br>Medium connection M = 125.00 PN16 EN1092-1 flange<br>Sealing ring material = carbon graphite versus tungsten carbide<br>Secondary sealing made of AFLAS® |
| 790.920        | O-Ring 2-224-V                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 790.986        | O-Ring 2-126-V                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                              |
| 790.914        | O-Ring 2-222-V CJI ID 46                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
| 995.550/0001-  | Kadant Johnson 2" Sealing Head 4200RXA (RH)<br>Design = 1-channel, self-supporting, ball bearing, for water<br>pmax = 13 barg, tmax = 105°C, nmax = 750 rpm<br>Rotor size and type = 2" BSP (ISO 228) RH<br>Rotor material = corrosion resistant<br>Medium connection M = 2" BSP (ISO 228) RH<br>Sealing ring material = carbon graphite versus tungsten carbide<br>Secondary sealing made of AFLAS®                                                                                                                                        |
| 995.550/0002-- | Kadant Johnson 2" Sealing Head 4200RXA (LH)                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                 |

| Ürün                           | Açıklama                                                                                                                                                                                                                                                                                                                                              |
|--------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
|                                | Design = 1-channel, self-supporting, ball bearing, for water<br>pmax = 13 barg, tmax = 105°C, nmax = 750 rpm<br>Rotor size and type = 2" BSP (ISO 228) LH<br>Rotor material = corrosion resistant<br>Medium connection M = 2" BSP (ISO 228) RH<br>Sealing ring material = carbon graphite versus tungsten carbide<br>Secondary sealing made of AFLAS® |
| 230-NL9276                     |                                                                                                                                                                                                                                                                                                                                                       |
| 9910001/S0016                  |                                                                                                                                                                                                                                                                                                                                                       |
| 8610003/S0006                  |                                                                                                                                                                                                                                                                                                                                                       |
| G 1 1/2"-RH                    |                                                                                                                                                                                                                                                                                                                                                       |
| 995.550/0002 TS:18/105C 13BAR  |                                                                                                                                                                                                                                                                                                                                                       |
| 995.550/0001 TS:18/105C 13BAR  |                                                                                                                                                                                                                                                                                                                                                       |
| N2703                          | THURST COLLAR                                                                                                                                                                                                                                                                                                                                         |
| 9940084/0001                   |                                                                                                                                                                                                                                                                                                                                                       |
| 860.304                        |                                                                                                                                                                                                                                                                                                                                                       |
| 3500sxbq                       |                                                                                                                                                                                                                                                                                                                                                       |
| 993 096                        |                                                                                                                                                                                                                                                                                                                                                       |
| 9940084 0001                   |                                                                                                                                                                                                                                                                                                                                                       |
| 9940170 0008                   |                                                                                                                                                                                                                                                                                                                                                       |
| 3550elsbrq                     |                                                                                                                                                                                                                                                                                                                                                       |
| Sr3510 1                       |                                                                                                                                                                                                                                                                                                                                                       |
| 3550sxbq                       |                                                                                                                                                                                                                                                                                                                                                       |
| 9940055/0001                   |                                                                                                                                                                                                                                                                                                                                                       |
| Order Number :30723-91-306-307 |                                                                                                                                                                                                                                                                                                                                                       |
| 995.530/0008                   |                                                                                                                                                                                                                                                                                                                                                       |
| 620-00359                      |                                                                                                                                                                                                                                                                                                                                                       |
| 620 00359                      |                                                                                                                                                                                                                                                                                                                                                       |
| Sj10756-Silver                 |                                                                                                                                                                                                                                                                                                                                                       |

| Ürün              | Açıklama |
|-------------------|----------|
| N10754q           |          |
| Ema37430-A        |          |
| A31159            | PC BOARD |
| 995.530/0007      |          |
| Sx3510            |          |
| 993.096           |          |
| 995.550/0002      |          |
| 2750elsnarq       |          |
| 9940084/0006      |          |
| Sj637-13          |          |
| Teile-Nr. 3212011 |          |
| Sx3506r-Ai        |          |
| N10753-1          |          |
| Wx-4125           |          |
| 9940170/0008      |          |
| Sr3510-1          |          |
| J2602na 5         |          |
| Bearing Nup 309e  |          |
| 9940122/0017      |          |
| S2510             |          |
| Sx3506r Ai        |          |
| Gfra009030120     |          |
| J2506gs           |          |
| Ema37430 A        |          |
| Sj637 13          |          |
| J2602na-5         |          |

| Ürün                                 | Açıklama |
|--------------------------------------|----------|
| J6754-W4ic-3                         |          |
| 2750elsnarq-2-3-1/2 (Part N:D037007) |          |
| N10753 1                             |          |
| 860 304                              |          |