



Karl Klein Ventilatorenbau

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Karl Klein Ventilatorenbau Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Karl Klein Ventilatorenbau Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
76157-1.030	DNG 2-4,8/TS-300°C Weitspannung 5-60Hz Three-phase low pressure fan Direction of rotation: clockwise Nominal power: 65 watts Nominal current: 0.36 / 0.21 Amp. Degree of protection: IP54 Isolation class: F Number of poles: 2 Temperature lock: up to 300 ° C Fan wheel: sheet steel (galvanized) Housing: sheet steel Painting: RAL9005 deep black Terminal box: R0 Customs tariff number: 8414 59 35
1703-305093	
51333-1.030	DNG 3-6 WS, left Wide range Three-phase low pressure fan Direction of rotation: counterclockwise Nominal power: 120/150 watts Nominal current: 0.55 / 0.32 A (50 Hz) Nominal current: 0.51 / 0.29 A (60 Hz) Degree of protection: IP54 Isolation class: F Number of poles: 2 Fan wheel: sheet steel (galvanized) Housing: sheet steel Painting: RAL9005 - deep black Terminal box: L0

Ürün	Açıklama
204360-1.030	DNG 7-52 230 / 400V, 5-50Hz WEG motor 1.5kW Three-phase low pressure fan Direction of rotation: clockwise Energy efficiency: IE3 according to IEC60034-30 Rated power: 1500 watts Rated current: 5.37 / 3.09 amps. Degree of protection: IP55 Isolation class: F Number of poles: 2 Motor protection: PTC thermistor Fan wheel: sheet steel (galvanized) Housing: sheet steel Painting: RAL9005 - deep black Motor foot position R90, terminal box position R0 replaces our part no. 75414-1.030 (IE2))
202561-1.040	BitDNG 4-14/S II2GExhIIBT3Gb 230/400V, 50Hz, Kaltl., Viton Emod-Motor 0,18kW Three-phase low pressure fan Direction of rotation: clockwise Nominal power: 180 watts Nominal current: 1.05 / 0.61 Amp. Degree of protection: IP55 Isolation class: F Number of poles: 2 Motor protection: PTC thermistor Type of protection: Ex (e) Ex zone: 1 (gas) Temperature class: T3 PTB certificate: PTB 02 ATEX 3114, data sheet 01; Suction rosette: copper Fan wheel: sheet steel (galvanized) Housing: sheet steel Painting: RAL9005 - deep black Engine sealing ring: Double lip radial shaft sealing ring made of Viton Terminal box position R0
2D 56 K30-2 W OL	
10436	
108605	
115065	

Ürün	Açıklama
120688	
12634-1.030	
12670-1.710	
14405	
15077-1.750	
15410	
15597-1.030	
203155-1.230	
203375-1.924	
203661-1.030	
203892-1.010	
204679-1.030	
206113-1.090	
50765	
50788	
51330-1.030	
51332-1.030	
51585-1.030	
51621-1.030	
58903	
70073-1.000	
70149-1.000	
70373-1.000	
70921-1.000	
75318-1.030	

Ürün	Açıklama
75450-1.030	
75482-1.030	
75483-1.030	
75683-1.030	
75799-1.030	
76145-1.030	
76326-1.030	
77083-1.030	
78419-1.030	
78832-1.030	
81553-1.040	
85306-1.460	
88631-1.620	
88641-1.620	
88714-1.620	
90.55.0602	
DNG 2-2,5 WS	
81553-1.040	DNG 3-9.8 II2GExhIIBT4Gb 230/400V, 50Hz Emod engine 0.12kW Three-phase low-pressure fan Direction of rotation: clockwise Rated power: 120 watts Rated current: 0.73/0.42 amps. Degree of protection: IP55 Insulation class: F Number of poles: 2 Type of protection: Ex(e) Ex zone: 1 (gas) Temperature class: T4 PTB certificate: PTB 02 ATEX 3114; Data sheet 03 Intake rosette: copper Fan wheel: sheet steel (galvanized)

Ürün	Açıklama
	Housing: sheet steel Paintwork: RAL9005 - jet black
FAN GLASS CHEM HECST 1300 POZ=008	komplet motor+fan
70838-1.000	ENG 1-1,6B/S 230V,50HZ single phase low pressure fan; Direction of rotation: clockwise Rated power: 24 watts Rated current: 0.2 amps. Degree of protection: IP20 Insulation class: B Number of poles: 2 Fan wheel: sheet steel (galvanized) Housing: sheet steel Paintwork: RAL9005 - jet black Terminal box position: R90 (standard) Special version: Connection cable 8 meters
Atex DNG 7-52 (1,5 KW) 112 GC II BT3	
207434-1.030	DNG 5-19 230/400V, 5-50Hz replaces part no. 70310-1000 Three-phase low-pressure fan Direction of rotation: clockwise Energy efficiency: IE2 according to IEC60034-30 Rated power: 370 watts at 50Hz Rated current: 1.65/0.949 amps. Degree of protection: IP55 Insulation class: F Number of poles: 2 Fan wheel: sheet steel (galvanized) Housing: sheet steel Paintwork: RAL9005 - jet black Motor suitable for frequency converters. EUR WEG motor 0.37kW, IE2
45W 2750D/D 230/380V 50HZ	
FAN-LUFTER FUR UVATEC 100// 50HZ 30W	2E 56 K30-2 OL
Engine Burner Tekkord 0.55 kw 3000 dd	Engine Burner Tekkord Elektromotoremverk (Karl Klein) DES 71K2-780 - 0,55 kw 3000 dd 230/400V, 50 Hz Euro B14, F1 Ø140, We Ø14x45

Ürün	Açıklama
DNG 3-9,8 WS	51330-1.030 Wide voltage, 5-60Hz Engine 2D 56 K50-2W, 115/145W Three-phase low-pressure fan Direction of rotation: clockwise Rated power: 115 / 145 watts Rated current 50Hz: 0.55 / 0.32 Amp. Rated current 60Hz: 0.51 / 0.29 Amp. Protection class: IP54 Insulation class: F Number of poles: 2 Fan wheel: sheet steel (galvanized) Housing: sheet steel Intake protection grille: sheet steel Paint finish: RAL9005 - deep black
51320-1.030	DNG 3-9.8/S/WS, D05/DN9 Wide voltage range, 5-60Hz Motor 2D 56 K50-2 W, 115/145W Three-phase low-pressure fan Direction of rotation: clockwise Rated power: 120 / 150 watts Rated current 50Hz: 0.55 / 0.32 Amp. Rated current 60Hz: 0.51 / 0.29 Amp. Protection rating: IP54 Insulation class: F Number of poles: 2 Fan wheel: Steel sheet (galvanized) Housing: Sheet steel Paint finish: RAL9005 jet black Special version: Special housing (housing flange D05)
Ek2145	
75677-1.030 Fan Dng1-1.5 K/S Ws	
Eng 3-12d	
51654-1.000	
81550-1.040	
Dng 1-1,5 Ws	
Dng 6-25 (P/N:75309-1.030)	
Eng 5-19	
50765 Ventilatorrad Etlr 180x74 Re 5e/14 H7stahl Verzinkt	

Ürün	Açıklama
108605 Schwingmetall-Puffer Gfis 5050	
50960	
Eng 2-2,5 / S	
87694-1.615	
71012-1.000	
Fan For Motor 2d 56 K50-2 W/S; V2a	
Dng3-9.8ws/S15	
2e 56 K50-2	
2e 56 K30-2 Ol	
87724-1.615 Motor 2e 56 K30-2 Ol/S36w; 230v,50/60hz;Alu-Kk	
88729-1.620 Motor 2dmotor 2d 56 K50-2/ S @120/150w; Weitspannung	
Art. Nr. 75483-1.030 (Dng 4-14/Ws)	
Dng 4-14/Ws	
203689-1.030	
P/N Dng-3-9.8 Ws, S/N 0208-113383	
75522-1.030	
Motor 2d 56 K30-2 W Ol	
M10454	
75475-1.030	
Art.Nr. 51330-1.030 (Dng 3-9,8 Ws)	
87640?1.615	
77083-1.030 Dreiphasen-Niederdruck- Ventilator dng 3-4,5/S Ws; V2a; lpw 55weit Spannung; 5-60hz	
Dng 13-120	

Ürün	Açıklama
Teile-Nr: 75566-1-030	
Dng 5-19/Ws	
Eng4 14/S 33	
75531-1.030	
Karl-Klein-Ventilatorenbau-Ersatzmotor-F3;R-Dng-3-65-Ws-Istanbul-Türkiye	
75475-1.030 Dng 4-14230/400v, 5-50hzdrehstromniederdruckventilator	
75157-1.030	
87724-1.615	
M10455	
Dng-3-6	
Dng 3-9,8 Ws // 51330-1.030	
10436 Ventilatorrad Etlr 160x82 Re 5e/14 H7stahl Verzinkt	
Dng 3-4,5 Ws	
51333-1.030	
Dng 4-28 D	
Dng 4?28d/S Ws	
75414-1.030	
Dng 3-12/S2	
56 K50-2w	
51332-1.030 Drehstromniederdruckventilator Dng 3-6 Wsweitspannung	
Deg 25-90 Hls70 Einbau-Radialventilator Model Deg 25-90 Hls70	
Sn1007-196045	

Ürün	Açıklama
Dng 6?45 D/S Ws	
0606-151804 Dng 7-552	
Karl Klein Dng 6-22,5/S 1101-202976/1	
88729-1.620	
5484-1.030	
88641-1.620 Motor 2d 56 K50-2 W/S; V2a120/150w; Weitsp.; V-Ring	
87595-1.615 Motor 2e 56 K50-4 Ol/S25w; 230v,50/60hz; Links	
75309-1.030	
51505-1.000	
77838-1.030	
Karl Klein Dng 6-22,5s Sonderflansch 77542-1.030	
2d 56 K50-2 W/S:V2a	
75437-1.030	
75484-1.030	
DNG 6-35 WS	Wide voltage, 5-60Hz Koncar motor 0.65/1.0kW (UT45° Three-phase low-pressure fan Direction of rotation: clockwise Efficiency: IE3 according to IEC60034-30 Rated power: 650/1000 watts at 50/60Hz Rated current 50Hz: 1.1 amps. Rated current 60HZ: 2.1 Am. Degree of protection: IP55 Insulation class: F Number of poles: 2 Fan wheel: sheet steel (galvanized) Housing: sheet steel Paintwork: RAL9005 - jet black Terminal box position: R0
2e 56 K30-2 Ol/S, V2a;	
76413-1.030	

Ürün	Açıklama
203906-1.010	
88607-1.620	
Dng 4-28d Ws	
88609-1.620 Dng 3-9,8 Ws Weitspannung; 5-60hz	
75246-1.030	
Eng 3-6 (70072-1.000)	
Fan For 2d 56 K30-2 W Ol	
Dng-4-14-S18	
Dmvl 345-1-18 Atex	
2d 56 K30-2 W	
Nhv 450-1-200-8,6	
70218-1.000	
2d 56 K50-2 W L-We	
Dng 3-12d/S2	
51630-1.030	
Dng 4-14 230/400v, 5-50hz	
87621-1.615	
2d56k40-2 W	
Dng 6 ? 45d,	
- Laufrad Des Ventilators	
Karl Klein Dng 3-4,5 Ws 0802-170297	
75226-1.030	
2d 56 K50-2/S	
Dng 5-19/S15 50-60hz R1	
88631-1.620 Motor 2d 56 K30-2 W Ol;Sw	

Ürün	Açıklama
45/70w;Weitsp.	
12670-1.710 Ansaugdrosselst (Sw)	
Eng 3-6k/S 14	
77083-1.030 Drehstromniederdruckventilator dng 3-4,5/ S Ws; V2a; lpw 55weitspannung; 5-60hz	
88606-1.620 Motor 2d 56 K30-2 W Ol	
87576-1.615	
75677-1.030	
78733-1.030	
Dng 3-3,5 Ws	
1206-250989 Ventilatoren D-73773 Aichwald, Dng 2-5d; (50hz, 370 M^3/H, 235 Pa)	
Eng 3-9,8 Ventilator	
68609-1.620	
70609-1.000 Ventilator	
Dng 4-28d Ws Weitspannung 5-60hz	
Dng 3-6 Ws Weitspannung	
70157-1.000	
70616-1.000	
75483-1.030 Drehstromniederdruckventilator dng 4-14/ Wsweitspannung 5-60hz	
88629-1.620	
Dng 11-80	
Dng 7-52	
2d56 K50-2w(88609-1.620)	

Ürün	Açıklama
75475-1.030 Dng 4-14230/400v, 5-50hz	
Dng 3-6 Ws	
Motor 2d 56 K50-2 W/S; V2a	
75579-1.030	
Dng 6-22,5/Ws	
Dng 3-9,8 Ws	Three-phase low-pressure fan Direction of rotation: clockwise Rated power: 120/150 watts Rated current 50Hz: 0.55 / 0.32 Amp. Rated current 60Hz: 0.51 / 0.29 Amp. Protection class: IP54 Isolation class: F Number of poles: 2 Fan wheel: sheet steel (galvanized) Housing: sheet steel Intake protection grille: sheet steel Paint finish: RAL9005 - deep black Terminal box: R0
75435-1.030	
51330-1.030 Dng 3-9,8 Ws	
75672-1.030	
2e 56 K30-2 Ol/S Motor	
76157-1.030	
77129-1.030	
81539-1.040	
78485-1.030	
75415-1.030	
70609-1.000	
87601-1.615 Motor 2e 56 K50-2120w; 230v,50hzinkl. Kondensator (51837)	
Dng 4-28 (1-Phasen)	
Karl Klein Motor 2d 56 K40-2w	

Ürün	Açıklama
88590-1.620	
Dng 5-19/S 15	
P/N: 88578-1.620 S/N: 0506-140667	
50229-1.000	
75483-1.030 (Dng 4-14/Ws)	
88641-1.620 El. Motor Motor 2d 56 K50-2 W/S; V2a120/150w; Weitsp.; V-Ring	
Dng 1-1,5/Ts Ws(75008-1.030)	
2d 56 K50-2w	
2d 56 K50-2w Sw	
87595-1.615 + 14333	
51330-1.030 50 Hz	
2d 56 K30-2 W Ol	
Dng 4-14	
Dng4-14w313w60h 575	
2e 56 K30-2 Ol,L-We	
Karl-Klein-Ventilatorenbau-88609-1620- Motor-2d-56-K50-2-W120150w-Weitsp- Drehstrommotor-2polig-Mit-Eigenl3;Fter- Schutzart-lp54-Iso-Kl-F-Istanbul-Türkiye	
Dng 5-19/S Ws(Ts-250c) Fand-73773	
88606-1.620	
Eng 3-6 Ul/Csa	
Eng 3-9,8 li2gciibt4	
1508-286688 Ventilatorend-73773 Aichwald, Dng 3-6ws; Links (50hz, 400 M ³ /H, 340-345 Pa)	
Dng 4-28 (3-Phasen)	

Ürün	Açıklama
87595-1.615	
Type Dng 3-6/Ws, Links	
75483-1.030 Dreiphasen-Niederdruck-Ventilator dng 4-14/Wsshir. Spannung 5-60 Hz	
75677-1.030 Dng 1-1,5k/S Wsweitspannung	
P/N: 75119-1.030 S/N: 0506-140667	
200717-1.030	
Dng 2-2,5 Ws Ventilator Weitspannung; 5-60hz	
Karl Klein Dng 5-12,5/S Ws 0710-167917/1	
Eng 3-9,8 Art.Nr. 71290-1.000	
70073-1.000 Ventilator Mit Motor Eng 3-4,5	
Dng9-97/11kw	
Mhv 710-1-180-18,5 400/690 V; 50 Hz; 18,5 Kw	
Dng 4-28 (3-Phasen-Weitspannung)	
14614-1.000	
203689-1.030 Ventilator	
Dng 4-28d Ws Ventilator	
88613-1.620	
87594-1.615 / 990524041	
52004-1.030	
2d 56 K30-2 W Ol	
75259-1.030	
Dng 6-40/S/Ts; V2a; Fuss	

Ürün	Açıklama
75566-1.030	
Dng Ws 5-19	
Eng 1-1,6bk	
Dng 3-3,5 / S-Ws 50 - 60 Hz.	
Dng2-2.5ws/S22	
62816(Motor For 71012-1.000)	
Motor 2d 56 K30-2 W Ol (45 W, 2750 U/ Min, 202-306v)	
M10555 // 1403-270583	
14019-1.000	
75008-1.030	
88609-1.620	
2e 56 K30-2 Ol; V2a	
70019-1.000	
201797-1,924 Ventilator Tvg1 320-1 26	
1206-250989 Karl Klein Ventilatorenbau GmbH, D-73773 Aichwald, Dng 2-5d; (50hz, 370 M ³ /H, 235 Pa)	
77129 - 1.030 Dng 3-6/S/Ws	
Eng 1-2,6bk;Links P/N:M10455	
87594-1.615	
75521-1.030	
116578	
Dng 3-6/Ts Ws	
Dng 3-6,5 Ws	
Dng 2-2.5 Ws Ventilator	
88642-1.620 1	

Ürün	Açıklama
14038-1.000	
Nhv 450-1-200-5,5 By Nhv 450-1-200-8,6	
51344-1.030	
2 D56 K50-2w Z8405174	
77351-1.030	
87601-1.615	
Dng 2-2,5 (Ex)e,Ce Ex li 2 G T3	
Art.Nr. 70155-1.000	
70838-1.000	
Dng 3-4,5/S Ws, P/N 77083-1.030	
Dng 3-12d	
51492-1.030	
51585-1.030 Ventilator In Komplett Mit Motor	
Motor 2d 56 K50-2w	
2e56 K40-2	
70072-1.000	
Dng 9-80	
Dng 3-4.9 W.Accessor. Order No. 612 191	
0599201 Not Available	
Nr921198089	
Be 112-2k/S5	
51332-1.030 Drehstromniederdruckventilator dng 3-6 Wsweitspannung	
203689-1.030 Dng 6-35 Ws	
85306-1.460 Ehv 15000/S230v, 50hz;	

Ürün	Açıklama
79009-1.030 Dng 5-16/S	
Motor 2d 56 K50-2 W / 120/150w Weitsp.	
Dmvl 355-1-25	
70326-1.000	
Eng 3 ? 9.8 Links	
2d 56 K30-2 W Ol(88618-1.620)	