Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr



Keller Druckmesstechnik

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Keller Druckmesstechnik Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Keller Druckmesstechnik Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
PA-21Y 22-2155-154 400bar	Piezoresistive pressure transmitter Product no. 222155.0019 Pressure 0 ... 400bar Output signal 4 ... 20mA Pressure connection G1 / 4 Electrical connection mPm-393 Total error band [% FS] 1 Linearity Lbfsl [% FS] 0.5 Supply 8 ... 32V Comp. Temperature range 0 ... 50 ° C
PA-21Y / 10bar / 22-2155-143	Piezoresistive pressure transmitter Product no. 222155.1136 Pressure 0 ... 10bar Output signal 4 ... 20mA Pressure connection G1 / 4 Electrical connection DIN43650 Total error band [% FS] 1 Linearity Lbfsl [% FS] 0.5 Supply 8 ... 32V Comp. Temperature range 0 ... 50 ° C Inkl. Kabeldose
PA-21Y / 400bar / 22-2155-154	Piezoresistive pressure transmitter Product no. 222155.0353 Pressure 0 ... 400bar Output signal 4 ... 20mA Pressure connection G1 / 4 Electrical connection mPm-393 Total error band [±% FS] 1.5 Linearity Lbfsl [±% FS] 0.5 Supply 8 ... 32V Comp. Temperature range -10 ... 80 °

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Incl. Cable socket
LEO2 / 11bar / 03-00109-03	Digital manometer Product no. 303010.0015 Pressure 0 ... 11bar abs Output / supply 3V batt. Pressure connection G1 / 4 Accuracy RT [% FS] 0.1 Comp. Temperature range 0 ... 50 ° C
Gsh LEO1/LEX1/LEO Rec	Protective rubber cover 309030.0002 Material NBR Abmasse Ø85x50mm
Protective bag	309030.0003 Dimensions 140 x 85 x 40mm
0-6 bar 4-20 mA 24 V DC	Transmitter
0-10 bar 4-20 mA 24 V DC	Transmitter
222508.0058	PR-25Y / 0,25bar / 81620.55 Piezoresistive pressure transmitter Pressure 0 ... 0.25bar Output signal 4 ... 20mA Pressure connection G1 / 2 Electrical connection DIN43650 Total error band [±% FS] 1.8 Linearity Lbfsl [±% FS] 0.5 Supply 8 ... 32V Comp. Temperature range -10 ... 80 ° C Incl. Cable socket
222155.0271	Transmitter Product no .: 222155.1238 Pressure: 0 ... 16bar Output signal: 4 ... 20mA Pressure connection: G1 / 4 external thread Electrical connection: 2m permanently connected Total error band [±% FS]: 1.50 Supply: 8 ... 32VDC Comp. Temperature range: -10 ... 80 ° C Linearity Lbfsl [±% FS]: 0.50
PR-23SY / 0,1bar / 81549.33	Piezoresistive pressure transmitter Product no. 222308.3239 Pressure 0 ... 0.1bar Output signal 4 ... 20mA Pressure connection G1 / 4 Electrical connection mPm-393

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Total error band [±% FS] 3 Linearity Lbfsl [±% FS] 1 Supply 8 ... 32V Comp. Temperature range 0 ... 50 ° C Incl. Cable socket
PA 21Y/ 22-2155 154 400 BAR	
PR-21Y / 4bar / 22-2155-142	Piezoresistive pressure transmitter Pressure 0...4 bar Output signal 4...20mA Pressure connection G1/4 Electrical connection mPm-393 Supply 8...32VDC Compensated temperature range -10...80°C Total Error Band [±%FS] 1.5 Nonlinearity BFSL [±%FS] 0.5 Incl. cable box
PR-21Y / 10bar	output signal 0/10 V DC electrical connection 24 V accuracy ±0,5 %FS Temperature range -40/+100 °C
PA-21Y / 400bar	output signal 0/10 V DC electrical connection 24 V accuracy ±0,5 %FS Temperature range -40/+100 °C
PA-21Y / 1+5bar	output signal 0/10 V DC electrical connection 24 V accuracy ±0,5 %FS Temperature range -40/+100 °C
Model PR-25Y / 0.2 bar / 81620.66 [222508.0279]	
PR-36X / 45mH2O / 03-00007-02	233605.0743 Piezoresistive pressure transmitter Pressure 0...45mH2O Output signal 4...20mA, RS485 Electrical connection 50m Power supply 8...32VDC Comp. temp. range 0...50°C Standard range (FS) [bar] 10 Error band [±%FS] analogous to 0.15 Error band [±%FS] digital 0.1 test protocol
PAA-23SY / 400bar / 81596.55	Piezoresistive pressure transmitter Pressure 0...400 bar abs Output signal 4...20mA

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Pressure connection 1/4-18NPT male Electrical connection DIN43650 Power supply 8...32VDC Comp. temp. range -10...80°C Total Error Band [±%FS] 0.7 Linearity Lbfsl [±%FS] 0.25 Seal PTFE Incl. cable box
PAA-23SY / 400bar / 81592.55	Piezoresistive pressure transmitter Pressure 0...400 bar abs Output signal 4...20mA Pressure connection G1/4 Electrical connection DIN43650 Power supply 8...32VDC Comp. temp. range -10...80°C Total Error Band [±%FS] 0.7 Linearity Lbfsl [±%FS] 0.25 Seal PTFE Incl. cable box calibration card
PAA-23SY/40 Bar 4-20 mA signal output	Piezoresistiv Absolute Pressure Transmitter with G ¼" male thread connection (PTFE Gasket)
PAA-25Y / 100bar / 81620.55	Piezoresistive pressure transmitter Pressure 0...100 bar abs Output signal 4...20mA Pressure connection G1/2 Electrical connection DIN43650 Power supply 8...32VDC Comp. temp. range -10...80°C Total Error Band [±%FS] 0.7 Linearity Lbfsl [±%FS] 0.25 Seal PTFE Incl. cable box
REFLECTOR PR-25	
REFLECTOR PR-25D	
REFLECTOR PR-34	
HL1802E-ADAPTR-PR	REFLECTOR PR-ADAPT
0-10 BAR 4-20mA PA-21Y	
PA-23SYEi/10 bar	
PA-23SY / 400bar / 81593.55	Piezoresistive pressure transmitter Pressure 0...400 bar

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Output signal 4...20mA Pressure connection G1/4 Electrical connection DIN43650 Power supply 8...32VDC Comp. temp. range -10...80°C Total Error Band [±%FS] 0.7 Linearity Lbfsl [±%FS] 0.25 Incl. cable box calibration card
PA-21Y/22-2155	0-16 BAR
PR-23SYEi / 4bar / 81811.05	222309.0058 Pressure 0...4 bar Output signal 4...20mA Pressure connection G1/4 Electrical connection DIN43650 Supply 10...30VDC Compensated temperature range -10...80°C Total Error Band [±%FS] 0.7 Nonlinearity BFSL [±%FS] 0.25 Ex II 1 GD Ex ia IIC T6 ... T4 Ga Ex ia IIIC T 130°C Da IBExU 10 ATEX 1124 X IECEx IBE 14.0044 X ExV 21UKEX1017X Incl. cable box Operating instructions (incl. CE declaration of conformity) calibration card
PAA-23/20 Bar	Green O-Ring with DIN 3869 M14x1.5 FPM Model
PAA-21Y/22-2155-142	NOTE: Range 0..4 bar abs (must be the model that specifically says abs)
PD-33X	
PRD-33X	
PA-21Y/81562.22 ITT	
222305.2922	PAA-23 / 100bar / 8465.1 Pressure 0...100bar abs Output signal 0...10V Pressure connection G1/4 Electrical connection DIN43650 Supply 13...32VDC Compensated temperature range -10...80°C Non-linearity Lnorm [±%FS] 0.5 Incl. cable socket

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Calibration protocol
Pressure Sensor	
222305.3225	PAA-23 / 250bar / 8465.1 Pressure 0...250bar abs Output signal 0...10V Pressure connection G1/4 Electrical connection DIN43650 Supply 13...32VDC Compensated temperature range -10...80°C Non-linearity Lnorm [±%FS] 0.5 Incl. cable socket Calibration protocol
222305.2624	PAA-23 / 20bar / 8465.1 Pressure 0...20bar abs Output signal 0...10V Pressure connection G1/4 Electrical connection DIN43650 Supply 13...32VDC Compensated temperature range -10...80°C Non-linearity Lnorm [±%FS] 0.5 Incl. cable socket Calibration protocol
303025.0005	Digital pressure gauge LEO record / 1000bar / 03-00206-04 pressure range 0...1000 bar pressure connection G1/4 male Compensated temperature range 0...50°C Accuracy @ RT [±%FS] 0.05 Total error band [±%FS] 0.1 RS485 interface Supply 3.6V battery storage locations 57000 Operating instructions including CE declaration of conformity
309030.0002	rubber protective cover Gsh LEO1/LEX1/LEO Rec Material NBR dimensions Ø85x50mm
309030.0003	protective bag Dimensions 140 x 85 x 40mm
309010.0075	USB converter K-114-A

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	Incl. USB cable
PR-25Y/0.2bar /81620.66	
222155.0105	Piezoresistive pressure transmitter PR-21Y / 6 bar / 22-2155-142 Pressure 0...6 bar Output signal 4...20mA Pressure connection G1/4 Electrical connection mPm-393 Supply 8...32VDC Compensated temperature range -10...80°C Total error band [±%FS] 1.5 Nonlinearity BFSL [±%FS] 0.5 Incl. cable socket Replacement product for 222155.0355
222510.0040	Piezoresistive pressure transmitter PA-25-Ed / 20 bar / 80997.32 Pressure 0...20 bar Output signal 4...20mA Pressure connection G1/2 Electrical connection 15m Supply 8...32VDC Compensated temperature range -10...80°C Nonlinearity Lnorm [±%FS] 0.5 Protection class (IP) 65 Ex II 2 G Ex db IIC T6 to T4 Gb EPS 22 ATEX 1 007X IECEx EPS 22.0002X EPS 22 UKEX 1 007X
222510.0005	Piezoresistive pressure transmitter PA-25-Ed / 20 bar / 80997.31 Pressure 0...20 bar Output signal 4...20mA Pressure connection G1/2 Electrical connection 15m Supply 8...32VDC Compensated temperature range -10...80°C Nonlinearity Lnorm [±%FS] 0.5 Protection class (IP) 50 Ex II 2 G Ex db IIC T6 to T4 Gb EPS 22 ATEX 1 007X IECEx EPS 22.0002X EPS 22 UKEX 1 007X
09/16	PRESSURE TRANSDUCER 4-20MA 0-400 MBAR

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
PR-23R /0,16 BAR/80710.34	
PRESSURE TRANSMITTER-PR-23/0-4BAR	
PR-PR-33XEi / 0,2bar / 81870.66	Piezoresistive pressure transmitter Pressure range 0...0.2 bar Output signal 4...20mA Pressure connection G3/4 Electrical connection 7m Supply 10...30VDC Compensated temperature range -10...80°C Standard pressure range [bar] 1 Total error band analog [±%FS] 0.15 Ex II 1 GD Ex ia IIC T4 ... T6 Ga Ex ia IIIC T130°C Da KEMA 04 ATEX 1081 X IECEx DEK 14.0070 X ExV 21 UKEX 1014 X Operating instructions (including CE declaration of conformity) Calibration report
PA-21Y / 10bar / 22-2155-142	Piezoresistive pressure transmitter Pressure 0...10 bar Output signal 4...20mA Pressure connection G1/4 Electrical connection mPm-393 Supply 8...32VDC Compensated temperature range -10...80°C Total error band [±%FS] 1.5 Nonlinearity BFSL [±%FS] 0.5 Incl. cable socket
244110.0065	Capacitive pressure transmitter PR-41X / 10 mbar / 81955.50 Pressure range 0...10mbar Output signal 4...20mA, RS485 Pressure connection G1/4 Electrical connection Binder 723 / 5-p Supply 8...28VDC Compensated temperature range 10...50°C Standard pressure range [bar] 0.03 Total error band analog [±%FS] 0.2 Total error band digital [±%FS] 0.2 Protection class (IP) 40 Incl. cable socket Calibration report
222508.0279	Piezoresistive pressure transmitter

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
	PR-25Y / 0.2 bar / 81620.66 Pressure 0...0.2 bar Output signal 4...20mA Pressure connection G1/2 Electrical connection 2m Power supply 8...32VDC Compensated temperature range -10...80°C Total error band [±%FS] 3.75 Nonlinearity BFSL [±%FS] 0.5 Protection class (IP) 68 Calibration protocol
2225080279	0.2 bar / 81620.66 [222508.0279]
21Y/250 Bar /81478,55	
Lex1	
PA-23S/80549.55	
PA-25S/80620.55	
222155.2407	Piezoresistive pressure transmitter PR-21Y / 1bar / 22-2155-142 Pressure 0...1 bar Output signal 4...20mA Pressure connection G1/4 Electrical connection mPm-393 Power supply 8...32VDC Compensated temperature range -10...80°C Total error band [±%FS] 3 Nonlinearity BFSL [±%FS] 1 Including cable socket
222155.0092	Piezoresistive pressure transmitter PA-21Y / 25bar / 22-2155-142 Pressure 0...25 bar Output signal 4...20mA Pressure connection G1/4 Electrical connection mPm-393 Power supply 8...32VDC Compensated temperature range -10...80°C Total error band [±%FS] 1.5 Nonlinearity BFSL [±%FS] 0.5 Including cable socket
Pa-21r/250/80 853.3	
Pa-21sr/80520 - Replaced By Pa-21y / 16bar / 81554.55	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Pa-21sr/16/80520.3	
Pa-21sr /200bar/ 80520.5	
Pa-22s	
Ptx 1400 / 0-25	
Pa-21sr/16 Bar 5-20 3271-0010-Nk 700cm 2,2-3,3 Bar	
Pa-21sc Obsolete New Pa-21y / 100bar / 81689.33	
Pr-21sr/16/81520.5	
Pa21sr/16bar/81520.5 - Replaced By Pa-21y / 16bar / 81554.55 Keller Druckmes	
Pa -21mc/30 Bar 80 407.33	
Pr-250806220.55	
Pa-21y / 25bar / 22-2155-143	Produktenr. 222155.1360 Pressure 0 ... 25bar Output signal 4 ... 20mA Pressure connection G1 / 4 " Electrical connection DIN43650 Total error band [% FS] 1 Linearity Lbfsl [% FS] 0.5 Power 8 ... 32V Comp.Temperature range 0 ... 50 ° C Incl. cable box
21y/100 Bar Drucksensor	Können Sie sowohl für 1/4 ”BSP-Gewinde als auch für 1/4” NPT-Gewinde anbieten?
222508.0634	
Pa21sr/16bar/81520.5 - Replaced By Pa-21y / 16bar / 81554.55	
Pa-21sr/25/80520.5	
Pa-25y /250 Bar / 80087.55 - Oboslete , Replaced By 222508.0634	
222155.0307	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.