

Kem Koppers

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Kem Koppers Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Kem Koppers Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
VTE02-L-N-EX	
ZHM 01/3 M1.B.I+ ZHM 01/3	TX, FLOW
Kit For Hm 009 R05.G.Tc15, Art. N: Mes 009 Tc15	
Fis Typ 423 Pg 7 5pim.	
Ig 02 H	
Dmt02 Atex E 091	
Zhm 05.St.Hv (Turbun)	
Oem!! Hm 65/80 F, Pn160, Standard Version Hm 80/65f Dn80 Pn160	
Tasiyici Frekans Vtel /P	
Vtel/P	
Kfc-150	
Vte2/P-Ex-12-Na	Please look at the attachment
Ews 10 Ac-Nxx Oc	
Hm 65 F Pn160 Oem	
Vtc-C-K-U-P-Ex	
Hm009r	
Vtb/Al	
Vtek/ P	

Ürün	Açıklama
Zhm 02 31.E.V	
02042423 Obsolete, Replaced By Vtek/P	
Hm 065.71.Fdb160-Tc15-G	
Ews-024dc-Nxx-Oc	
Zhm 02 Ak.F.V	Please look at the attachment
Kdu-Mt-L	
423 (Pg 7)	
Srz40-St-E-V	
Hm006r	
Zhm 01/2 46.F.T	
Vte-Ct-Ex-E	
Vhdf.02	VHDF: Hall effect pulse amplifier with double tap Frequency range: 1 to 3,000 Hz Housing material: aluminum Dimensions: see data sheet Medium temperature: -20 to +80 ° C Ambient temperature: -20 to +80 ° C Frequency output: push pull Outputs: 2x, for flow and direction Supply voltage: 8 to 30 V DC elec. Connection: M16 plug Type 423; 5-pin Protection class: IP65 Weight: approx. 200 g 02: mech. Pickup shape: plug-in grip for ZHA 02 * Replacement for S / N: 11359 119 * Tariff No .: 90 26 90 00 DE
Vtek-3p	
Hm 80/65f Dn80 Pn160 Pb0000236204	
Kfc-120-M	
Zhm 05 St.H.V	

Ürün	Açıklama
Mes 009 Ph.01	
Zhm 05 Kl.E.V	