



Keystone

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Keystone Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Keystone Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
ISV-1329922	Keystone electric actuator for 1/4-turn, Series EPI-2, model KPE-063 with MO handwheel, footprint to ISO 5211-F05+F07 & DD20 x 14, Single phase power supply 100-240V AC/DC, WP enclosure to IP68, adjustable speed 18-28-48s, (default = 28s) Nominal torque output: 63 Nm (100%) PN: KPE063HVPD002E3
206.080.014.021 REOI dr2801 c2 EPDM	
89E-00901XXP14N2MM07D20	Keystone F89 pneumatic quarter turn actuator 89E Baureihe/Modell: F89 Keystone ISO (Metric threaded) 009 Size: Modell 009 0 Variante: Standard 1 Maßnahme: DA XX Feder-Dimensionierung: nicht zutreffend P14 Luftanschluss: 1/4" BSPP N Temperature Service: Standard 2 Travel Stops: Doppelwelle (Standard) M Flange Threading: Metrisch M07 Operator Mounting Flange: F05 + F07 (ISO5211) D20 Wellen-/Spindelverbindung: DD 20,0 x 14,0
Keystone F89	pneumatic swivel drive 89E-00901XXP14N2MM07D20
Keystone F360/F370 KLOK	High performance butterfly valve 360-0400W0A100A1-CAS00KBR1PGSNKB ***** ***** We offer the successor model. ***** Please check the design of the butterfly valve offered, in particular the pressure level, as this is not specified in your request.

Ürün	Açıklama																					
	360-0400W0A100A1-CAS00KBR1PGSNKB 360 Series / Model: Figure 360, 150 ASME, Wafer 0400 Size: DN0400/ NPS 16" W0 Style: Wafer A1 Flange Drilling: ASME 150 00 Face to Face: Standard (refer to product literature) A1 Pressure Rating: ASME 150 CA Body Material: Carbon Steel A216 WCB S00 Disc Material: Stainless Steel 316 KB Stem Material: Stainless Steel A564 Type 630 - H1075 (17-4) R1 Seat Material: RPTFE / SS / Stainless Steel PG Packing/Gasket: PTFE, Graphite SN Bearing Material: Stainless Steel 316 Nitrided K Actuator Mounting: Keystone Design B Actuation: Bare Stem																					
Type: 91/94, Set Pressure 98.1MBAR G,size 10*12 In	DRG.No: 30585A/Catalogue No: 941012RS <table><tr><td>1)</td><td>Main valve kit</td><td>3 Pcs</td></tr><tr><td>2)</td><td>Pilot valve kit</td><td>3 Pcs</td></tr><tr><td>3)</td><td>Bellows Mat. SS.T300 / Vaccum breaker</td><td>1 Pc</td></tr><tr><td></td><td>Type: 96A. Size. Inlet 8 In.</td><td></td></tr><tr><td></td><td>Vaccum. 22MM WC (1/2 OZ)</td><td></td></tr><tr><td></td><td>DRG No: 30585B</td><td></td></tr><tr><td>4)</td><td>Vaccum Valve kit</td><td>3 Pcs</td></tr></table>	1)	Main valve kit	3 Pcs	2)	Pilot valve kit	3 Pcs	3)	Bellows Mat. SS.T300 / Vaccum breaker	1 Pc		Type: 96A. Size. Inlet 8 In.			Vaccum. 22MM WC (1/2 OZ)			DRG No: 30585B		4)	Vaccum Valve kit	3 Pcs
1)	Main valve kit	3 Pcs																				
2)	Pilot valve kit	3 Pcs																				
3)	Bellows Mat. SS.T300 / Vaccum breaker	1 Pc																				
	Type: 96A. Size. Inlet 8 In.																					
	Vaccum. 22MM WC (1/2 OZ)																					
	DRG No: 30585B																					
4)	Vaccum Valve kit	3 Pcs																				
ISV-1202459																						
IP66/68M																						
ISV-1332373	Proximity switch IFM type IN5331 Voltage: 10-36V DC, 2-wire Output: 2xNO, PNP/NPN Connection: 4-pin connector M12x1 external thread. (without cable box)																					
ISV-1238914	Mounting set for building IND initiators																					

Ürün	Açıklama
	to 79U/79E/F89/PA or to NAMUR Material: see drawing
ISV-1104068:SEAT;;OPTİ;DN 40 / NPS 1.5;EPDM - FG;;	
ISV-1108029:SEAT;;OPTİ;DN 50 / NPS 2;EPDM - FG;;	
ISV-1103817:SEAT;;OPTİ;DN 65 / NPS 2.5;EPDM - FG;;	
ISV-1103374:SEAT;;OPTİ;DN 80 / NPS 3;EPDM - FG;;	
ISV-1105605:SEAT;;OPTİ;DN 100 / NPS 4;EPDM - FG;;	
ISV-1102179:SEAT;;OPTİ;DN 150 / NPS 6;EPDM - FG;;	
ISV-1106086:SEAT;;OPTİ;DN 200 / NPS 8;EPDM - FG;;	
ISV-1007413:Sitzring für Fig. 14/16, DN 250	Material Werkstoff: EPDM
ISV-1105303:SEAT;;OPTİ;DN 300 / NPS 12;EPDM - FG;;	
ISV-1007147:Sitzring für Fig. 15/17, DN 350	Material : EPDM
ISV-1227861:SEAT;;OPTİ;DN 400 / NPS 16;EPDM - FG;;	
ISV-1102675:SEAT;;OPTİ;DN 500 / NPS 20;EPDM - FG;;	
AMP CAT6 MODÜLER TELEPHONE PLUG 24/26 AWG	
89E140Q1XX0PM00	F89E Actuator Keystone F89E-140 DA - Double Acting, repair kits
OPTİ-0065W0M10010-I3S00S0E100IB	
OPTİ-0080W0M10010-I3S00S0E100IB	
OPTİ-0100W0M10010-I3S00S0E100IB	
OPTİ-0125W0M10010-I3S00S0E100IB	

Ürün	Açıklama
OPTİ-0150W0M10010-I3S00S0E100IB	
OPTİ-0200W0M10010-I3S00S0E100IB	
OPTİ-0350W0M10010-D5S00S2E100IB	
OPTİ-0450W0M10010-D5S00S2E100IB	
K-LOK FIG.360-158	DN400
PNEUMATIC BUTTERFLY VALVE. DN350v	
KD1 SIMPLEX CLP. GASKET	
Keystone Figure 990/920	soft-sealing butterfly valve + actuation/accessories 990-0150W0M10010-I0S00S0E000KB-PED+PS-A-89U02001XXN2M+Z Additional Items: ISV-1263831(x1) - BRACKETS ADAPTERS FLANGES;;STEM ADAPTOR;ACT. BORE: Ø28.6 x K6.35 mm;VALVE STEM: DD19.05 x 12.7 mm, DEEP 30 mm;NOT APPLICABLE;MATERIAL: SINTERED METAL;STANDARD
BUTTERFLY VALVE 10" 150LB, SD, W, TE	VALVE DURCO TYPE 10RS115NK VALVE: BODY: DUCTILE IRON (SD) DISC: AISI 316 SEAT: BUNA-N CONNECTION: WAFER TYPE (W) L: 70 MM ACTUATOR: SINGLE ACTING (TE) ACTUATOR: AUTOMAX SPRING RETURN MODEL: S175 SR (S09 SPRING KIT INSTALLED) FAIL CLOCK WISE N/C SHUT OFF VALVE AUTOMAX LVI VALVE WILL NORMALLY BE MOUNTED OPEN. VALVE + ACTUATOR WILL BE SHIPPED ASSEMBLY.
BUTTERFLY VALVE 2" 150LB, SD, W, KK	847 T BODY: GGG40.3 PTFE LINEAR DISC: 3 MM PTFE COATED CONNECTION: WAFER KK: 1 SET REPAIR KIT WILL BE GIVEN FOR EACH LEVER CONTROLLED VALVE. IT WILL BE ORIGINAL PRODUCT. EQUIVALENT WILL NOT BE ACCEPTED.,TOMOE
Keystone Figur 990/920	soft-sealing butterfly valve + actuation/accessories 990-0100W0M20010-I0S00S0E000KB+PS-A-89U01401XXN2M Additional Items: ISV-1019668(x1) - ACCESSORY MOUNTING PARTS;MABSU70U4000E00+MABSU40U3000E00;;MOUNTING KIT;,,,,,,;
PremiSeal38L-112	
ISV-1102179:SEAT;;OPTİ;DN 150 / NPS 6;EPDM - FG	

Ürün	Açıklama
ISV-1107994:SEAT;;OPTI;DN 125 / NPS 5;EPDM - FG	
ISV-1103374:SEAT;;OPTI;DN 80 / NPS 3;EPDM - FG	
ISV-1106086:SEAT;;OPTI;DN 200 / NPS 8;EPDM - FG	
221/222 seri	We need a DN50 lug type butterfly valve (ductile iron body, 316L valve, EPDM seal).
SAP3715	Repair kit for Keystone Hilok
V32-000-006	SEAT
V32-000-006	PACKING SEAL
V32-000- 006	BEARING
V32 - 000-006	O-RING
V32 - 000 -006	O-RING (BOTTOM COVER)
V11-000 - 013	Glycol Heater SW Inlet Butterfly Valve Complete
V11-000-013	SEAT (44-XV-4703 Butterfly Valve)
V11- 000-013	BUSHING (44-XV-4703 Butterfly Valve)
V11-000-013	PACKING (44-XV-4703 Butterfly Valve)
V11-000- 013	DISC SCREW (44-XV-4703 Butterfly Valve)
V11- 000- 013	O-RING (44-XV-4703 Butterfly Valve)
V11 - 000-013	O-RING (44-XV-4703 Butterfly Valve)
F320-112 DN150 PN16	320150112HM1B00 KEY-32*34031847 Model Code:32-0150W0MB0016-D4S00S9E100IB 0150 - Valve Size : DN0150/ NPS 6" W0 - End Connection : Wafer MB - Drilling / Schedule : ASME 150, PN 6/10/16 00 - Face to Face : Standard (refer to product literature) 16 - Pressure Rating : 16 bar / 230 psi D4 - Body Material : Ductile Iron A536 65-45-12 S00 - Disc Material : Stainless Steel 316 S9 - Stem / Shaft Material : Stainless Steel 416 E1 - Seat Material(s) : EPDM - FG 00 - Packing / Gaskets / Seals : Standard (refer to product

Ürün	Açıklama
	literature) I - Operator Mounting : ISO 5211 B - Actuation Type : Bare Stem
F89-E-006	spare parts attached
EPI2	
GEAR, VALVE, ACTUATOR, KEYSTONE, EPI2	
FİG320-116M.P.W.P.16	DN200 Wafer Butterfly Valve 5/100 CPN6/10/16 ANSI 150 DN200-14.7 KGYEAR:2016
155-94-874	
91tu00	
79u/79e-012(S)	
206-120-100-003	
016200137110b00	
2633 Nd 16 Nw 80/88.9-022.8	
1042249 79u-024-Da	
379sbefe 181 1/8quot; - Not Available	
Nbr 40 X 32	
79e00601	
Fig. 9-102, Dn 150	
F251	
155-46-557	
En 558-1/T5 Single Acting	
Kpe063lvpd002e3 (24-48 V Dc)	
155-94-914	
Optiseal F14; 50 Mm - 2quot; Stainl.Steel En 1.4408 Body; Stainl.Steel En 1.4408 Disc;	
F79e 012m 07914	

Ürün	Açıklama
Type: 79u Actuator Size: 012s	
419cs0ape00	
F79u/E-036(S)	
Dn300 Pn10	
009300102w10b00	
990730130010000	
Keystone 65	
14-677 / Dn 50 Pn 10	
F738-P7-P9	
41-111-A21	
6? Vana	
Fig 38-102 Dn 32 Body Gg25	
F79u/E-006(S)	
F990 T106	
Kpe250hvdp002e5	
793ted4208p5clb	
908+79e012s+ip 6100	
14/677 Dn 200	
Keystone Bfv	
155-94-866	
Gasket For 21912-01 3quot; Fig.990 Trim 727	
89e032q1xx0pm00	
155-94-916	
14/677 - Dn50	
Fig.38-635 - By Grw080112wmdb00 Or Grl080112l10b00	

Ürün	Açıklama
116535	
79u00301xxopm00	
139-080-Spewa1b00	
Mabse20e1000e00	
014050102wmdb00	
88gk32	
89e052q1xx0pm00	
360-405a/Body-1.4408 /Shaft 17-4-Ph Dn150	
Seat For Duck Keel Suction Valve Water Type Bfv Dia 80a [subs001]	
F990805cee2/F79u003da	
Epi2 063	
38-106 172041	
Fig 9 -102 Dn 300 Pn 10	
200 F990 805 Cee2	
Keystone 80	
F793010df (F793-Fdn00g0)	
155-94-920	
14-190	
Type: F990 Cee2 805 040 An150	
Part No:14	
360 -362	
Kpe063lvpd002e3 (100-240vdc)	
014080102wmdb00	
Kpu063uvpa002u4	
Ar1	

Ürün	Açıklama
71da33	
155-94-868	
79u01203080pm00	
GrI080112I10b00	
155-94-858	
796 - 012	
71ym34	
155-94-922	
976-090	
Din2501pn10dn80	
Fig. 89u-032 Sr	
Fig 7911	
778-012 - By Kpe125hvdp002e5 Or Kpe250hvdp002e5	
79u00601xx0pm00	
Kspr495con1000	
Figure 55	
Butterfly Valve Optiseal F14;	
20rda-40-2-Sbn0-D	
Kpspr440pow1000	
Part No:15a	
79u18001xx0pm00	
Kpe063uvpa002e3, 100-240 V , Kpe063hvdp002e3	
79e00201	
Kit-Job02/172722	
792kka2e003xp00	

Ürün	Açıklama
419cs0ane00	
Mabse90e6000300	
Seat For Fig 9-102, Dn300, Pn 10	
Fig:9-102+79u 012s	
A906-20k	
009150102w10b00	
Actuator: Complete Set, Type F-79u-036, 60 Lb, Single Acting, Fail Close 221 952 036 79u 002 For 3?-	
Grw125116wmdb00	
Repair Kit 103383910 For Valve	
014065102wmdb00	
F. 79e-024	
014250102wmdb00	
016100240l10b00	
Contact 52 Battery	
79e02401xx0pm00	
014200102wmdb00	
14-102	
F738 P8 Key	
F738 P6 Key	
Fig 793	
03.24.3024.2330	
Hw 071914	
79e00301xx0pm00	
014100677wmdb00	
79e00201xx0pm00	

Ürün	Açıklama
5251	
Fig 38-102	
10076466	
Gu 60	
015350261wmdb00	
54ab40	
Fig.14-677 Dn250	
016050240l10b00	
F793-010m Ps-030000d0b	
Fig. 9-102, Dn 100	
360-405a/Body-1.4408 /Shaft 17-4-Ph Dn125	
Fig.362	
Key Bfv Seat Kit Assy 300 F360/370	
Premiair 002 Pra00201xx0pm00 - Not Available	
79u06601xx0pm00	
Grw100116wmdb00	
016200137la1b00	
534-464	
En 558-1/T5 Double Acting	
V8013234e	
14-677 Dn250 Pn10	
79e01201	
Fig.14-677 Dn200	
79e09001xx0pm00	
F79u/E-002(S)	

Ürün	Açıklama
Fig 10-105 Dn300 Pn10 So:63171	
79e- 090	
Part No:15	
38d025112wm1b00	
Seat 12quot; Figure 16, Class Or Pn 16	
Job02/0172722	
Keystone Butterfly Valve Fig.611-Dee2 Dn100 Ansi 150	
Ar1. 4quot; F990	
Dn 200 Jis 5 K	
Pn105	
2994342	
Ansi150-Ggg40	
Iec144	
14-102 M	
F738 P6 2019545	
Ji02-08 104-080-001-000	
84nz25	
Ar1 Trim 463 2quot; F990	
Type F-79u-036, 60 Lb	
155-94-870	
Fig 9-106 Ud ,Dn250 Pn10	
79u00301xx0pm00 Obsolete- Replaced By 89u	
08 Fpt	
014100102wmdb00	
360-405a/Body-1.4408 /Shaft 17-4-Ph	

Ürün	Açıklama
Dn100	
03.07.9010.0420	
Fig. 89u-014 Sr	
Kpe063uvpa002e3 , By Kpe063lvpd002e3	
796 - 024	
Fig.14101+976-090s	
79e00601xx0pm00	
534-360	
9-102, Dn 300	
476-2	
79e02401xxopm00	
89e052q3s80pm00	
14-730	
Ep000/D/Tb	
Keystone 100	
360-405a/Body-1.4408 /Shaft 17-4-Ph Dn65	
360-405a/Body-1.4408 /Shaft 17-4-Ph Dn80	
Trim Cs/Ss/Ss/Rtfe/G/S	
89u-009-01-Xx-N14-N-2	
796-036 For 14-102,Dn150	
Model 7911	
Grw 80 Dw2n M1 I H1	
Type: F990 Cee2 805 150 Anae	
Grw080112wmdb00	
F79u	

Ürün	Açıklama
Ansi150-C8fm	
155-94-918	
Butterfly Valve For 4o-4202u	
44fg58	
14-677 Dn200 Pn10	
Grw080116wmdb00	
009250102w10b00	
Reparatursatz Fur K-Lok 360/302	
Reparatursatz Fur Fig. 1, 2, 9, 10, 12, 100, 1000, Ar1, Ar2, Dn 300	
3587-Atc	
71bo32	
Part For Figure 16 Seat 12 In	
Fig:9-102 , Reductor 422.020	
98dp66	
F79e-024da	
Fig 9/R	
Pln284258	
F9-102+79 U 024s	
05.9040.221	