Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Kinax

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için **info@yursat.com.tr** e-posta adresine ya da www.yursat.com.tr/iletisim adresindeki iletişim formu üzerinden bizlere ulaşabilirsiniz.

Kinax Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Kinax Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
Kinax Wt707	707- Angle of rotation transmitter Robust design With the following configuration: NLB version: Not according to NLB 01.Version 2 EEx ia IIC T6 ATEX starting 02. Direction of rotation calibrated clockwise 03.Measuring range: 0 ... 90 ° 04.Output signal output 4-20mA 2Dr, 0-20mA 3 / 4Dr 05. Auxiliary energy B 12 ... 30V DC (EEx), without Galv.Tr. 06. Fastening Fastening foot installed 07. Connection / back of the stuffing box, PG11, metal hood 08.Special features 1 special feature 09. Increased adjustability A Increased adjust. +5 / -60% 10. Climatic stress / not applicable 11. Shipworthiness is not applicable 12. Vibration resistance / not applicable 13. Additional gear 2: 1 - 144: 1 is not required 14. Additional gear 150: 1-1600: 1 is not required 15.Test report 0 Without test report
708 3w2	
708-Kinax 3W2	Angle of rotation transmitter for installation With the following configuration: NLB version: Not according to NLB 01.Version Standard version 02. Direction of rotation 1 calibrated for clockwise 03. Measuring range 4 measuring range: 0...90° 04.Output signal Outp.4-20mA 2Dr;0-20mA 3/4Dr 05.Special features 1 special feature 06.Increased adjustability / omitted 07.Special drive shaft D 6mm, 12mm in front 08. Climatic stress / not applicable 09.Suitability for ships does not apply 10. Connection board / omitted 11.Test report 0 Without test report

Yursat Dış Tic. Mühendislik
Yeni Karaman Mah. Sanayi Cad. 4. Kantar Sok. Asya Plaza Kat:5 No:505
Osmangazi/BURSA
info@yursat.com.tr
www.yursat.com.tr

Ürün	Açıklama
Kinax WT720 1 output 4..20mA, 2-wire	Angle of rotation transmitter programmable With the following configuration: ******* NLB version: Not according to NLB 01.Version 2 ATEX II 2G Ex ia 02. Mechanical angle range 1 angle range up to 360° 03.Drive shaft standard, d 10mm 04.Output variable 1 output 4..20mA, 2-wire 05.Electrical connection 1 stuffing box standard 06.Test report 0 Without test report 07.Interface 0 without programming interface 08. Direction of rotation 0 clockwise 09.Measuring range 0 basic configuration 10.Clim. Claims/Suitability for ship Normal climate resistance
TYP 707 123D A050	Input: 12-33V Output:0/4-20 mA Ang: 0/60 °
WT707	
WT720 Absolute,	programmable angular postion transmitter Specification and ordering information: WT720-2111-1E00-01 Version: (2) ATEX EX II 2G Ex ia IIC T4 G , II 2D Ex ia IIIC T80°C Db Angle area mechanically: (1) Single-Turn (360°) Drive shaft: (1) Standard, shaft Ø 10 mm [0.393“] Output variable: (1) Current, 4...20 mA, two-wire Electrical connections: (1) Gland standard Test protocol: (E) Protocol English Interface: (0) Without a programmable interface Direction of rotation: (0) Direction of rotation clockwise Measuring range: (0) Measuring range Climatic rating / Marine version: (1) Increased climating rating (rel. humidity annual average ≤ 95 %)

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.

Ürün	Açıklama
	*Accessories: Kit mounting clamp Article-Nr.: 157 364 Mounting angle for WT720 Standard Article-Nr.: 168 204 Mounting plate WT720 Standard Article-Nr.: 168 212 Bellow coupling BKXK2429 ⍰6/10mm Article-Nr.: 164 773
3W2,24 Vdc,4-20 ma Feedback Transmitter	708-216D-1ADJ,1,MODEL NO:330/653341/030/005
WT 707	Transmitter for angular position with plug in connector
708-	Kinax 3W2 Rotary Angle Transmitter for Installation With the following configuration: NLB version: Not according to NLB 01.version standard version 02.Direction of rotation 2 calibr. f.Gegenuhrzeigersinn 03.Measurement range 6 Measuring range: 0..270 ° 04. output signal Ausg.4-20mA 2Dr; 0-20mA 3 / 4Dr 05.Specialties 0 without special features Country of origin: Switzerland stat.warnumber: 90318020 Preference: no
707 123d A050	

YURSAT yedek parça tedariği yapan bir şirkettir. Sitemizde bulunan markaların yetkili distribütörü yada temsilcisi değildir.