

Kistler Morse

Garanti: 12 ay

Bu ürüne ait Türkiye içi kapı teslim fiyat ve teslim süresi içeren teklifimizi almak için info@yursat.com.tr e-posta adresine başvuru yapabilir ya da ayrıntılı bilgi için +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaşabilirsiniz.

Kistler Morse Markası, tedarik süresi için lütfen bizimle iletişime geçiniz.

Firmamız Kistler Morse Türkiye Distribütörü veya temsilcisi değildir. Firmamız sipariş durumunda, belirtilen ürünlerde sadece Orjinal ve yeni ürün teklifi sunmaktadır. Bu sitede gösterilen Özel marka adları ve ticari markalar ilgili sahiplerinin mülkiyetindedir, talep durumunda kaldırılmaktadır.

Ürün	Açıklama
2HTJ60CW001	BICARBONATE SILO WEIGHT SVS2000
2HTJ20CW001	AC SILO WEIGHT SVS2000
LOAD CELL LD360S	
HW1DM-MCELM30F00	Strain gauge sensor M30-F for structural steel columns (temperature-compensated strain gauge sensor) microcell Supply: 5 - 12 VDC Measuring range: up to 7 kg/mm2 Sensor linearity error: +/- 0.1% Reproducibility: +/- 0.05% Degree of protection with cap: IP 65 Working temp. range: -15 to +65 °C Compensated range: -10 to +50 °C System Accuracy: Typically +/- 2%
HW4AB-DMSAD00000	Terminal box for 2 strain gauge sensors Material: ABS plastic Degree of protection: IP 65 Connection: 3-wire technology
HW3AW-T260SDMS00	Evaluation electronics - Target 260S OFFER ITEM for retrofittable DMS measurement Supply: 12 - 30 VDC or alternatively 110 - 240VAC, 50-60Hz Display: OLED display / alphanumeric easy to read Input: full bridge - DMS signal, CAN bus, 2 digital TTL inputs Output: analog output (e.g. 4 -20 mA),

Ürün	Açıklama
	3 adjustable switching points (further interfaces on request) Operation: Via membrane keyboard with 5 keys Housing protection class: IP 65 Working temperature: -10 to +50°C Housing material: plastic Mounting type: wall mounting (alternatively: on C-rail) When placing your order, please specify the one you want variant regarding the supply!
LOADCELL TI-MC FM-01	COAL BUNKER LOADCELL KISTLER MORSE MICROCELL
TRANSMITTER SVS2000 WEIGHT	"SVS 2000A-A-A-A-N"
SVS-2000/4-20MA (SVS2000A-A-A-A-N)	SVS2000 ASSY (w 4-20mA option card)
WALL MOUNT KIT (SVS-2000)	SVS2000 Wall Mount Kit
Km-503	
C1125kx025x	SENSOR
Sono2baabagyy	SONOLOGIC 2 MULTI-VESSEL SYSTEM
Ld360s25kxpx	LOAD CELL
Mvs-4d-Ac-F4-Xn	WEIGHT INDICATOR W/LEVELING INTEGRATION FRP NEMA4
Mvs-4d-Ac-S4	WEIGHT/LEVEL INDICATOR
64-5034-07	SONOLOGIC 5000 LEVEL I (100FT)
Uwbaaaae	LEVEL DETECTOR
Mvs4dacf4n	MODULE
C1202kx015	LOAD CELL
C1275kx015p	LOAD CELL
Svs-2000-Sag	
Load-Disc li, C1-2-20k	
C1203kx025x	LOAD CELL
Sonoiiiaaaaeyy	SONOLOGIC 2 MULTI-VESSEL SYSTEM 110/230V
Svs2000aaann	WEIGHT INDICATOR 115VAC +/- 10PERCENT 50/60HZ

Ürün	Açıklama
C1110kx025x	SENSOR
Svs2000aabac	WEIGHT INDICATOR 115VAC +/- 10PERCENT 50/60HZ
66-5034-04	SONOLOGIC 5000 LEVEL I (50FT)
Svs2000	TRANSMITTER WEIGHT
C1-1-35k	LOAD DISK 30MV/V 3500LB
C1-1-20k-X-010	LOAD CELL 30MV/V AT 20000LB .1PERC LOAD 10FT CABLE
Svs2000aaacn	WEIGHT INDICATOR 115VAC +/- 10PERCENT 50/60HZ
Uwb-A-A-A-A-N	ULTRA WAVE ULTRASONIC LEVEL MONITOR 110/230 VAC
Uw-Baaaaf	CONTROLLER ULTRAWAVE 30WATT 220VAC 50/60HZ
Svs2000aaabn	WEIGHT INDICATOR 115VAC +/- 10PERCENT 50/60HZ
Sono2baakahyy	SONOLOGIC 2 MULTI-VESSEL SYSTEM 110/230V
Sono2aaaalayy	SONOLOGIC 2 MULTI-VESSEL SYSTEM 115/230V 30W
Uwbaabag	SONOLOGIC 2 MULTI-VESSEL SYSTEM
64.5017.21	BATCH CONTROLLER MODEL1200 120V