



Ktr Kupplungstechnik

Garanti: 12 ay

Bu rne ait Trkiye ii kapı teslim fiyat ve teslim sresi ieren teklifimizi almak iin info@yursat.com.tr e-posta adresine baŐvuru yapabilir ya da ayrıntılı bilgi iin +90 224 240 03 04 numaralı telefonumuzdan bizlere ulaŐabilirsiniz. **Ktr Kupplungstechnik** Markası, tedarik sresi iin ltfen bizimle iletiŐime geiniz.

Firmamız Ktr Kupplungstechnik Trkiye Distribtr veya temsilcisi deĐildir. Firmamız sipariŐ durumunda, belirtilen rnlerde sadece Orjinal ve yeni rn teklifi sunmaktadır. Bu sitede gsterilen zel marka adları ve ticari markalar ilgili sahiplerinin mlkiyetindedir, talep durumunda kaldırılmaktadır.

rn	Aıklama
D95055001	POLY-NORM AR 55
D02057001	ROTEX Kupplung 55 STAHL
D95060001	POLY-NORM AR 60
S02048371A481A48	ROTEX 48 GG 92° 1A Ø48 - 1A Ø48 Spider 92 Sh-A = T-PUR® = orange Material = T-PUR® = Hub 1.0 Ø48H7 groove DIN 6885/1-JS9> Component 1a Material GJL Hub 1.0 Ø48H7 groove DIN 6885/1-JS9> Component 1a Material GJL
Type NN size 135	
BOWEX-M 38-D1=18H7 - D2=38H7	
SYNTEX 25DK-DI D 48407	SI N Gr 1 tipi ring
POLY-NORM 220	SET DZ ELEMENT 84Sh-A T-PUR®=blue > 10 PIECES IN MINI GRIP BAGS 952201990184
POLY-NORM 180	SET DZ ELEMENT NBR 78 SHORE (10 PIECES)> IN MINI GRIP POUCH 951801990321
D95085002	POLY-NORM ADR 85 stat. goods no. 84836080 Net weight 14.12 kg 20 950851000201 1 ST ELASTOMER RING NBR 78 SHORE Material NBR 30 950853105500 1 ST HUB AR 1.0 Ø55H7 NND THREAD Material GJL 50 950850304500 1 ST Flange hub 1.0 Ø45H7 groove DIN 6885/1- > JS9 with cam ring mount

ROTEX Kupplung 42 GG	D02042001
S02075M710651080	ROTEX 75 GG/Stahl 92° 1.0 Ø65 - 1.0 Ø80 020751000045 2 pieces Spider 92 Sh-A =T-PUR®= orange Material =T-PUR®= 020753006500 2 pieces Hub 1.0 Ø65H7 keyway DIN 6885/1-JS9 > component 1 Material GJL 020755008000 2 pieces Hub 1.0 Ø80H7 keyway DIN 6885/1-JS9 > component 1 Material steel
082015110155	CLAMPEX KTR 201-110X155 B=80mm, Ta=145Nm, T=10700Nm
08400504507	CLAMPEX KTR 400-45X75 B=51mm, Ta=41Nm, T=3250Nm
181305203099	TANK HEATERS EHP-3000-900-G2-0-2X400V BRAZED L = 900,0 mm
S020753710651080	ROTEX 75 GG 92° 1.0 Ø65 - 1.0 Ø80 020751000045 2 ST Spider 92 Sh-A =T-PUR®= orange Material =T-PUR®= 020753006500 2 ST Hub 1.0 Ø65H7 keyway DIN 6885/1-JS9 > component 1 Material GJL -- 020753008000 2 ST Hub 1.0 Ø80H7 keyway DIN 6885/1-JS9 > component 1 Material GJL
S020383710251A42	ROTEX 38 GG 92° 1.0 Ø25 - 1A Ø42 -- 020381000045 2 ST Spider 92 Sh-A =T-PUR®= orange Material =T-PUR®= -- 020383002500 2 ST Hub 1.0 Ø25H7 groove DIN 6885/1-JS9 > component 1 Material GJL -- 020383104200 2 ST Hub 1.0 Ø42H7 groove DIN 6885/1-JS9 > Component 1a Material GJL
103526040300	PUMP CARRIER PK 350/4/3 Material Alu-D
020651000088	ROTEX 65 Sprocket PA6 white material polyamide
Rotex 24 / Syntex 25Dk-D1	
SET OF BUSHES [ST=04PCS], FOR PUMP 180 F-C SERIAL	NO: 38582.002
FLEXIBLE GEAR RİNG - TYPE/ROTEX FLEXIBLE COUPLING:	ROTEX 65, MODEL:STANDARD01 MATL:POL YURETHANE, HARDNESS:94 SHORE A (9 25)
D55028500	ROTEX coupling GS 28 50281000001 5 PCS Sprocket 92 Sh-A-GS yellow Material PUR 550287100040 5 PCS hub undrilled Material Alu-H 550287100040 5 PCS hub undrilled Material Alu-H
Bowex	junior 24
D01038003	BOWEX coupling M-38 010381000000 1PC M-HUELSE Material polyamide 010382000040 1PC HUB UNDRİLED Sintered material 010382000040 1PC HUB UNDRİLED Sintered material
D01038003	BOWEX Kupplung M-38 010381000000 6 ST M-HUELSE Material polyamide 010382000040 6 ST HUB UNDRİLED L = 40.0mm Sintered material 010382000040 6 ST HUB UNDRİLED L = 40.0mm Sintered material
010381000000	BoWex 38 M-HUELSE Material polyamide
CF-A-140-02	

ROTEX GS 19 COMPACT 98 SHA-GS	
RADEX-NC 36	720360200050 Type DK on both sides for 2.5/2.6 Ø11.5 > pre-drilled
422246	Outside diameter: 350 mm Hub diameter:110 mm
BOWEX 28 17	
D55014500	ROTEX coupling GS 14 20 550141000001 2 ST Sprocket 92 Sh-A-GS yellow Material PUR 30 550147100040 2 ST Hub undrilled Material Alu-H 40 550147100040 2 ST Hub undrilled Material Alu-H
GS28	
550071000070	ROTEX GS 7 SINT sprocket =MEGOL 1A50-CUG=
941705990013	REVOLEX KX BUSHING KX-5-D CONE 1:10 Ø37.8M7 OUTSIDE> Ø49XØ41.3j6 BORING Ø17.5H13 TENIFER-Q COATED (F.SIZE 170/190/215) L = 95.0 mm Material steel
084005100145	CLAMPEX KTR 400-100X145 B=110mm, Ta=145Nm, T=26000Nm
ALFA 60 SCF K2	• 1 Set KTR Repair Kit: Consists of 4 bearings, 4 seals and 12 Lead Plugs. • KTR coupling plug will be 145? C-Red.",Picture No: KTR
A78	set of seals > (Internal Info: GU6DC)
A78 - (Interne Info: CU6A)	set of bearings >
785810014500	fluid coupling Fusible safety screw FP ½" - 145°C> (red)
GS19 CC5206	Dimensions length: 65mm diameter: 40mm inner shaft diameter: 20mm.
D02042001	ROTEX coupling 42 GG Sprocket 92 Sh-A =T-PUR®= orange Material =T-PUR®= 020423000040 1 ST Hub undrilled component 1 L = 50.0 mm material GJL 40 020423000040 1 ST Hub undrilled component 1 L = 50.0 mm material GJL
D02065001	ROTEX coupling 65 GG 020651000045 1 ST Sprocket 92 Sh-A =T-PUR®= orange Material =T-PUR®= 70 020653000050 1 ST Hub Ø20 pre-drilled component 1 L = 75.0 mm material GJL 80 020653000050 1 ST Hub Ø20 pre-drilled component 1 L = 75.0 mm material GJL
D02028001	ROTEX coupling 28 STEEL 020281000045 1 ST Sprocket 92 Sh-A =T-PUR®= orange Material =T-PUR®= 020285100040 1 ST Hub undrilled component 1a L = 35.0 mm material steel 120 020285100040 1 ST Hub undrilled component 1a L = 35.0 mm material steel
D02125001	ROTEX clutch 125 GGG 021251000045 1 ST Sprocket 92 Sh-A =T-PUR®= orange Material =T-PUR®= 150 021254000050 1 ST Hub Ø58 pre-drilled component 1 L = 140.0 mm material GJS 160 021254000050 1 ST Hub Ø58 pre-drilled component

1 L = 140.0 mm material GJS	
Cardan joints with extension 2GA 19H7	
NUT L=230/280	
RIGIFLEX 180 TYPE 01	
RIGIFLEX 190 TYPE 03	
Bowex -	M-65.55X55-48X55
GEAREX FA 30	
237430	KTR BoWex 19 M-sleeve
235661	KTR ROTEX GS 28 sprocket 98 Sh-A-GS red
CTL40x65-CTM-00-0040X	
CLAMPEX 400 40X65	
PA-Q12 / PA-PLUG-Q14	
D94105002 / Revolex Kx-D 105 Gg	
Fk 7 Hole 90	
Bowex 28 Sint Nabe Ungebohrt	
Poly-Norm 65	
Rotex 19 (020191000020)	
Bowex M-32	
Kupplung 28 Stahl	
48he	
D02028001 Rotex 28	
950751000201,Poly-Norm	
75,Elastomerring Nbr 78 Shore	
D550055500	
Nbr 78 Shore Poly-Norm 55	
Syntex Gr.25	
Toolflex 30	
Rotex 75 Gg/St	
Bowex Junior 28?. 1 1/8? Bore	
950651000201,Poly-Norm	
65,Elastomerring Nbr 78 Shore	
Poly-Norm Ar 55	

Bowex 28 M-Huelse
020421000045
D-48407rheine
Rotex 28
Bowex Elastic 80 He
Revolex Kx-D 105 Gg
D95075001, Poly-Norm Ar 75
Sph-4-Hp.
Bowex 65fle-Pa
Rigiflex 180 (731800990040)
Type: Rotex 28
M-Huelse
D95065001, Poly-Norm Ar 65
Bowex Coupling M-28
Rotex 28 Stahl
P/N 021101000002